S2250-2

1979
ANNUAL SUMMARY
OF
VITAL STATISTICS

IDAHO DEPARTMENT OF HEALTH AND WELFARE

Milton G. Klein
Director
Department of Health and Welfare

Edward S. Gallagher, M.D.
Administrator
Division of Health

Janet M. Wick
State Registrar
Bureau of Vital Statistics

TABLE OF CONTENTS

Page

DEFINITIONS iii

POPULATION 1
- July 1, 1979 population estimates of States 2
- July 1, 1979 population estimates of Idaho counties 3
- July 1, 1978 population estimates of Idaho cities 4
- July 1, 1979 population estimates by age 8
- July 1, 1979 population estimates by Idaho health districts 8

TRENDS AND SUMMARY 9
- Trends of Idaho vital events 9
- Vital statistics, 1970 — 1979 11
- Summary of 1979 vital statistics *(districts, counties)* 13
- Summary of 1979 infant, fetal, perinatal mortality *(districts, counties)* 14

NATALITY 15
- Live births and rates, 1975 — 79 *(districts, counties)* 17
- 1979 Live births: sex and race *(districts, counties)* 18
- 1979 Live births: attendant and place of birth *(districts, counties)* 19
- 1979 Live births: age of mother *(districts, counties)* 20
- Birth and fertility rates, 1978 — 79 *(U.S., Idaho, districts, counties)* 21
- 1979 Live births: live birth order by age of mother 22
- 1979 Live births: age-specific fertility rates *(U.S., Idaho)* 22
- 1979 Live births: trimester prenatal care began 24
- 1979 Live births: prenatal care by education of mother 25
- 1979 Live births: complications and malformations 25
- 1979 Live births: complications and malformations by prenatal care 26
- 1979 Live births: APGAR scores 26
- 1979 Immature live births: race of mother *(districts, counties)* 27
- 1979 Immature live births: age of mother *(districts, counties)* 28
- 1979 Immature live births: live birth order by age of mother 29
- 1979 Immature live births: age-specific immaturity rates 29
- 1979 Immature live births by weight categories *(districts, counties)* 30
- Out-of-wedlock live births 31
- 1979 Out-of-wedlock live births: race of mother *(districts, counties)* 32
- 1979 Out-of-wedlock live births: age of mother *(districts, counties)* 33
- 1979 Out-of-wedlock live births: live birth order by age of mother 34
- 1979 Out-of-wedlock live births: age-specific ratios 34

MORTALITY 35
- Deaths and rates, 1975 — 79 *(districts, counties)* 37
- 1979 Deaths: sex and race *(districts, counties)* 38
- 1979 Deaths: age at death *(districts, counties)* 39
- Age - adjusted death rates, 1973 — 77 *(counties)* 40
- 1979 Deaths: ten leading causes by sex *(U.S., Idaho)* 41
- 1979 Deaths: ten leading causes by age group 42
- 1979 Deaths: selected causes *(U.S., Idaho, districts, counties)* 46
- 1979 Deaths: malignant neoplasms by site 48
- 1979 Accidental deaths occurring in Idaho: category by age 49
- 1979 Fatalities, motor vehicle operators: blood alcohol testing 51

1979 Reported morbidity from selected causes *(districts, counties)* 52
Reported morbidity from selected causes, 1975 — 79 54
Infant, fetal, maternal mortality 55
Infant deaths and rates, 1975 — 79 *(districts, counties)* 57
1979 Infant deaths: sex and race *(districts, counties)* 58
1979 Infant deaths: neonatal, postneonatal *(districts, counties)* 59
1979 Infant deaths: causes of death, neonatal and postneonatal 60
1979 Infant deaths: causes of death *(Idaho, districts)* 61
Fetal deaths and ratios, 1975 — 79 *(districts, counties)* 62
Perinatal deaths and ratios, 1975 — 79 *(districts, counties)* 63

INDUCED ABORTION 65
Induced abortions, 1978 — 79 *(districts, counties)* 66
1979 Induced abortions: age of patient by marital status 67
1979 Induced abortions: previous abortions, living children 67
1979 Induced abortions: procedure by gestation 68
1979 Induced abortions: complications by procedure 68
1979 Induced abortions: age of patient *(districts, counties)* 69
1979 Induced abortions: race of patient *(districts, counties)* 70

MARRIAGE AND DIVORCE 71
Marriages, 1969 — 1979 *(districts, counties)* 72
1979 Marriages: age of bride by age of groom 73
1979 Marriages: race of bride by race of groom 73
1979 Marriages: age of bride by marital status 74
1979 Marriages: age of groom by marital status 75
Divorces, 1969 — 1979 *(districts, counties)* 76
1979 Divorces: number of children affected 77
1979 Divorces: legal grounds 78
Divorces, 1977 — 79: duration of marriage 79

APPENDIX 81
Appendix A: Methodology for county estimates 81
Appendix B: Methodology for age- and sex-adjusted mortality rates 83
Appendix C: Comparison of ICDA-8 and ICD-9 85
Appendix D: Vital statistics profile of Idaho by district and county 88
Appendix E: Detailed causes of death by age, 1979 95

Photo Credits:
Cover and Divider Pages — Earl Brockman

DEFINITIONS

RESIDENCE DATA — data allocated by place of residence of the decedent (deaths), or by place of residence of the child's mother (births, fetal deaths).

OCCURRENCE DATA — data allocated by place where event occurred, regardless of the person's place of residence (marriages, divorces).

LIVE BIRTH — a birth that shows any sign of life after delivery.

IMMATURE BIRTH — a live birth weighing 5½ pounds (2500 grams) or less.

FETAL DEATH (STILLBIRTH) — any birth after 20 weeks gestation which is not a live birth.

INFANT DEATH — death of an infant under one year of age.

NEONATAL DEATH — death of an infant within the first 27 days of life.

PERINATAL DEATH — includes fetal deaths and deaths to infants within the first six days of life.

MATERNAL DEATH — death attributable to complications of pregnancy, childbirth, or the puerperium.

(CRUDE) BIRTH RATE — number of live births per 1,000 population.

$$\left(\frac{\text{live births}}{\text{population}} \times 1{,}000\right)$$

FERTILITY RATE — number of live births per 1,000 women 15-44 years of age.

$$\left(\frac{\text{live births}}{\text{females 15-44}} \times 1{,}000\right)$$

IMMATURE BIRTH RATE — number of immature live births per 1,000 live births.

$$\left(\frac{\text{immature live births}}{\text{live births}} \times 1{,}000\right)$$

OUT-OF-WEDLOCK RATIO — number of out-of-wedlock live births per 1,000 live births.

$$\left(\frac{\text{out-of-wedlock live births}}{\text{live births}} \times 1{,}000\right)$$

FETAL DEATH RATIO — number of fetal deaths per 1,000 live births.

$$\left(\frac{\text{fetal deaths}}{\text{live births}} \times 1{,}000\right)$$

INFANT DEATH RATE — number of infant deaths per 1,000 live births.

$$\left(\frac{\text{infant deaths}}{\text{live births}} \times 1{,}000\right)$$

NEONATAL DEATH RATE — number of neonatal deaths per 1,000 live births.

$$\left(\frac{\text{neonatal deaths}}{\text{live births}} \times 1{,}000\right)$$

PERINATAL DEATH RATIO — number of perinatal deaths per 1,000 live births.

$$\left(\frac{\text{perinatal deaths}}{\text{live births}} \times 1{,}000\right)$$

MATERNAL DEATH RATE — number of maternal deaths per 10,000 live births.

$$\left(\frac{\text{maternal deaths}}{\text{live births}} \times 10{,}000\right)$$

(CRUDE) DEATH RATE — number of deaths per 1,000 population.

$$\left(\frac{\text{deaths}}{\text{population}} \times 1{,}000\right)$$

CAUSE-SPECIFIC DEATH RATE — number of deaths from a specific cause per 100,000 population.

$$\left(\frac{\text{deaths from specific cause}}{\text{population}} \times 100{,}000\right)$$

IDAHO POPULATION GROWTH

Idaho is a participant with the U.S. Bureau of the Census in the Federal-State Cooperative Program for Local Population Estimates. Forty-nine States participate in the program, which is a system for generating official State and county population data. Estimates have been published annually since the 1970 Census. The provisional July 1, 1979 estimate for Idaho is 905,000 (see Appendix A for methodology).

Idaho is continuing to grow at a rapid pace. Yearly migration, after a drop in the mid-seventies, is again increasing, as is the natural increase (birth minus deaths) because of the continuing increase in live births. Since the 1970 Census Idaho has had an average annual gain of nearly 3%. Migration has averaged 1.5% each year, with areas of the State varying as indicated on page 8: the extreme northern and central counties are still receiving the largest share (percentagewise) of immigrants to Idaho. The only area consistently still losing from migration is the north central region.

Counties which, according to the estimates, have increased at the fastest rate since 1970 are Blaine (70%), Boise (64%), Kootenai (60%) and Bonner (51%) Counties. Ada County has had the largest numerical increase from 1970-79 of 44,100, followed by Kootenai (21,000) and Canyon (17,200) Counties. At the other extreme, Clearwater (-12%) and Shoshone (-6%) Counties have experienced the only net losses.

The Cooperative Program estimates will be reviewed after results of the 1980 Census are finalized, with appropriate modifications to the methodology.

ESTIMATES OF THE POPULATION OF STATES

July 1, 1978 and July 1, 1979

Region, division and State	July 1, 1979 (provisional)	July 1, 1978	April 1, 1970 (Census)[1]	Change, 1970 to 1979		Components of Change, 1970 to 1979			
				Number	Percent[2]	Births	Deaths	Net Migration	
								Number	Percent[2]
United States	220,099	218,228	203,302	16,797	8.3	30,567	17,800	4,030	2.0
REGIONS									
Northeast	49,002	49,092	49,061	-59	-0.1	6,186	4,423	-1,821	-3.7
North Central	58,406	58,258	56,590	1,815	3.2	8,318	4,906	-1,596	-2.8
South	71,550	70,642	62,813	8,737	13.9	10,303	5,710	4,144	6.6
West	41,142	40,236	34,838	6,304	18.1	5,761	2,760	3,303	9.5
NORTHEAST:									
New England	12,291	12,267	11,847	444	3.7	1,484	1,042	2	--
Middle Atlantic	36,711	36,825	37,213	-502	-1.4	4,702	3,381	-1,823	-4.9
NORTH CENTRAL:									
East North Central	41,287	41,221	40,263	1,025	2.5	5,948	3,418	-1,506	-3.7
West North Central	17,118	17,036	16,328	791	4.8	2,370	1,488	-91	-0.6
SOUTH:									
South Atlantic	34,976	34,648	30,679	4,297	14.0	4,739	2,820	2,378	7.8
East South Central	14,105	13,960	12,808	1,297	10.1	2,124	1,202	375	2.9
West South Central	22,470	22,034	19,326	3,144	16.3	3,441	1,688	1,392	7.2
WEST:									
Mountain	10,673	10,364	8,290	2,383	28.7	1,669	657	1,372	16.6
Pacific	30,469	29,871	26,548	3,920	14.8	4,092	2,103	1,931	7.3
NEW ENGLAND:									
Maine	1,097	1,092	994	103	10.4	149	98	52	5.2
New Hampshire	887	869	738	149	20.2	112	69	106	14.3
Vermont	493	487	445	49	10.9	66	40	22	5.0
Massachusetts	5,769	5,771	5,689	80	1.4	681	509	-92	-1.6
Rhode Island	929	932	950	-20	-2.1	114	85	-49	-5.2
Connecticut	3,115	3,116	3,032	83	2.7	361	242	-37	-1.2
MIDDLE ATLANTIC:									
New York	17,648	17,746	18,241	-593	-3.3	2,319	1,626	-1,287	-7.1
New Jersey	7,332	7,316	7,171	161	2.2	909	617	-131	-1.8
Pennsylvania	11,731	11,763	11,801	-70	-0.6	1,473	1,138	-406	-3.4
EAST NORTH CENTRAL:									
Ohio	10,731	10,732	10,657	73	0.7	1,546	908	-565	-3.5
Indiana	5,400	5,387	5,195	205	3.9	799	444	-150	-2.9
Illinois	11,229	11,238	11,110	119	1.1	1,647	986	-542	-4.9
Michigan	9,207	9,181	8,882	325	3.7	1,331	705	-300	-3.4
Wisconsin	4,720	4,683	4,418	302	6.8	625	375	52	1.2
WEST NORTH CENTRAL:									
Minnesota	4,060	4,024	3,806	546	6.7	546	309	16	0.4
Iowa	2,902	2,906	2,825	77	2.7	397	263	-56	-2.0
Missouri	4,867	4,847	4,678	190	4.1	670	465	-16	-0.3
North Dakota	657	653	618	39	6.3	98	51	-8	-1.3
South Dakota	689	690	666	23	3.4	107	61	-23	-3.5
Nebraska	1,574	1,569	1,485	89	6.0	226	137	--	--
Kansas	2,369	2,347	2,249	120	5.3	326	202	-4	-0.2
SOUTH ATLANTIC:									
Delaware	582	584	548	34	6.2	81	45	-2	-0.4
Maryland	4,148	4,148	3,924	225	5.7	522	303	5	0.1
District of Columbia	656	671	757	-101	-13.4	102	71	-131	-17.4
Virginia	5,197	5,177	4,651	545	11.7	687	372	230	4.9
West Virginia	1,878	1,861	1,744	133	7.7	268	182	47	2.7
North Carolina	5,606	5,571	5,084	522	10.3	800	429	151	3.0
South Carolina	2,932	2,902	2,591	341	13.2	459	221	103	4.0
Georgia	5,117	5,075	4,588	529	11.5	795	393	128	2.8
Florida	8,860	8,661	6,791	2,069	30.5	1,024	804	1,848	27.2
EAST SOUTH CENTRAL:									
Kentucky	3,527	3,490	3,221	306	9.5	523	308	91	2.8
Tennessee	4,380	4,333	3,926	454	11.6	612	360	202	5.1
Alabama	3,769	3,728	3,444	325	9.4	567	318	75	2.2
Mississippi	2,429	2,409	2,217	212	9.6	421	216	7	0.3
WEST SOUTH CENTRAL:									
Arkansas	2,180	2,167	1,923	257	13.4	321	200	136	7.1
Louisiana	4,018	3,978	3,645	373	10.2	656	317	34	0.9
Oklahoma	2,892	2,843	2,559	332	13.0	406	250	177	6.9
Texas	13,380	13,047	11,199	2,182	19.5	2,058	921	1,045	9.3
MOUNTAIN:									
Montana	786	780	694	92	13.2	115	62	38	5.4
Idaho	905	882	713	192	26.9	151	60	100	14.0
Wyoming	450	425	332	117	35.3	65	28	81	24.2
Colorado	2,772	2,706	2,210	563	25.5	379	166	350	15.8
New Mexico	1,241	1,215	1,017	224	22.1	204	74	94	9.3
Arizona	2,450	2,373	1,775	675	38.0	368	157	464	26.1
Utah	1,367	1,317	1,059	308	29.1	297	69	80	7.6
Nevada	702	686	489	213	43.6	89	41	165	33.8
PACIFIC:									
Washington	3,926	3,793	3,413	513	15.0	497	279	295	8.6
Oregon	2,527	2,452	2,092	436	20.8	319	189	305	14.6
California	22,694	22,314	19,971	2,723	13.6	3,057	1,581	1,248	6.2
Alaska	406	411	303	104	34.3	71	14	47	15.6
Hawaii	915	902	770	145	18.8	149	40	36	4.6

--Represents zero or rounds to zero.

[1]Includes officially recognized changes to census counts through October, 1979.

[2]Percent of April 1, 1970 population.

Source: "Estimates of the Population of States: July 1, 1970 to 1979," **Current Population Reports**, Bureau of the Census, Series P-25, No. 876, February 1980.

ESTIMATES OF THE POPULATION OF IDAHO COUNTIES

July 1, 1978 and July 1, 1979

COUNTY	July 1, 1979 (provisional)	July 1, 1978	April 1, 1970 (census)	Change, 1970 to 1979		Components of Change, 1970 to 1979[2]			
				Number	Percent	Births	Deaths	Net Migration	
								Number	Percent
IDAHO	905,000	882,000	713,015[1]	192,000	26.9	151,000	59,000	100,000	14.1
Ada	156,300	151,200	112,230	44,100	39.3	22,400	9,200	30,900	27.5
Adams	3,500	3,400	2,877	600	20.6	500	200	300	11.7
Bannock	64,100	62,600	52,200	11,900	22.8	12,200	3,700	3,400	6.5
Bear Lake	7,200	7,000	5,801	1,400	23.6	1,300	600	700	11.5
Benewah	7,800	7,600	6,230	1,600	24.9	1,300	700	1,000	15.4
Bingham	37,200	36,400	29,167	8,000	27.5	7,600	2,100	2,600	8.8
Blaine[3]	9,600	9,200	5,749	3,800	66.7	1,200	500	3,100	53.8
Boise	2,900	2,700	1,763	1,100	63.9	400	200	900	51.2
Bonner	23,500	22,600	15,560	7,900	51.0	2,800	1,600	6,700	43.3
Bonneville[4]	64,400	63,200	52,457	11,900	22.7	13,300	3,100	1,700	3.3
Boundary	7,000	6,700	5,484	1,500	26.9	1,100	500	900	15.9
Butte	3,500	3,400	2,925	600	19.7	600	200	200	5.2
Camas[5]	900	800	728	100	19.1	100	100	100	10.2
Canyon	78,500	77,500	61,288	17,200	28.1	13,200	5,800	9,900	16.1
Caribou	8,700	8,500	6,534	2,200	33.0	1,700	400	900	13.2
Cassia	19,800	19,300	17,017	2,800	16.4	4,200	1,300	-200	-1.0
Clark[6]	900	900	741	200	22.4	100	100	100	11.1
Clearwater	9,500	9,700	10,871	-1,300	-12.3	1,700	700	-2,300	-21.4
Custer	3,300	3,300	2,967	300	11.5	500	300	100	4.5
Elmore	21,700	21,400	17,479	4,200	24.2	4,900	900	200	1.1
Franklin	9,400	8,800	7,373	2,000	26.8	1,700	700	900	12.6
Fremont	11,400	11,000	8,710	2,700	30.8	2,200	700	1,200	13.9
Gem	11,800	11,100	9,387	2,400	25.6	1,700	1,000	1,700	17.7
Gooding	11,100	11,000	8,645	2,500	28.4	1,600	1,000	1,900	21.8
Idaho	14,000	13,700	12,891	1,100	8.5	1,900	1,100	200	1.8
Jefferson	15,700	14,900	11,740	3,900	33.4	3,200	900	1,700	14.1
Jerome	15,400	14,500	10,253	5,200	50.6	2,300	900	3,800	37.2
Kootenai	56,400	53,100	35,332	21,100	59.6	6,900	3,800	17,900	50.8
Latah	27,800	27,500	24,898	2,900	11.7	3,900	1,600	600	2.5
Lemhi	7,300	7,000	5,566	1,800	31.5	1,100	600	1,300	23.6
Lewis	4,700	4,600	3,867	800	20.4	800	400	400	10.7
Lincoln	3,300	3,400	3,057	300	8.5	500	300	(z)	-0.3
Madison	19,700	18,800	13,452	6,300	46.8	4,000	800	3,100	22.8
Minidoka	19,400	19,600	15,731	3,600	23.1	4,000	1,100	700	4.3
Nez Perce	30,700	30,600	30,376	300	1.0	4,500	2,800	-1,400	-4.5
Oneida	3,200	3,400	2,864	400	12.3	600	400	200	5.6
Owyhee	8,100	8,000	6,422	1,700	26.7	1,400	500	900	14.0
Payette[7]	15,400	15,100	12,401	3,000	24.5	2,200	1,400	2,200	18.1
Power	6,200	6,300	4,864	1,400	28.0	1,100	400	600	13.0
Shoshone[8]	18,500	18,100	19,778	-1,200	-6.0	3,400	1,700	-2,800	-14.3
Teton	2,900	2,800	2,351	500	21.4	600	200	100	5.9
Twin Falls	48,200	47,700	41,807	6,400	15.4	8,200	3,900	2,200	5.2
Valley	5,100	4,700	3,609	1,500	42.0	800	300	1,100	29.7
Washington[9]	8,900	9,000	7,633	1,200	16.2	1,500	900	700	8.6

Z Less than 50 persons or less than 0.05 percent.

[1]The total for the State shown here includes all corrections to the 1970 census made subsequent to the release of the official counts. The official 1970 census count for Idaho was 713,008.

[2]Births and deaths are based on reported vital statistics from April 1, 1970 to December 31, 1977. Net migration is the difference between net change and natural change.

[3]The population of Blaine County, as counted in the special census on June 7, 1977, was 8,748. The estimates shown here have been adjusted to reflect this count.

[4]The population of Bonneville County, as counted in the special census on November 5, 1975 was 58,499. The estimates shown here have been adjusted to reflect this count.

[5]The population of Camas County, as counted in the special census on August 11, 1975 was 860. The estimates shown here have been adjusted to reflect this count.

[6]The population of Clark County, as counted in the special census on August 12, 1975 was 969. The estimates shown here have been adjusted to reflect this count.

[7]The population of Payette County, as counted in the special census on June 18, 1975 was 14,390. The estimates shown here have been adjusted to reflect this count.

[8]The population of Shoshone County, as counted in the special census on April 7, 1976 was 18,938. The estimates shown here have been adjusted to reflect this count.

[9]The population of Washington County, as counted in the special census on May 5, 1976 was 8,485. The estimates shown here have been adjusted to reflect this count.

Current Population Reports, U.S. Bureau of the Census, Series P-26, No. 79-12.

ESTIMATES OF THE POPULATION OF IDAHO CITIES

July 1, 1977 and July 1, 1978

AREA		POPULATION		
CITY	COUNTY	July 1, 1978	July 1, 1977	April 1, 1970
Aberdeen	Bingham	1,700	1,680	1,542
Acequia	Minidoka	141	137	107
Albion	Cassia	280	272	229
American Falls	Power	3,883	3,779	3,769
Ammon	Bonneville	4,298	4,046	2,545
Arco	Butte	1,372	1,394	1,244
Arimo	Bannock	315	291	252
Ashton	Fremont	1,553	1,450	1,187
Athol	Kootenai	621	499	190
Atomic City	Bingham	20	20	24
Bancroft	Caribou	534	484	366
Basalt	Bingham	369	369	349
Bellevue	Blaine	919	925	537
Blackfoot	Bingham	10,094	9,999	9,471
Bliss	Gooding	138	141	114
Bloomington	Bear Lake	189	183	186
Boise City	Ada	114,033	107,687	84,521
Bonners Ferry	Boundary	2,052	2,008	1,909
Bovill	Latah	362	361	350
Buhl	Twin Falls	3,208	3,262	2,975
Burley	Cassia, Minidoka	8,883	8,921	8,279
Butte City	Butte	93	73	42
Caldwell	Canyon	16,572	16,184	14,219
Cambridge	Washington	606	475	383
Cascade	Valley	1,003	1,070	833
Castleford	Twin Falls	228	224	174
Challis	Custer	1,025	1,017	784
Chatcolet	Benewah	78	80	95
Chubbuck	Bannock	6,608	5,980	2,924
Clark Fork	Bonner	502	507	367
Clayton	Custer	33	33	36
Clifton	Franklin	189	183	137
Coeur d'Alene	Kootenai	20,730	18,983	16,228
Cottonwood	Idaho	840	844	867
Council	Adams	1,091	1,041	899
Craigmont	Lewis	768	721	554
Crouch	Boise	103	92	71
Culdesac	Nez Perce	208	193	211
Dalton Gardens	Kootenai	2,337	2,176	1,559
Dayton	Franklin	272	289	198
Deary	Latah	455	454	411
Declo	Cassia	296	271	251
Dietrich	Lincoln	85	88	84
Donnelly	Valley	186	164	114
Downey	Bannock	604	580	586
Driggs	Teton	1,019	939	727
Drummond	Fremont	14	14	13
Dubois	Clark	500	505	400
Eagle	Ada	1,813	1,601	359
East Hope	Bonner	214	204	175
Eden	Jerome	417	380	343
Elk River	Clearwater	314	318	383
Emmett	Gem	4,473	4,202	3,945
Fairfield	Camas	440	401	336
Ferdinand	Idaho	160	153	157
Fernan Lake	Kootenai	250	235	179
Filer	Twin Falls	1,274	1,304	1,173
Firth	Bingham	405	406	362
Franklin	Franklin	459	469	402
Fruitland	Payette	2,252	2,281	1,576
Garden City	Ada	3,857	3,635	2,368
Genesee	Latah	748	737	619
Georgetown	Bear Lake	529	520	421
Glenns Ferry	Elmore	1,597	1,588	1,386
Gooding	Gooding	2,966	2,957	2,599
Grace	Caribou	1,242	1,223	826
Grand View	Owyhee	340	336	260
Grangeville	Idaho	3,517	3,428	3,636
Greenleaf	Canyon	621	561	323

ESTIMATES OF THE POPULATION OF IDAHO CITIES

(Continued)

AREA		POPULATION		
CITY	COUNTY	July 1, 1978	July 1, 1977	April 1, 1970
Hagerman	Gooding	663	569	436
Hailey	Blaine	1,863	1,724	1,425
Hamer	Jefferson	123	123	81
Hansen	Twin Falls	764	766	415
Harrison	Kootenai	336	323	249
Hauser Lake	Kootenai	561	519	349
Hayden	Kootenai	2,108	1,918	1,285
Hayden Lake	Kootenai	377	355	260
Hazelton	Jerome	580	571	396
Heyburn	Minidoka	2,865	2,710	1,637
Hollister	Twin Falls	89	96	57
Homedale	Owyhee	1,739	1,699	1,411
Hope	Bonner	108	102	63
Horseshoe Bend	Boise	918	805	511
Huetter	Kootenai	59	55	49
Idaho City	Boise	260	244	164
Idaho Falls	Bonneville	40,003	38,457	35,776
Inkom	Bannock	874	873	522
Iona	Bonneville	1,119	1,073	890
Irwin	Bonneville	96	95	228
Island Park	Fremont	181	175	136
Jerome	Jerome	6,049	6,052	4,183
Juliaetta	Latah	553	525	423
Kamiah	Lewis	1,496	1,445	1,307
Kellogg	Shoshone	3,185	3,331	3,811
Kendrick	Latah	425	423	426
Ketchum	Blaine	2,528	2,350	1,454
Kimberly	Twin Falls	1,917	1,878	1,557
Kooskia	Idaho	860	833	809
Kootenai	Bonner	215	199	168
Kuna	Ada	1,630	1,446	593
Lapwai	Nez Perce	995	990	400
Lava Hot Springs	Bannock	617	624	516
Leadore	Lemhi	138	141	111
Lewiston	Nez Perce	26,067	25,788	26,068
Lewisville	Jefferson	498	482	468
Lost River	Custer	41	40	40
Mackay	Custer	683	607	539
Malad City	Oneida	2,022	2,062	1,848
Malta	Cassia	262	233	196
Marsing	Owyhee	820	811	610
McCall	Valley	2,246	2,193	1,758
McCammon	Bannock	865	869	623
Melba	Canyon	238	237	197
Menan	Jefferson	726	652	545
Meridian	Ada	5,713	5,494	2,885
Middleton	Canyon	1,704	1,524	739
Midvale	Washington	470	454	176
Minidoka	Minidoka	178	167	131
Montpelier	Bear Lake	3,188	3,124	2,604
Moore	Butte	181	156	156
Moscow	Latah	15,508	15,311	14,146
Mountain Home	Elmore	8,111	7,626	6,451
Moyie Springs	Boundary	211	205	203
Mud Lake	Jefferson	308	281	194
Mullan	Shoshone	1,141	1,175	1,279
Murtaugh	Twin Falls	179	157	124
Nampa	Canyon	28,062	26,841	20,768
Newdale	Fremont	316	315	267
New Meadows	Adams	609	600	605
New Plymouth	Payette	1,366	1,275	986
Nezperce	Lewis	638	607	555
Notus	Canyon	365	368	304
Oakley	Cassia	927	877	656
Oldtown	Bonner	274	260	161
Onaway	Latah	165	167	166
Orofino	Clearwater	3,122	3,228	3,883
Osburn	Shoshone	2,202	2,191	2,248
Oxford	Franklin	76	59	75

ESTIMATES OF THE POPULATION OF IDAHO CITIES

(Continued)

AREA		POPULATION		
CITY	COUNTY	July 1, 1978	July 1, 1977	April 1, 1970
Paris	Bear Lake	718	694	615
Parker	Fremont	342	329	266
Parma	Canyon	1,776	1,831	1,228
Paul	Minidoka	1,029	1,046	911
Payette	Payette	5,180	5,166	4,521
Peck	Nez Perce	303	304	238
Pierce	Clearwater	1,107	1,128	1,218
Pinehurst	Shoshone	2,085	2,139	1,996
Placerville	Boise	15	15	14
Plummer	Benewah	627	638	443
Pocatello	Bannock	47,152	46,736	41,374
Ponderay	Bonner	399	372	275
Post Falls	Kootenai	4,644	4,644	2,371
Potlatch	Latah	865	817	871
Preston	Franklin	3,680	3,635	3,310
Priest River	Bonner	1,795	1,738	1,493
Rathdrum	Kootenai	1,080	1,098	741
Reubens	Lewis	80	76	81
Rexburg	Madison	11,241	10,731	8,272
Richfield	Lincoln	361	369	290
Rigby	Jefferson	3,211	3,107	2,324
Riggins	Idaho	674	628	533
Ririe	Bonneville, Jefferson	674	667	575
Roberts	Jefferson	455	414	393
Rockland	Power	205	206	209
Rupert	Minidoka	5,798	5,690	4,563
St. Anthony	Fremont	3,352	3,250	2,877
St. Charles	Bear Lake	216	215	200
St. Maries	Benewah	2,988	2,947	2,571
Salmon	Lemhi	3,631	3,433	2,910
Sandpoint	Bonner	3,797	3,721	4,144
Shelley	Bingham	3,676	3,414	2,614
Shoshone	Lincoln	1,192	1,239	1,233
Smelterville	Shoshone	843	866	967
Soda Springs	Caribou	4,114	4,029	2,977
Spencer	Clark	36	36	45
Spirit Lake	Kootenai	927	828	622
Stanley	Custer	64	63	47
State Line	Kootenai	30	28	22
Stites	Idaho	215	210	263
Sugar City	Madison	783	673	617
Sun Valley	Blaine	405	401	180
Swan Valley	Bonneville	211	209	235
Tensed	Benewah	187	191	151
Teton	Fremont	623	569	390
Tetonia	Teton	199	206	176
Troy	Latah	786	788	541
Twin Falls	Twin Falls	24,129	24,157	21,914
Ucon	Bonneville	893	856	664
Victor	Teton	239	233	241
Wallace	Shoshone	1,698	1,805	2,206
Wardner	Shoshone	383	396	492
Warm River	Fremont	11	11	10
Weippe	Clearwater	782	729	713
Weiser	Washington	4,865	4,727	4,108
Wendell	Gooding	1,396	1,400	1,122
Weston	Franklin	300	302	230
White Bird	Idaho	207	193	185
Wilder	Canyon	823	783	748
Winchester	Lewis	320	273	274
Worley	Kootenai	335	327	235

Data available from a forthcoming publication, **Current Population Reports**, Bureau of the Census, Series P-25. (Some figures may change slightly by publication date.)

IDAHO

Counties and Health Districts

1979



IDAHO POPULATION BY AGE

July 1, 1978 and July 1, 1979

AGE	Provisional July 1, 1979	Revised July 1, 1978	Census April 1, 1970
TOTAL	905,000	882,000	713,015
<5	90,000	84,000	63,936
5-17	203,000	203,000	199,680
18-44	353,000	340,000	238,656
45-64	169,000	167,000	143,319
65+	91,000	87,000	67,417
14+	681,000	665,000	512,573
18+	612,000	594,000	449,392
21+	558,000	541,000	410,414

1970 Census data do not reflect correction to Latah County.

"Estimates of the Population of States, by Age: July 1, 1971 to 1979," **Current Population Reports**, Bureau of the Census, Series P-25, No. 875, January 1980.

IDAHO POPULATION BY HEALTH DISTRICTS

July 1, 1978 and July 1, 1979

DISTRICT	Provisional July 1, 1979	Revised July 1, 1978	Census April 1, 1970
IDAHO	905,000	882,000	713,015
District 1	113,200	108,100	82,324
District 2	86,700	86,100	82,903
District 3	126,200	124,100	100,008
District 4	186,000	180,000	135,081
District 5	127,700	125,500	102,987
District 6	139,500	136,400	111,728
District 7	125,600	121,900	97,984

TRENDS IN IDAHO

BIRTHS	At 19,919, the number of Idaho resident live births once again hit a record high level. The birth rate has remained virtually unchanged over the past three years, although at 22.0 in 1977 and 1979, it is the highest rate since 1962.
OUT-OF-WEDLOCK BIRTHS	The number of out-of-wedlock live births registered an almost imperceptible increase from 1,386 in 1978 to 1,397 in 1979; the ratio decreased from 71.6 to 70.1 per 1,000 live births.
DEATHS	Deaths decreased from 6,487 in 1978 to 6,386 in 1979; the rate also showed a continuing decline, more pronounced because the population increased: from 7.4 to 7.1 per 1,000 population. In just the past three years, the rate has fallen by 11%.
FETAL DEATHS	Fetal deaths declined again in 1979; at 6.7, the ratio is the lowest ever recorded in Idaho.
INFANT DEATHS	Even though the live births increased by more than 550, the number of infant deaths declined from 225 to 202. This resulted in a substantial reduction in the infant death rate from 11.6 to 10.1 per 1,000 live births, a record low rate for Idaho.
MATERNAL DEATHS	One maternal death occurred in 1979, for a resultant 0.5 rate per 1,000 live births.
MARRIAGES	The number of marriages declined again, from 13,570 to 13,429. At 14.8 marriages per 1,000 population, the rate is at the lowest in recent years.
DIVORCES	The number of divorces increased for the fourteenth straight year, although the size of the increase was the smallest since 1971. The rate of divorce decreased for the first time since 1971, from 7.2 to 7.1 per 1,000 population.

IDAHO VITAL EVENTS

Each day in Idaho, there are approximately:



IDAHO VITAL STATISTICS

1970 — 1979

	1979	1978	1977	1976	1975	1974	1973	1972	1971	1970
LIVE BIRTHS	19919	19355	18813	17322	16242	15570	14507	14250	14387	14540
Birth Rate	22.0	21.9	22.0	20.8	20.0	19.5	18.7	18.9	19.5	20.4
Males	10155	9793	9739	8950	8456	7980	7485	7371	7323	7534
Females	9764	9562	9074	8372	7786	7590	7022	6879	7064	7006
DEATHS	6386	6487	6448	6635	6505	6452	6465	6283	6336	6146
Death Rate	7.1	7.4	7.5	8.0	8.0	8.1	8.3	8.3	8.6	8.6
Males	3711	3713	3774	3914	3835	3826	3782	3885	3801	3657
Females	2675	2774	2674	2721	2670	2626	2683	2398	2535	2489
FETAL DEATHS	133	146	152	119	142	148	128	162	151	143
Ratio	6.7	7.5	8.1	6.9	8.7	9.5	8.8	11.4	10.5	9.8
INFANT DEATHS	202	225	219	227	214	236	247	241	245	242
Rate	10.1	11.6	11.6	13.1	13.2	15.2	17.0	16.9	17.0	16.6
<1 Month	131	140	130	144	153	172	180	162	179	184
1-11 Months	71	85	89	83	61	64	67	79	66	58
MATERNAL DEATHS	1	--	2	1	4	--	--	--	3	1
Rate	0.5	--	1.1	0.6	2.5	--	--	--	2.1	0.7
MARRIAGES	13429	13570	13691	13104	12688	12489	12236	12086	11356	10915
Rate	14.8	15.4	16.0	15.7	15.6	15.7	15.8	16.0	15.4	15.3
DIVORCES	6449	6356	6013	5699	5203	4808	4341	3847	3664	3612
Rate	7.1	7.2	7.0	6.8	6.4	6.0	5.6	5.1	5.0	5.1

IDAHO VITAL STATISTICS

1968 — 1979



SUMMARY OF IDAHO VITAL STATISTICS

Births, Deaths, Marriages, Divorces

1979

COUNTY	Estimated Population July 1, 1979	BIRTHS Number	BIRTHS Rate	DEATHS Number	DEATHS Rate	MARRIAGES Number	MARRIAGES Rate	DIVORCES Number	DIVORCES Rate
IDAHO	905,000	19,919	22.0	6,386	7.1	13,429*	14.8	6,449	7.1
District 1	113,200	2,012	17.8	892	7.9	4,237	37.4	985	8.7
District 2	86,700	1,428	16.5	728	8.4	1,040	12.0	605	7.0
District 3	126,200	2,599	20.6	1,005	8.0	1,390	11.0	863	6.8
District 4	186,000	3,924	21.1	1,194	6.4	2,176	11.7	1,801	9.7
District 5	127,700	2,917	22.8	976	7.6	1,323	10.4	845	6.6
District 6	139,500	3,609	25.9	913	6.5	1,207	8.7	563	4.0
District 7	125,600	3,430	27.3	678	5.4	2,052	16.3	787	6.3
Ada	156,300	3,214	20.6	1,031	6.6	1,788	11.4	1,527	9.8
Adams	3,500	62	17.7	31	8.9	43	12.3	24	6.9
Bannock	64,100	1,605	25.0	413	6.4	642	10.0	277	4.3
Bear Lake	7,200	198	27.5	62	8.6	57	7.9	12	1.7
Benewah	7,800	158	20.3	56	7.2	92	11.8	72	9.2
Bingham	37,200	1,011	27.2	225	6.0	274	7.4	177	4.8
Blaine	9,600	180	18.8	49	5.1	190	19.8	73	7.6
Boise	2,900	63	21.7	17	5.9	52	17.9	47	16.2
Bonner	23,500	399	17.0	176	7.5	307	13.1	188	8.0
Bonneville	64,400	1,753	27.2	333	5.2	1,508	23.4	521	8.1
Boundary	7,000	146	20.9	54	7.7	110	15.7	48	6.9
Butte	3,500	97	27.7	20	5.7	29	8.3	2	0.6
Camas	900	16	17.8	5	5.6	10	11.1	7	7.8
Canyon	78,500	1,692	21.6	567	7.2	806	10.3	532	6.8
Caribou	8,700	249	28.6	47	5.4	81	9.3	42	4.8
Cassia	19,800	560	28.3	142	7.2	193	9.7	112	5.7
Clark	900	19	21.1	7	7.8	4	4.4	--	--
Clearwater	9,500	180	18.9	70	7.4	109	11.5	79	8.3
Custer	3,300	58	17.6	27	8.2	51	15.5	13	3.9
Elmore	21,700	557	25.7	106	4.9	240	11.1	181	8.3
Franklin	9,400	254	27.0	74	7.9	45	4.8	11	1.2
Fremont	11,400	306	26.8	69	6.1	108	9.5	18	1.6
Gem	11,800	238	20.2	115	9.7	135	11.4	77	6.5
Gooding	11,100	227	20.5	85	7.7	105	9.5	71	6.4
Idaho	14,000	254	18.1	137	9.8	145	10.4	52	3.7
Jefferson	15,700	458	29.2	78	5.0	130	8.3	36	2.3
Jerome	15,400	341	22.1	118	7.7	109	7.1	67	4.4
Kootenai	56,400	979	17.4	436	7.7	3,529	62.6	527	9.3
Latah	27,800	446	16.0	169	6.1	261	9.4	188	6.8
Lemhi	7,300	153	21.0	58	7.9	138	18.9	50	6.8
Lewis	4,700	72	15.3	51	10.9	40	8.5	24	5.1
Lincoln	3,300	64	19.4	28	8.5	22	6.7	18	5.5
Madison	19,700	602	30.6	92	4.7	92	4.7	145	7.4
Minidoka	19,400	490	25.3	117	6.0	169	8.7	114	5.9
Nez Perce	30,700	476	15.5	301	9.8	485	15.8	262	8.5
Oneida	3,200	65	20.3	36	11.3	20	6.3	7	2.2
Owyhee	8,100	178	22.0	61	7.5	50	6.2	24	3.0
Payette	15,400	282	18.3	152	9.9	188	12.2	129	8.4
Power	6,200	130	21.0	36	5.8	59	9.5	35	5.6
Shoshone	18,500	330	17.8	170	9.2	199	10.8	150	8.1
Teton	2,900	81	27.9	14	4.8	21	7.2	4	1.4
Twin Falls	48,200	1,039	21.6	432	9.0	525	10.9	383	7.9
Valley	5,100	90	17.6	40	7.8	96	18.8	46	9.0
Washington	8,900	147	16.5	79	8.9	168	18.9	77	8.7

*Includes four (4) marriages for which license was issued in Idaho, ceremony performed out-of-state.

SUMMARY OF IDAHO VITAL STATISTICS

Infant, Fetal, Perinatal Mortality

1979

RESIDENCE	LIVE BIRTHS	INFANT DEATHS		SPONTANEOUS FETAL DEATHS		PERINATAL DEATHS	
		Number	Rate	Number	Ratio	Number	Ratio
IDAHO	19,919	202	10.1	133	6.7	246	12.4
District 1	2,012	28	13.9	6	3.0	22	10.9
District 2	1,428	18	12.6	10	7.0	21	14.7
District 3	2,599	31	11.9	13	5.0	32	12.3
District 4	3,924	32	8.2	25	6.4	42	10.7
District 5	2,917	25	8.6	22	7.5	37	12.7
District 6	3,609	36	10.0	35	9.7	51	14.1
District 7	3,430	32	9.3	22	6.4	41	12.0
Ada	3,214	29	9.0	17	5.3	32	10.0
Adams	62	--	--	1	16.1	1	16.1
Bannock	1,605	18	11.2	15	9.3	26	16.2
Bear Lake	198	1	5.1	2	10.1	2	10.1
Benewah	158	--	--	1	6.3	1	6.3
Bingham	1,011	10	9.9	9	8.9	10	9.9
Blaine	180	1	5.6	1	5.6	2	11.1
Boise	63	--	--	--	--	--	--
Bonner	399	7	17.5	3	7.5	5	12.5
Bonneville	1,753	16	9.1	12	6.8	23	13.1
Boundary	146	2	13.7	--	--	1	6.8
Butte	97	1	10.3	2	20.6	3	30.9
Camas	16	--	--	--	--	--	--
Canyon	1,692	21	12.4	10	5.9	24	14.2
Caribou	249	1	4.0	3	12.0	3	12.0
Cassia	560	7	12.5	1	1.8	5	8.9
Clark	19	--	--	--	--	--	--
Clearwater	180	2	11.1	4	22.2	6	33.3
Custer	58	2	34.5	--	--	1	17.2
Elmore	557	3	5.4	7	12.6	9	16.2
Franklin	254	3	11.8	2	7.9	4	15.7
Fremont	306	2	6.5	3	9.8	4	13.1
Gem	238	3	12.6	2	8.4	4	16.8
Gooding	227	3	13.2	2	8.8	4	17.6
Idaho	254	2	7.9	2	7.9	3	11.8
Jefferson	458	3	6.6	5	10.9	6	13.1
Jerome	341	2	5.9	2	5.9	3	8.8
Kootenai	979	14	14.3	--	--	10	10.2
Latah	446	5	11.2	1	2.2	4	9.0
Lemhi	153	--	--	--	--	--	--
Lewis	72	1	13.9	1	13.9	1	13.9
Lincoln	64	1	15.6	1	15.6	2	31.3
Madison	602	8	13.3	1	1.7	6	10.0
Minidoka	490	1	2.0	3	6.1	4	8.2
Nez Perce	476	8	16.8	2	4.2	7	14.7
Oneida	65	--	--	--	--	--	--
Owyhee	178	3	16.9	--	--	3	16.9
Payette	282	4	14.2	--	--	--	--
Power	130	2	15.4	2	15.4	3	23.1
Shoshone	330	5	15.2	2	6.1	5	15.2
Teton	81	1	12.3	1	12.3	1	12.3
Twin Falls	1,039	10	9.6	12	11.5	17	16.4
Valley	90	--	--	1	11.1	1	11.1
Washington	147	--	--	--	--	--	--

NATALITY

Another increase of 2% occurred between 1978 and 1979 in the number of women in the childbearing ages (15-44) in the United States; the fertility rate also increased, from 66.6 to 68.0 births per 1,000 women 15-44 years of age. These two factors combined to increase the number of U.S. live births by 4%, and the birth rate by 3%, from 15.3 to 15.8. According to the U.S. Bureau of the Census, the number of women will aggregate an additional 8% by 1985, foretelling additional increases in the number and rate of live births in the absence of offsetting declines in the age-specific fertility rates.

Idaho's number of live births continued upward in 1979, increasing by 3% from 19,355 to 19,919. At the same time, the population increased at the same rate (3%), resulting in no significant change in the rate. At 22.0 in both 1977 and 1979 (21.9 in 1978), the birth rate is, however, the highest since 1962, and is 39% above the national level. The estimated Idaho fertility rate increased very slightly, from 96.8 to 97.2 live births per 1,000 women 15-44 years of age. Idaho's fertility rate is 43% higher than the national level.

Idaho's general population continues to increase, and with it the number of live births. Future increases may be expected unless the high fertility rate declines to offset the general population growth.

IDAHO RESIDENT LIVE BIRTHS

1968 — 1979



U.S., IDAHO BIRTH RATES

1968 — 1979



IDAHO RESIDENT LIVE BIRTHS AND RATES

By District and County of Residence

1975 — 1979

RESIDENCE	1979		1978		1977		1976		1975	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates	--	15.8	--	15.3	--	15.4	--	14.8	--	14.8
IDAHO	19919	22.0	19355	21.9	18813	22.0	17322	20.8	16242	20.0
District 1	2012	17.8	1992	18.4	1912	18.5	1694	17.0	1625	16.5
District 2	1428	16.5	1508	17.5	1466	17.3	1306	15.5	1280	15.3
District 3	2599	20.6	2523	20.3	2463	20.3	2289	19.3	2139	18.5
District 4	3924	21.1	3644	20.2	3638	21.1	3161	19.0	3023	18.8
District 5	2917	22.8	2782	22.2	2670	21.5	2640	21.6	2552	21.2
District 6	3609	25.9	3636	26.7	3473	26.2	3346	26.2	2870	23.4
District 7	3430	27.3	3270	26.8	3191	27.2	2886	25.3	2753	24.6
Ada	3214	20.6	2933	19.4	2929	20.2	2464	17.7	2347	17.4
Adams	62	17.7	59	17.4	69	20.9	33	10.6	48	15.0
Bannock	1605	25.0	1625	26.0	1501	24.5	1502	25.5	1317	23.4
Bear Lake	198	27.5	168	24.0	177	25.3	182	26.8	165	25.8
Benewah	158	20.3	152	20.0	143	19.1	148	20.3	133	19.0
Bingham	1011	27.2	1054	29.0	991	28.5	912	27.2	768	23.8
Blaine	180	18.8	158	17.2	135	15.3	120	14.3	147	18.1
Boise	63	21.7	49	18.1	41	17.1	47	20.4	36	16.4
Bonner	399	17.0	415	18.4	386	18.2	330	16.5	285	14.6
Bonneville	1753	27.2	1654	26.2	1670	27.3	1512	25.6	1441	24.8
Boundary	146	20.9	161	24.0	124	19.1	118	18.2	126	19.4
Butte	97	27.7	87	25.6	69	21.6	84	25.5	54	17.4
Camas	16	17.8	20	25.0	4	5.0	10	12.5	15	16.7
Canyon	1692	21.6	1680	21.7	1576	20.9	1496	20.3	1344	18.7
Caribou	249	28.6	239	28.1	258	30.7	250	30.9	211	27.1
Cassia	560	28.3	523	27.1	495	25.8	521	27.3	483	26.0
Clark	19	21.1	20	22.2	18	18.0	18	18.0	16	16.0
Clearwater	180	18.9	188	19.4	195	19.9	177	18.4	166	17.3
Custer	58	17.6	55	16.7	52	16.3	59	17.9	44	13.8
Elmore	557	25.7	562	26.3	571	27.7	580	28.7	555	28.8
Franklin	254	27.0	250	28.4	229	26.6	213	25.7	178	22.3
Fremont	306	26.8	306	27.8	287	27.1	258	25.0	252	25.2
Gem	238	20.2	213	19.2	188	17.2	189	17.7	181	17.2
Gooding	227	20.5	196	17.8	212	19.3	170	15.7	188	17.9
Idaho	254	18.1	272	19.9	248	18.6	212	16.3	181	14.1
Jefferson	458	29.2	420	28.2	432	30.4	372	27.2	373	28.0
Jerome	341	22.1	309	21.3	311	21.9	288	20.6	255	18.5
Kootenai	979	17.4	957	18.0	917	18.5	754	16.0	733	15.9
Latah	446	16.0	451	16.4	419	15.4	390	14.4	408	15.2
Lemhi	153	21.0	145	20.7	126	18.8	118	18.4	113	17.7
Lewis	72	15.3	108	23.5	101	23.5	72	16.4	82	18.6
Lincoln	64	19.4	63	18.5	53	15.6	73	21.5	66	19.4
Madison	602	30.6	587	31.2	549	30.5	474	27.1	443	25.5
Minidoka	490	25.3	530	27.0	501	26.4	546	29.2	437	24.0
Nez Perce	476	15.5	489	16.0	503	16.5	455	14.9	443	14.7
Oneida	65	20.3	65	19.1	81	24.5	64	19.4	67	21.6
Owyhee	178	22.0	164	20.5	161	20.6	149	19.1	156	20.8
Payette	282	18.3	257	17.0	268	17.9	251	17.0	251	17.4
Power	130	21.0	148	23.5	167	27.4	139	24.8	110	20.0
Shoshone	330	17.8	307	17.0	342	18.5	344	18.2	348	17.8
Teton	81	27.9	83	29.6	57	21.1	75	27.8	71	27.3
Twin Falls	1039	21.6	983	20.6	959	20.1	912	19.5	961	20.6
Valley	90	17.6	100	21.3	97	21.1	70	15.9	85	19.3
Washington	147	16.5	150	16.7	201	22.6	171	20.1	159	19.4

IDAHO RESIDENT LIVE BIRTHS

By Sex of Child and Race of Mother

1979

RESIDENCE	LIVE BIRTHS	SEX OF CHILD		RACE OF MOTHER					
		Male	Female	White	Black	American Indian	Japanese	Other Nonwhite	Not Stated
IDAHO	19,919	10,155	9,764	19,465	47	212	56	101	38
District 1	2,012	998	1,014	1,966	--	29	--	9	8
District 2	1,428	734	694	1,381	1	41	1	4	--
District 3	2,599	1,355	1,244	2,560	1	10	8	16	4
District 4	3,924	1,959	1,965	3,802	31	17	18	37	19
District 5	2,917	1,490	1,427	2,897	--	13	3	3	1
District 6	3,609	1,872	1,737	3,494	7	79	11	16	2
District 7	3,430	1,747	1,683	3,365	7	23	15	16	4
Ada	3,214	1,593	1,621	3,142	10	14	13	17	18
Adams	62	27	35	60	--	1	--	1	--
Bannock	1,605	830	775	1,549	7	33	7	8	1
Bear Lake	198	108	90	195	--	2	--	1	--
Benewah	158	84	74	145	--	13	--	--	--
Bingham	1,011	537	474	963	--	40	3	4	1
Blaine	180	88	92	178	--	1	--	1	--
Boise	63	34	29	63	--	--	--	--	--
Bonner	399	206	193	394	--	2	--	2	1
Bonneville	1,753	902	851	1,712	7	10	9	12	3
Boundary	146	74	72	133	--	5	--	1	7
Butte	97	56	41	97	--	--	--	--	--
Camas	16	8	8	16	--	--	--	--	--
Canyon	1,692	899	793	1,670	--	4	4	10	4
Caribou	249	121	128	246	--	--	--	3	--
Cassia	560	298	262	553	--	6	--	--	1
Clark	19	10	9	19	--	--	--	--	--
Clearwater	180	96	84	178	--	2	--	--	--
Custer	58	30	28	57	--	--	1	--	--
Elmore	557	284	273	508	21	3	4	20	1
Franklin	254	123	131	252	--	1	1	--	--
Fremont	306	157	149	298	--	4	1	2	1
Gem	238	126	112	236	1	1	--	--	--
Gooding	227	123	104	226	--	1	--	--	--
Idaho	254	123	131	253	--	1	--	--	--
Jefferson	458	216	242	453	--	5	--	--	--
Jerome	341	160	181	339	--	1	1	--	--
Kootenai	979	479	500	969	--	6	--	4	--
Latah	446	234	212	443	--	1	--	2	--
Lemhi	153	83	70	148	--	2	2	1	--
Lewis	72	36	36	60	--	11	--	1	--
Lincoln	64	39	25	64	--	--	--	--	--
Madison	602	317	285	597	--	2	2	1	--
Minidoka	490	234	256	487	--	1	1	1	--
Nez Perce	476	245	231	447	1	26	1	1	--
Oneida	65	32	33	65	--	--	--	--	--
Owyhee	178	87	91	177	--	1	--	--	--
Payette	282	144	138	271	--	3	3	5	--
Power	130	65	65	127	--	3	--	--	--
Shoshone	330	155	175	325	--	3	--	2	--
Teton	81	32	49	81	--	--	--	--	--
Twin Falls	1,039	540	499	1,034	--	3	1	1	--
Valley	90	48	42	89	--	--	1	--	--
Washington	147	72	75	146	--	--	1	--	--

IDAHO RESIDENT LIVE BIRTHS

By Attendant and Place of Birth

1979

RESIDENCE	LIVE BIRTHS	ATTENDANT AT BIRTH		PLACE OF BIRTH			
		M.D., D.O.	Other	Hospital	Home	Other	Not Stated
IDAHO	19919	19550	369	19453	386	78	2
District 1	2012	1933	79	1917	92	3	--
District 2	1428	1404	24	1388	25	15	--
District 3	2599	2544	55	2539	51	9	--
District 4	3924	3855	69	3848	49	27	--
District 5	2917	2884	33	2874	40	3	--
District 6	3609	3564	45	3526	63	19	1
District 7	3430	3366	64	3361	66	2	1
Ada	3214	3156	58	3150	39	25	--
Adams	62	62	--	60	2	--	--
Bannock	1605	1595	10	1564	22	18	1
Bear Lake	198	198	--	198	--	--	--
Benewah	158	154	4	154	4	--	--
Bingham	1011	983	28	979	32	--	--
Blaine	180	178	2	175	5	--	--
Boise	63	59	4	59	2	2	--
Bonner	399	364	35	351	48	--	--
Bonneville	1753	1716	37	1712	40	--	1
Boundary	146	135	11	134	12	--	--
Butte	97	94	3	94	3	--	--
Camas	16	16	--	16	--	--	--
Canyon	1692	1658	34	1656	27	9	--
Caribou	249	249	--	249	--	--	--
Cassia	560	550	10	550	10	--	--
Clark	19	19	--	19	--	--	--
Clearwater	180	173	7	173	7	--	--
Custer	58	55	3	56	1	1	--
Elmore	557	554	3	553	4	--	--
Franklin	254	254	--	254	--	--	--
Fremont	306	304	2	304	2	--	--
Gem	238	233	5	233	5	--	--
Gooding	227	225	2	223	4	--	--
Idaho	254	250	4	249	5	--	--
Jefferson	458	447	11	446	11	1	--
Jerome	341	339	2	339	2	--	--
Kootenai	979	953	26	950	26	3	--
Latah	446	436	10	424	10	12	--
Lemhi	153	152	1	152	1	--	--
Lewis	72	71	1	70	2	--	--
Lincoln	64	64	--	64	--	--	--
Madison	602	594	8	593	9	--	--
Minidoka	490	483	7	483	4	3	--
Nez Perce	476	474	2	472	1	3	--
Oneida	65	64	1	63	2	--	--
Owyhee	178	168	10	167	11	--	--
Payette	282	278	4	278	4	--	--
Power	130	127	3	125	4	1	--
Shoshone	330	327	3	328	2	--	--
Teton	81	79	2	79	2	--	--
Twin Falls	1039	1029	10	1024	15	--	--
Valley	90	86	4	86	4	--	--
Washington	147	145	2	145	2	--	--

IDAHO RESIDENT LIVE BIRTHS

By Age of Mother

1979

RESIDENCE	TOTAL	AGE OF MOTHER								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Not Stated
IDAHO	19,919	29	2,648	7,315	6,128	2,783	837	160	9	10
District 1	2,012	3	302	714	632	281	66	14	--	--
District 2	1,428	1	184	57[illegible]	468	153	42	8	--	--
District 3	2,599	6	443	976	711	334	101	25	1	2
District 4	3,924	5	440	1,420	1,304	574	157	19	1	4
District 5	2,917	7	432	1,061	906	378	102	25	4	2
District 6	3,609	2	455	1,319	1,080	539	177	33	3	1
District 7	3,430	5	392	1,253	1,027	524	192	36	--	1
Ada	3,214	4	339	1,103	1,108	507	134	14	1	4
Adams	62	--	16	16	20	9	1	--	--	--
Bannock	1,605	1	181	625	490	241	58	7	2	--
Bear Lake	198	--	30	66	64	25	12	1	--	--
Benewah	158	1	36	60	36	24	1	--	--	--
Bingham	1,011	1	141	347	291	150	65	16	--	--
Blaine	180	--	12	43	74	36	13	1	1	--
Boise	63	--	11	27	17	6	2	--	--	--
Bonner	399	2	55	134	145	53	10	--	--	--
Bonneville	1,753	5	204	615	547	274	95	12	--	1
Boundary	146	--	18	48	52	21	5	2	--	--
Butte	97	--	13	44	23	9	7	1	--	--
Camas	16	--	4	5	4	2	1	--	--	--
Canyon	1,692	5	275	631	472	224	68	16	--	1
Caribou	249	--	38	86	71	39	14	1	--	--
Cassia	560	1	80	199	174	82	17	6	1	--
Clark	19	--	4	7	4	3	--	1	--	--
Clearwater	180	--	35	72	54	14	2	3	--	--
Custer	58	--	6	18	25	6	3	--	--	--
Elmore	557	1	80	258	144	50	19	5	--	--
Franklin	254	--	29	88	74	41	17	3	1	1
Fremont	306	--	37	101	88	62	16	2	--	--
Gem	238	1	51	94	56	31	3	2	--	--
Gooding	227	--	28	83	74	29	11	1	1	--
Idaho	254	1	30	114	83	16	8	2	--	--
Jefferson	458	--	58	164	131	72	29	4	--	--
Jerome	341	1	46	132	106	40	13	3	--	--
Kootenai	979	--	121	343	318	152	33	12	--	--
Latah	446	--	36	158	167	71	14	--	--	--
Lemhi	153	--	22	54	52	18	5	2	--	--
Lewis	72	--	15	29	20	6	2	--	--	--
Lincoln	64	--	7	22	24	8	2	1	--	--
Madison	602	--	56	265	158	73	36	14	--	--
Minidoka	490	2	77	201	129	58	19	4	--	--
Nez Perce	476	--	68	199	144	46	16	3	--	--
Oneida	65	--	8	17	24	15	1	--	--	--
Owyhee	178	--	27	65	47	26	10	1	1	1
Payette	282	--	48	124	71	23	12	4	--	-
Power	130	--	15	46	43	19	3	4	--	-
Shoshone	330	--	72	129	81	31	17	--	--	-
Teton	81	--	5	29	22	16	8	1	--	--
Twin Falls	1,039	3	178	376	321	123	26	9	1	2
Valley	90	--	10	32	35	11	2	--	--	--
Washington	147	--	26	46	45	21	7	2	--	--

U.S., IDAHO BIRTH AND FERTILITY RATES

By District and County of Residence

1978 — 1979

RESIDENCE	1979 (Provisional)				1978 (Revised)			
	Live Births	Estimated Females 15-44*	Birth Rate	Fertility Rate	Live Births	Estimated Females 15-44*	Birth Rate	Fertility Rate
U. S. Rates	--	--	15.8	68.0	--	--	15.3	66.6
IDAHO	19,919	205.000	22.0	97.2	19,355	200,000	21.9	96.8
District 1	2,012	24,500	17.8	82.1	1,992	23,400	18.4	85.1
District 2	1,428	19,400	16.5	73.6	1,508	19,200	17.5	78.5
District 3	2,599	26,700	20.6	97.3	2,523	26,300	20.3	95.9
District 4	3,924	44,700	21.1	87.8	3,644	43,300	20.2	84.2
District 5	2,917	27,600	22.8	105.7	2,782	27,100	22.2	102.7
District 6	3,609	32,200	25.9	112.1	3,636	31,600	26.7	115.1
District 7	3,430	30,000	27.3	114.3	3,270	29,100	26.8	112.4
Ada	3,214	37,670	20.6	85.3	2,933	36,440	19.4	80.5
Adams	62	670	17.7	92.5	59	650	17.4	90.8
Bannock	1,605	15,950	25.0	100.6	1,625	15,580	26.0	104.3
Bear Lake	198	1,510	27.5	131.1	168	1,490	24.0	112.8
Benewah	158	1,650	20.3	95.8	152	1,620	20.0	93.8
Bingham	1,011	8,240	27.2	122.7	1,054	8,060	29.0	130.8
Blaine	180	2,450	18.8	73.5	158	2,350	17.2	67.2
Boise	63	580	21.7	108.6	49	540	18.1	90.7
Bonner	399	5,180	17.0	77.0	415	4,980	18.4	83.3
Bonneville	1,753	15,160	27.2	115.6	1,654	14,900	26.2	111.0
Boundary	146	1,390	20.9	105.0	161	1,350	24.0	119.3
Butte	97	730	27.7	132.9	87	710	25.6	122.5
Camas	16	210	17.8	76.2	20	200	25.0	100.0
Canyon	1,692	17,230	21.6	98.2	1,680	17,000	21.7	98.8
Caribou	249	2,050	28.6	121.5	239	2,010	28.1	118.9
Cassia	560	4,130	28.3	135.6	523	4,020	27.1	130.1
Clark	19	170	21.1	111.8	20	170	22.2	117.6
Clearwater	180	2,050	18.9	87.8	188	2,090	19.4	90.0
Custer	58	630	17.6	92.1	55	630	16.7	87.3
Elmore	557	5,380	25.7	103.5	562	5,300	26.3	106.0
Franklin	254	1,790	27.0	141.9	250	1,690	28.4	147.9
Fremont	306	2,440	26.8	125.4	306	2,360	27.8	129.7
Gem	238	2,320	20.2	102.6	213	2,180	19.2	97.7
Gooding	227	2,130	20.5	106.6	196	2,110	17.8	92.9
Idaho	254	2,990	18.1	84.9	272	2,930	19.9	92.8
Jefferson	458	3,150	29.2	145.4	420	3,000	28.2	140.0
Jerome	341	3,220	22.1	105.9	309	3,020	21.3	102.3
Kootenai	979	12,580	17.4	77.8	957	11,830	18.0	80.9
Latah	446	6,820	16.0	65.4	451	6,740	16.4	66.9
Lemhi	153	1,590	21.0	96.2	145	1,510	20.7	96.0
Lewis	72	820	15.3	87.8	108	800	23.5	135.0
Lincoln	64	660	19.4	97.0	63	680	18.5	92.6
Madison	602	6,280	30.6	95.9	587	5,990	31.2	98.0
Minidoka	490	4,260	25.3	115.0	530	4,300	27.0	123.3
Nez Perce	476	6,710	15.5	70.9	489	6,690	16.0	73.1
Oneida	65	570	20.3	114.0	65	590	19.1	110.2
Owyhee	178	1,630	22.0	109.2	164	1,600	20.5	102.5
Payette	282	3,160	18.3	89.2	257	3,090	17.0	83.2
Power	130	1,410	21.0	92.2	148	1,420	23.5	104.2
Shoshone	330	3,690	17.8	89.4	307	3,610	17.0	85.0
Teton	81	580	27.9	139.7	83	560	29.6	148.2
Twin Falls	1,039	10,490	21.6	99.0	983	10,380	20.6	94.7
Valley	90	1,100	17.6	81.8	100	1,010	21.3	99.0
Washington	147	1,730	16.5	85.0	150	1,760	16.7	85.2

*Based on experimental estimates by the Bureau of the Census.

IDAHO RESIDENT LIVE BIRTHS

Live Birth Order by Age of Mother

1979

Order of Birth	TOTAL	Age of Mother								
		10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Age Not Stated
TOTAL	19919	29	2648	7315	6128	2783	837	160	9	10
1	7087	29	2085	3250	1373	301	43	2	--	4
2	5727	--	457	2711	1913	563	73	8	--	2
3	3270	--	61	968	1496	607	126	10	--	2
4	1655	--	7	234	770	507	117	19	1	--
5	943	--	1	31	335	404	141	30	--	1
6	466	--	--	6	101	214	118	25	2	--
7	228	--	--	3	26	83	92	24	--	--
8	121	--	--	--	7	34	58	20	2	--
9	54	--	--	--	2	11	30	10	1	--
10+	48	--	--	--	1	10	24	10	3	--
Not Stated*	320	--	37	112	104	49	15	2	--	1

*The large number of "Parity Not Stated" can be attributed to the fact that the location of the item on the birth certificate was changed and the wording altered. It is expected that this nonresponse will decline.

1979 AGE-SPECIFIC FERTILITY RATES

Age	Live Births	IDAHO		U.S. Fertility Rate 1978
		Estimated Females 7/1/79[1]	Estimated Fertility Rate	
TOTAL	19,919	205,000[2]	97.2[3]	66.6
10-14	29	38,800	0.7	1.2
15-19	2,648	45,700	57.9	52.4
20-24	7,315	41,400	176.7	112.3
25-29	6,128	37,900	161.7	112.0
30-34	2,783	32,600	85.4	59.1
35-39	837	25,900	32.3	18.9
40-44	160	21,600	7.4	3.9
45-49	9	20,800	0.4	0.2
Not Stated	10	--	--	--

[1]Based on experimental estimates by the Bureau of the Census.
[2]Total females (205,000) 15-44, not including women under 15 or over 44.
[3]Number of total live births per 1,000 women 15-44 years of age.

AGE-SPECIFIC FERTILITY RATES

U.S. (1978)*, Idaho (1979)



*1979 Age-specific fertility data are not yet available for the U.S.

The above graph illustrates the fact that Idaho's total fertility rate (live births per 1,000 women 15-44 years of age) exceeds the national rate by a substantial 43%. Idaho's fertility rate showed a slight increase in 1979, but the U.S. recorded a higher rate of increase, resulting in the first lessening of the disparity between the State and national fertility rates in eight years.

The above rates are based on intercensal age-sex estimates; a more accurate comparison can be made once the 1980 Census data can be utilized.

IDAHO RESIDENT LIVE BIRTHS

Trimester of Pregnancy When Prenatal Care Began (Percent)

1979

RESIDENCE	TOTAL LIVE BIRTHS	TRIMESTER WHEN PRENATAL CARE BEGAN				
		First (%)	Second (%)	Third (%)	No Prenatal Care (%)	Not Stated (%)
IDAHO	19919	72.9	19.4	4.1	0.6	3.0
District 1	2012	76.8	16.8	3.6	0.5	2.3
District 2	1428	74.8	20.0	3.6	0.6	1.1
District 3	2599	67.6	20.4	5.5	1.2	5.3
District 4	3924	79.4	16.1	2.5	0.6	1.4
District 5	2917	59.9	27.6	7.6	0.6	4.3
District 6	3609	76.7	16.6	2.9	0.4	3.4
District 7	3430	73.6	19.4	3.6	0.5	2.9
Ada	3214	81.4	14.4	2.2	0.7	1.3
Adams	62	66.1	21.0	6.5	--	6.5
Bannock	1605	81.0	13.8	1.6	0.1	3.6
Bear Lake	198	72.7	17.7	4.0	--	5.6
Benewah	158	83.5	10.1	3.2	--	3.2
Bingham	1011	76.6	16.4	4.2	0.5	2.4
Blaine	180	58.9	29.4	7.2	--	4.4
Boise	63	71.4	23.8	3.2	--	1.6
Bonner	399	61.4	29.6	6.8	0.5	1.8
Bonneville	1753	78.5	15.5	1.8	0.6	3.7
Boundary	146	74.0	17.8	1.4	--	6.8
Butte	97	52.6	20.6	10.3	2.1	14.4
Camas	16	56.3	25.0	12.5	--	6.3
Canyon	1692	61.4	20.3	5.2	1.0	5.1
Caribou	249	1.5	14.9	1.6	--	2.0
Cassia	560	61.6	21.6	6.1	0.5	10.2
Clark	19	73.7	15.8	5.3	--	5.3
Clearwater	180	66.1	28.3	3.3	1.1	1.1
Custer	58	46.6	24.1	13.8	1.7	13.8
Elmore	557	72.0	23.3	3.4	0.4	0.9
Franklin	254	64.6	29.9	1.6	1.6	2.4
Fremont	306	64.7	27.1	5.9	0.7	1.6
Gem	238	65.5	20.6	4.6	0.8	8.4
Gooding	227	48.9	34.8	13.2	--	3.1
Idaho	254	68.9	26.4	2.8	--	2.0
Jefferson	458	76.0	18.6	3.1	0.9	1.5
Jerome	341	59.8	27.0	9.1	1.2	2.9
Kootenai	979	83.7	12.4	1.7	0.6	1.6
Latah	446	87.7	10.1	1.1	0.7	0.4
Lemhi	153	50.3	35.3	9.8	--	4.6
Lewis	72	68.1	20.8	6.9	2.8	1.4
Lincoln	64	65.6	26.6	4.7	--	3.1
Madison	602	70.3	23.9	5.5	0.2	0.2
Minidoka	490	59.8	23.1	9.0	0.8	7.3
Nez Perce	476	70.2	22.5	6.1	0.2	1.1
Oneida	65	69.2	24.6	4.6	--	1.5
Owyhee	178	62.9	20.2	6.2	3.9	6.7
Payette	282	70.6	17.0	6.0	1.1	5.3
Power	130	66.2	22.3	5.4	1.5	4.6
Shoshone	330	73.3	17.3	6.4	0.6	2.4
Teton	81	75.3	16.0	2.5	--	6.2
Twin Falls	1039	61.4	31.3	6.2	0.7	0.5
Valley	90	61.1	24.4	5.6	2.2	6.7
Washington	147	62.6	27.9	7.5	1.4	0.7

IDAHO RESIDENT LIVE BIRTHS
Trimester of Pregnancy when Prenatal Care Began by Educational Attainment of Mother
(Percent)
1979

EDUCATION OF MOTHER	LIVE BIRTHS	TRIMESTER WHEN PRENATAL CARE BEGAN				
		First	Second	Third	No Prenatal Care	Not Stated
U. S. TOTAL	100%	72.2%	19.0%	3.8%	1.4%	3.7%
IDAHO TOTAL	19919	72.9	19.4	4.1	0.6	3.0
0-8 years	540	45.9	30.6	13.3	3.1	7.0
9-12 years	9978	71.3	21.0	4.2	0.7	2.7
13-16 years	7053	79.2	15.9	2.5	0.3	2.1
17+ years	600	81.7	14.5	1.7	0.3	1.8
Not Stated	1748	62.1	22.1	7.6	0.6	7.6

IDAHO RESIDENT LIVE BIRTHS
Complications and Malformations
1979

CONDITION	Total Live Births	PRESENCE OF CONDITION		
		Yes	No	Not Stated
Complications of Pregnancy	19,919	964	18,843	112
Complications of Labor and/or Delivery	19,919	2,044	17,493	382
Congenital Malformations	19,919	325	19,411	183

IDAHO RESIDENT LIVE BIRTHS

Complications and Malformations by Prenatal Care

1979

TRIMESTER PRENATAL CARE BEGAN	COMPLICATIONS OF PREGNANCY		COMPLICATIONS OF LABOR		CONGENITAL MALFORMATIONS	
	Yes	No	Yes	No	Yes	No
TOTAL	4.9%	95.1%	10.5%	89.5%	1.6%	98.4%
First	5.0	95.0	10.7	89.3	1.6	98.4
Second	4.0	96.0	9.7	90.3	1.9	98.1
Third	5.1	94.9	10.0	90.0	1.9	98.1
No Prenatal Care	4.4	95.6	11.5	88.5	0.8	99.2
Unknown	6.6	93.4	8.8	91.2	2.3	97.7

IDAHO RESIDENT LIVE BIRTHS

APGAR Scores: One Minute, Five Minutes

1979

ONE-MINUTE APGAR SCORES	Total	FIVE-MINUTE APGAR SCORES				
		0-2	3-5	6-7	8-10	Not Stated
Total	19,919	60	155	691	17,739	1,274
0-2	217	41	77	56	37	6
3-5	906	8	59	354	473	12
6-7	3,992	3	11	250	3,694	34
8-10	13,693	8	8	30	13,482	165
Not Stated	1,111	--	--	1	53	1,057

IDAHO IMMATURE LIVE BIRTHS

By Race of Mother

1979

RESIDENCE	IMMATURE LIVE BIRTHS		RACE OF MOTHER					
	Total	Rate	White	Black	American Indian	Japanese	Other Nonwhite	Not Stated
IDAHO	1,027	51.6	990	8	15	1	10	3
District 1	90	44.7	87	--	3	--	--	--
District 2	64	44.8	61	--	3	--	--	--
District 3	134	51.6	129	--	1	--	4	--
District 4	201	51.2	191	6	--	--	2	2
District 5	182	62.4	177	--	5	--	--	--
District 6	160	44.3	152	1	3	1	3	--
District 7	196	57.1	193	1	--	--	1	1
Ada	173	53.8	168	3	--	--	--	2
Adams	4	64.5	4	--	--	--	--	--
Bannock	80	49.8	75	1	--	1	3	--
Bear Lake	5	25.3	5	--	--	--	--	--
Benewah	6	38.0	5	--	1	--	--	--
Bingham	47	46.5	44	--	3	--	--	--
Blaine	11	61.1	11	--	--	--	--	--
Boise	2	31.7	2	--	--	--	--	--
Bonner	19	47.6	19	--	--	--	--	--
Bonneville	89	50.8	87	1	--	--	1	--
Boundary	6	41.1	6	--	--	--	--	--
Butte	5	51.5	5	--	--	--	--	--
Camas	1	62.5	1	--	--	--	--	--
Canyon	85	50.2	82	--	--	--	3	--
Caribou	6	24.1	6	--	--	--	--	--
Cassia	39	69.6	38	--	1	--	--	--
Clark	--	--	--	--	--	--	--	--
Clearwater	10	55.6	9	--	1	--	--	--
Custer	4	69.0	4	--	--	--	--	--
Elmore	24	43.1	19	3	--	--	2	--
Franklin	9	35.4	9	--	--	--	--	--
Fremont	21	68.6	20	--	--	--	--	1
Gem	18	75.6	17	--	1	--	--	--
Gooding	10	44.1	10	--	--	--	--	--
Idaho	9	35.4	9	--	--	--	--	--
Jefferson	30	65.5	30	--	--	--	--	--
Jerome	20	58.7	20	--	--	--	--	--
Kootenai	44	44.9	43	--	1	--	--	--
Latah	24	53.8	24	--	--	--	--	--
Lemhi	16	104.6	16	--	--	--	--	--
Lewis	--	--	--	--	--	--	--	--
Lincoln	4	62.5	4	--	--	--	--	--
Madison	35	58.1	35	--	--	--	--	--
Minidoka	32	65.3	31	--	1	--	--	--
Nez Perce	21	44.1	19	--	2	--	--	--
Oneida	3	46.2	3	--	--	--	--	--
Owyhee	7	39.3	7	--	--	--	--	--
Payette	16	56.7	15	--	--	--	1	--
Power	5	38.5	5	--	--	--	--	--
Shoshone	15	45.5	14	--	1	--	--	--
Teton	1	12.3	1	--	--	--	--	--
Twin Falls	65	62.6	62	--	3	--	--	--
Valley	2	22.2	2	--	--	--	--	--
Washington	4	27.2	4	--	--	--	--	--

IDAHO IMMATURE LIVE BIRTHS

By Age of Mother

1979

RESIDENCE	TOTAL	AGE OF MOTHER							
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+
IDAHO	1027	3	208	402	249	117	36	12	--
District 1	90	--	28	32	13	11	5	1	--
District 2	64	--	14	32	12	4	1	1	--
District 3	134	1	33	55	23	16	4	2	--
District 4	201	1	32	75	56	29	6	2	--
District 5	182	--	39	68	56	14	5	--	--
District 6	160	--	34	58	41	16	9	2	--
District 7	196	1	28	82	48	27	6	4	--
Ada	173	1	26	64	51	24	6	1	--
Adams	4	--	1	3	--	--	--	--	--
Bannock	80	--	16	25	25	7	7	--	--
Bear Lake	5	--	2	3	--	--	--	--	--
Benewah	6	--	4	1	1	--	--	--	--
Bingham	47	--	10	20	9	5	1	2	--
Blaine	11	--	1	2	5	3	--	--	--
Boise	2	--	1	--	1	--	--	--	--
Bonner	19	--	5	9	4	1	--	--	--
Bonneville	89	1	14	39	18	12	3	2	--
Boundary	6	--	1	3	1	--	--	1	--
Butte	5	--	--	2	--	2	1	--	--
Camas	1	--	--	1	--	--	--	--	--
Canyon	85	1	18	31	17	13	3	2	--
Caribou	6	--	2	2	2	--	--	--	--
Cassia	39	--	4	17	14	2	2	--	--
Clark	--	--	--	--	--	--	--	--	--
Clearwater	10	--	4	2	1	2	1	--	--
Custer	4	--	--	1	2	1	--	--	--
Elmore	24	--	5	10	3	5	--	1	--
Franklin	9	--	--	5	4	--	--	--	--
Fremont	21	--	1	7	5	8	--	--	--
Gem	18	--	8	5	4	1	--	--	--
Gooding	10	--	--	6	2	--	2	--	--
Idaho	9	--	2	5	2	--	--	--	--
Jefferson	30	--	6	14	6	3	1	--	--
Jerome	20	--	3	11	5	1	--	--	--
Kootenai	44	--	13	14	6	7	4	--	--
Latah	24	--	5	11	7	1	--	--	--
Lemhi	16	--	2	4	8	--	--	2	--
Lewis	--	--	--	--	--	--	--	--	--
Lincoln	4	--	--	2	2	--	--	--	--
Madison	35	--	5	17	8	3	2	--	--
Minidoka	32	--	9	8	10	4	1	--	--
Nez Perce	21	--	3	14	2	1	--	1	--
Oneida	3	--	2	1	--	--	--	--	--
Owyhee	7	--	1	2	1	2	1	--	--
Payette	16	--	4	11	1	--	--	--	--
Power	5	--	2	--	1	2	--	--	--
Shoshone	15	--	5	5	1	3	1	--	--
Teton	1	--	--	--	1	--	--	--	--
Twin Falls	65	--	22	21	18	4	--	--	--
Valley	2	--	--	1	1	--	--	--	--
Washington	4	--	1	3	--	--	--	--	--

IDAHO IMMATURE LIVE BIRTHS

Live Birth Order by Age of Mother

1979

Live Birth Order	Age of Mother								
	TOTAL	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
TOTAL	1027	3	208	402	249	117	36	12	--
1	416	3	141	174	71	23	3	1	--
2	284	--	52	127	74	27	4	--	--
3	169	--	12	72	59	18	7	1	--
4	74	--	--	17	26	24	6	1	--
5	29	--	--	2	6	14	3	4	--
6	20	--	--	3	4	6	4	3	--
7	11	--	--	2	3	4	1	1	--
8	2	--	--	--	--	--	1	1	--
9	4	--	--	--	--	--	4	--	--
10+	1	--	--	--	--	--	1	--	--
Not Stated	17	--	3	5	6	1	2	--	--

1979 AGE-SPECIFIC IMMATURITY RATES

Age	Immature Live Births	Total Live Births	Immaturity Rate
Total	1,027	19,919	51.6
10-14	3	29	103.4
15-19	208	2,648	78.5
20-24	402	7,315	55.0
25-29	249	6,128	40.6
30-34	117	2,783	42.0
35-39	36	837	43.0
40-44	12	160	75.0
45-49	--	9	--
Not Stated	--	10	--

IDAHO IMMATURE LIVE BIRTHS

By Weight at Birth

1979

RESIDENCE	TOTAL LIVE BIRTHS	IMMATURE LIVE BIRTHS							Weight Not Stated
		TOTAL	<2 lb.	2 lb. 2 lb. 15 oz.	3 lb. 3 lb. 15 oz.	4 lb. 4 lb. 15 oz.	5 lb. 5 lb. 8 oz.	>5 lb. 8 oz.	
IDAHO	19919	1027	36	59	127	339	466	18856	36
District 1	2012	90	4	8	14	35	29	1920	2
District 2	1428	64	3	4	10	26	21	1363	1
District 3	2599	134	10	12	13	37	62	2457	8
District 4	3924	201	7	11	20	66	97	3719	4
District 5	2917	182	1	6	28	67	80	2729	6
District 6	3603	160	5	4	15	44	92	3442	7
District 7	3430	196	6	14	27	64	85	3226	8
Ada	3214	173	6	9	19	57	82	3037	4
Adams	62	4	--	1	--	--	3	58	--
Bannock	1605	80	2	3	9	20	46	1523	2
Bear Lake	198	5	--	--	--	2	3	192	1
Benewah	158	6	--	--	1	4	1	152	--
Bingham	1011	47	1	1	3	17	25	963	1
Blaine	180	11	--	--	1	7	3	168	1
Boise	63	2	--	--	--	--	2	61	--
Bonner	399	19	1	1	6	5	6	380	--
Bonneville	1753	89	2	5	12	31	39	1659	5
Boundary	146	6	--	1	--	4	1	140	--
Butte	97	5	--	--	1	2	2	91	1
Camas	16	1	--	--	--	--	1	15	--
Canyon	1692	85	9	7	9	25	35	1600	7
Caribou	249	6	--	--	--	--	6	241	2
Cassia	560	39	--	2	--	16	21	521	--
Clark	19	--	--	--	--	--	--	19	--
Clearwater	180	10	--	--	1	5	4	170	--
Custer	58	4	--	1	--	2	1	53	1
Elmore	557	24	1	2	1	8	12	533	--
Franklin	254	9	2	--	--	1	6	245	--
Fremont	306	21	1	3	3	5	9	285	--
Gem	238	18	1	3	1	5	8	220	--
Gooding	227	10	--	--	1	4	5	216	1
Idaho	254	9	--	--	2	4	3	244	1
Jefferson	458	30	1	--	5	11	13	428	--
Jerome	341	20	--	--	3	9	8	321	--
Kootenai	979	44	2	6	4	16	16	934	1
Latah	446	24	1	--	5	10	8	422	--
Lemhi	153	16	--	1	2	5	8	137	--
Lewis	72	--	--	--	--	--	--	72	--
Lincoln	64	4	--	--	1	1	2	60	--
Madison	602	35	2	4	5	10	14	567	--
Minidoka	490	32	1	--	8	10	13	457	1
Nez Perce	476	21	2	4	2	7	6	455	--
Oneida	65	3	--	--	1	--	2	62	--
Owyhee	178	7	--	1	1	--	5	171	--
Payette	282	16	--	--	2	6	8	265	1
Power	130	5	--	--	1	2	2	125	--
Shoshone	330	15	1	--	3	6	5	314	1
Teton	81	1	--	--	--	--	1	78	2
Twin Falls	1039	65	--	4	14	20	27	971	3
Valley	90	2	--	--	--	1	1	88	--
Washington	147	4	--	--	--	1	3	143	--

OUT-OF-WEDLOCK BIRTHS

Out-of-wedlock births totaled 1,397 in 1979. This is a very slight increase from 1978 (1,386), and is the second highest number of births occurring out-of-wedlock in Idaho.* The ratio, however, declined from 71.6 to 70.1 per 1,000 live births. Compared to the national ratio, which in 1978 (the latest year available) was 163.2, Idaho's rate of 70.1 compares quite favorably. However, one must examine the ratios by race: obviously, the high rate of nonwhite births occurring out-of-wedlock affects the national ratio much more than Idaho's, because of Idaho's small nonwhite population.

	Total	White	Nonwhite	
			Total	Black
U.S. (1978)	163.2	87.1	475.6	532.0
Idaho (1979)	70.1	67.1	204.3	276.6

In addition, more specific race data are available for Idaho:

Idaho
Nonwhite Ratio

	1979	1978	1977
Black	276.6	265.3	344.8
American Indian	311.3	335.0	250.0
Japanese	--	76.9	17.2
Other nonwhite	59.4	19.0	88.2

Idaho's ratio for births out-of-wedlock for nonwhites is 57% below the national nonwhite ratio, and is 23% lower for white. One must, however, also consider the extremely high number of live births in Idaho: since this is the base for computing the ratio, the higher the number of live births, the lower the ratio. Current age/sex data by marital status are not available for Idaho, so a true "out-of-wedlock birth rate" (the number per 1,000 unmarried females 15-44) cannot be computed. It is probable that such a rate would show Idaho's white out-of-wedlock birth rate much closer to that of the U.S.

Districts 1 and 3 continue to have the highest ratios, although declining somewhat in 1979. The ratios decreased in Districts 1, 3, 4, 6, and 7, while increasing in Districts 2 and 5. Nez Perce County recorded the highest illegitimacy ratio of 145.0.

*It should be noted that the confidential section of the birth certificate now contains the item, "Is mother married (at birth, conception, or anytime between)?" In prior years, mother's marital status was inferred. Therefore, some fluctuation in the data should not be unexpected.

IDAHO OUT-OF-WEDLOCK LIVE BIRTHS

By Race of Mother

1979

RESIDENCE	OUT-OF-WEDLOCK LIVE BIRTHS		RACE OF MOTHER					
	Total	Ratio	White	Black	American Indian	Japanese	Other Nonwhite	Not Stated
IDAHO	1,397	70.1	1,307	13	66	--	6	5
District 1	180	89.5	168	--	11	--	1	--
District 2	122	85.4	101	--	20	--	1	--
District 3	238	91.6	232	1	2	--	1	2
District 4	302	77.0	287	9	3	--	1	2
District 5	221	75.8	213	--	7	--	1	--
District 6	187	51.8	168	1	17	--	1	--
District 7	147	42.9	138	2	6	--	--	1
Ada	270	84.0	259	5	3	--	1	2
Adams	6	96.8	6	--	--	--	--	--
Bannock	94	58.6	86	1	7	--	--	--
Bear Lake	3	15.2	3	--	--	--	--	--
Benewah	15	94.9	10	--	5	--	--	--
Bingham	60	59.3	49	--	10	--	1	--
Blaine	16	88.9	16	--	--	--	--	--
Boise	6	95.2	6	--	--	--	--	--
Bonner	34	85.2	32	--	2	--	--	--
Bonneville	97	55.3	91	2	3	--	--	1
Boundary	7	47.9	6	--	1	--	--	--
Butte	7	72.2	7	--	--	--	--	--
Camas	2	125.0	2	--	--	--	--	--
Canyon	147	86.9	143	--	1	--	1	2
Caribou	10	40.2	10	--	--	--	--	--
Cassia	39	69.6	37	--	2	--	--	--
Clark	--	--	--	--	--	--	--	--
Clearwater	12	66.7	12	--	--	--	--	--
Custer	2	34.5	2	--	--	--	--	--
Elmore	23	41.3	19	4	--	--	--	--
Franklin	4	15.7	4	--	--	--	--	--
Fremont	12	39.2	11	--	1	--	--	--
Gem	22	92.4	20	1	1	--	--	--
Gooding	15	66.1	15	--	--	--	--	--
Idaho	15	59.1	14	--	1	--	--	--
Jefferson	17	37.1	15	--	2	--	--	--
Jerome	24	70.4	23	--	1	--	--	--
Kootenai	90	91.9	88	--	1	--	1	--
Latah	20	44.8	19	--	--	--	1	--
Lemhi	11	71.9	11	--	--	--	--	--
Lewis	6	83.3	4	--	2	--	--	--
Lincoln	1	15.6	1	--	--	--	--	--
Madison	6	10.0	6	--	--	--	--	--
Minidoka	36	73.5	35	--	1	--	--	--
Nez Perce	69	145.0	52	--	17	--	--	--
Oneida	2	30.8	2	--	--	--	--	--
Owyhee	16	89.9	16	--	--	--	--	--
Payette	33	117.0	33	--	--	--	--	--
Power	7	53.8	7	--	--	--	--	--
Shoshone	34	103.0	32	--	2	--	--	--
Teton	2	24.7	2	--	--	--	--	--
Twin Falls	88	84.7	84	--	3	--	1	--
Valley	3	33.3	3	--	--	--	--	--
Washington	14	95.2	14	--	--	--	--	--

IDAHO OUT-OF-WEDLOCK LIVE BIRTHS

By Age of Mother

1979

RESIDENCE	TOTAL	AGE OF MOTHER								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Not Stated
IDAHO	1397	19	669	473	164	49	17	4	--	2
District 1	180	2	84	53	30	7	4	--	--	--
District 2	122	--	51	48	13	7	2	1	--	--
District 3	238	2	116	82	29	5	3	1	--	--
District 4	302	5	138	111	33	10	3	1	--	1
District 5	221	5	106	70	27	8	4	--	--	1
District 6	187	1	104	60	13	7	1	1	--	--
District 7	147	4	70	49	19	5	--	--	--	--
Ada	270	4	123	98	31	10	3	--	--	1
Adams	6	--	4	2	--	--	--	--	--	--
Bannock	94	--	50	28	9	6	--	1	--	--
Bear Lake	3	--	2	1	--	--	--	--	--	--
Benewah	15	--	8	2	5	--	--	--	--	--
Bingham	60	1	32	22	4	1	--	--	--	--
Blaine	16	--	5	2	4	5	--	--	--	--
Boise	6	--	4	2	--	--	--	--	--	--
Bonner	34	2	11	10	10	1	--	--	--	--
Bonneville	97	4	47	31	12	3	--	--	--	--
Boundary	7	--	3	4	--	--	--	--	--	--
Butte	7	--	4	3	--	--	--	--	--	--
Camas	2	--	2	--	--	--	--	--	--	--
Canyon	147	1	66	50	23	4	2	1	--	--
Caribou	10	--	7	2	--	--	1	--	--	--
Cassia	39	1	12	18	6	1	1	--	--	--
Clark	--	--	--	--	--	--	--	--	--	--
Clearwater	12	--	6	3	2	--	--	1	--	--
Custer	2	--	--	1	1	--	--	--	--	--
Elmore	23	1	10	9	2	--	--	1	--	--
Franklin	4	--	3	1	--	--	--	--	--	--
Fremont	12	--	5	4	3	--	--	--	--	--
Gem	22	1	14	6	1	--	--	--	--	--
Gooding	15	--	6	6	2	1	--	--	--	--
Idaho	15	--	10	5	--	--	--	--	--	--
Jefferson	17	--	8	8	--	1	--	--	--	--
Jerome	24	1	12	9	2	--	--	--	--	--
Kootenai	90	--	44	26	13	5	2	--	--	--
Latah	20	--	8	6	5	1	--	--	--	--
Lemhi	11	--	5	4	1	1	--	--	--	--
Lewis	6	--	2	3	1	--	--	--	--	--
Lincoln	1	--	--	1	--	--	--	--	--	--
Madison	6	--	4	1	1	--	--	--	--	--
Minidoka	36	1	16	13	3	1	2	--	--	--
Nez Perce	69	--	25	31	5	6	2	--	--	--
Oneida	2	--	1	1	--	--	--	--	--	--
Owyhee	16	--	9	6	1	--	--	--	--	--
Payette	33	--	14	15	2	1	1	--	--	--
Power	7	--	5	2	--	--	--	--	--	--
Shoshone	34	--	18	11	2	1	2	--	--	--
Teton	2	--	1	--	1	--	--	--	--	--
Twin Falls	88	2	53	21	10	--	1	--	--	1
Valley	3	--	1	2	--	--	--	--	--	--
Washington	14	--	9	3	2	--	--	--	--	--

IDAHO OUT-OF-WEDLOCK LIVE BIRTHS

Live Birth Order by Age of Mother

1979

Order of Birth	TOTAL	Age of Mother								
		10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Age Not Stated
TOTAL	1397	19	669	473	164	49	17	4	--	2
1	932	19	577	267	58	10	--	--	--	1
2	257	--	70	129	44	11	2	--	--	1
3	108	--	9	52	34	7	6	--	--	--
4	44	--	2	15	13	11	3	--	--	--
5	17	--	--	1	4	5	3	4	--	--
6	9	--	--	1	5	1	2	--	--	--
7	4	--	--	1	2	1	--	--	--	--
8	1	--	--	--	--	1	--	--	--	--
9	1	--	--	--	--	1	--	--	--	--
10+	1	--	--	--	--	--	1	--	--	--
Not Stated	23	--	11	7	4	1	--	--	--	--

1979 AGE-SPECIFIC OUT-OF-WEDLOCK LIVE BIRTH RATIOS

Age	Out-of-Wedlock Live Births	Total Live Births	Ratio
Total	1,397	19,919	70.1
10-14	19	29	655.2
15-19	669	2,648	252.6
20-24	473	7,315	64.7
25-29	164	6,128	26.8
30-34	49	2,783	17.6
35-39	17	837	20.3
40-44	4	160	25.0
45-49	--	9	--
Not Stated	2	10	--

MORTALITY

The number of deaths decreased slightly (2%) in 1979 to 6,386. At the same time, the population increased 3% to 905,000, resulting in a lowering of the death rate by 4%, from 7.4 to 7.1 per 1,000 population, the lowest ever recorded in Idaho. The U.S. death rate dropped very slightly in 1979 from 8.8 to 8.7. Historically, deaths in Idaho occur at a lower level, but because age structures influence the number of deaths,[1] age-adjusted death rates should be used for a true comparison. Age-adjusted rates for Idaho show that even allowing for the differing age structures, Idaho's rate of death is lower than that of the United States. The latest age-adjusted death rates for Idaho (1973-1977)[2] are listed on page 40.

Although the five leading causes of death remain the same, their order had changed: heart disease, cancer, cerebrovascular disease (stroke), accidents, and influenza and pneumonia still lead the list both in Idaho and the U.S. as a whole, but accidents in Idaho have replaced cerebrovascular disease as the third leading cause of death; the latter is now fourth. The next five causes are as follows:

Causes ranked 6-10 in U.S.	Rank in Idaho
6. Diabetes mellitus (15.0)	9 (8.2)
7. Cirrhosis of liver (13.5)	11 (7.5)
8. Arteriosclerosis (13.0)	6 (14.1)
9. Suicide (11.7)	7 (13.8)
10. Certain causes in early infancy (10.5)	8 (10.6)

When making comparisons of 1979 mortality data with earlier years, one must be aware that the manner of coding the underlying cause of death changed in 1979 to the ninth revision of the **International Classification of Diseases** (ICD-9). The introduction of ICD-9 in all States has resulted in a major reclassification of several causes of death. Therefore, there are major discontinuities in the trends for certain causes of death. See Appendix C, page 85 for the comparability ratios between ICDA-8 and ICD-9.

[1]To eliminate the bias inherent in differing age compositions (an older population usually has a higher death rate simply because the risk of dying increases as one ages), age-specific death rates can be calculated. These rates are then applied to a standard population, often the U.S. population, and the composite, or "age-adjusted", rate is then calculated. Five-year average (1968-1972) death rates were computed for Idaho counties using the U.S. as a standard population, and were published in the *1973 ANNUAL REPORT OF VITAL STATISTICS* (Idaho).

[2]*MORTALITY IN IDAHO, 1973-1977*, Idaho Department of Health and Welfare, 1979, page 16.

IDAHO RESIDENT DEATHS
1968 — 1979



U.S., IDAHO DEATH RATES
1968 — 1979



IDAHO RESIDENT DEATHS AND RATES

By District and County of Residence

1975 — 1979

RESIDENCE	1979		1978		1977		1976		1975	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates	--	8.7	--	8.8	--	8.8	--	8.9	--	8.9
IDAHO	6386	7.1	6487	7.4	6448	7.5	6635	8.0	6505	8.0
District 1	892	7.9	907	8.4	873	8.5	944	9.5	907	9.2
District 2	728	8.4	683	7.9	708	8.3	699	8.3	700	8.4
District 3	1005	8.0	1106	8.9	1075	8.9	1105	9.3	1058	9.1
District 4	1194	6.4	1144	6.4	1202	7.0	1185	7.1	1173	7.3
District 5	976	7.6	945	7.5	979	7.9	1017	8.3	1023	8.5
District 6	913	6.5	966	7.1	896	6.8	956	7.5	920	7.5
District 7	678	5.4	736	6.0	715	6.1	729	6.4	724	6.5
Ada	1031	6.6	1014	6.7	1029	7.1	1027	7.4	1039	7.7
Adams	31	8.9	20	5.9	25	7.6	23	7.4	17	5.3
Bannock	413	6.4	408	6.5	385	6.3	408	6.9	422	7.5
Bear Lake	62	8.6	64	9.1	79	11.3	77	11.3	53	8.3
Benewah	56	7.2	72	9.5	83	11.1	71	9.7	66	9.4
Bingham	225	6.0	240	6.6	206	5.9	231	6.9	224	6.9
Blaine	49	5.1	43	4.7	43	4.9	52	6.2	40	4.9
Boise	17	5.9	9	3.3	27	11.3	18	7.8	10	4.5
Bonner	176	7.5	165	7.3	177	8.3	199	10.0	175	9.0
Bonneville	333	5.2	368	5.8	328	5.4	349	5.9	357	6.1
Boundary	54	7.7	48	7.2	50	7.7	47	7.2	59	9.1
Butte	20	5.7	28	8.2	27	8.4	20	6.1	22	7.1
Camas	5	5.6	5	6.3	4	5.0	3	3.8	6	6.7
Canyon	567	7.2	656	8.5	654	8.7	651	8.8	630	8.8
Caribou	47	5.4	43	5.1	46	5.5	42	5.2	51	6.5
Cassia	142	7.2	146	7.6	124	6.5	141	7.4	153	8.2
Clark	7	7.8	6	6.7	3	3.0	6	6.0	9	9.0
Clearwater	70	7.4	73	7.5	61	6.2	64	6.7	63	6.6
Custer	27	8.2	20	6.1	30	9.4	29	8.8	32	10.0
Elmore	106	4.9	87	4.1	108	5.2	96	4.8	91	4.7
Franklin	74	7.9	81	9.2	75	8.7	70	8.4	72	9.0
Fremont	69	6.1	66	6.0	78	7.4	89	8.6	76	7.6
Gem	115	9.7	111	10.0	98	9.0	111	10.4	117	11.1
Gooding	85	7.7	99	9.0	131	11.9	116	10.7	113	10.8
Idaho	137	9.8	118	8.6	116	8.7	129	9.9	110	8.6
Jefferson	78	5.0	112	7.5	98	6.9	94	6.9	97	7.3
Jerome	118	7.7	96	6.6	112	7.9	96	6.9	117	8.5
Kootenai	436	7.7	449	8.5	392	7.9	448	9.5	406	8.8
Latah	169	6.1	168	6.1	172	6.3	188	7.0	189	7.0
Lemhi	58	7.9	60	8.6	56	8.4	53	8.3	59	9.2
Lewis	51	10.9	38	8.3	32	7.4	32	7.3	40	9.1
Lincoln	28	8.5	29	8.5	33	9.7	36	10.6	26	7.6
Madison	92	4.7	82	4.4	89	4.9	92	5.3	71	4.1
Minidoka	117	6.0	116	5.9	103	5.4	120	6.4	127	7.0
Nez Perce	301	9.8	286	9.3	327	10.8	286	9.4	298	9.9
Oneida	36	11.3	42	12.4	42	12.7	63	19.1	35	11.3
Owyhee	61	7.5	66	8.3	52	6.7	59	7.6	64	8.5
Payette	152	9.9	156	10.3	153	10.2	165	11.1	142	9.9
Power	36	5.8	60	9.5	36	5.9	45	8.0	41	7.5
Shoshone	170	9.2	173	9.6	171	9.2	179	9.5	201	10.3
Teton	14	4.8	22	7.9	33	12.2	17	6.3	23	8.8
Twin Falls	432	9.0	411	8.6	429	9.0	453	9.7	441	9.4
Valley	40	7.8	34	7.2	38	8.3	44	10.0	33	7.5
Washington	79	8.9	97	10.8	93	10.4	96	11.3	88	10.7

IDAHO RESIDENT DEATHS

By Sex and Race

1979

RESIDENCE	TOTAL DEATHS	SEX		RACE					
		Male	Female	White	Black	American Indian	Japanese	Other Nonwhite	Not Stated
IDAHO	6,386	3,711	2,675	6,278	14	64	7	11	12
District 1	892	546	346	884	1	6	--	1	--
District 2	728	423	305	704	--	19	--	2	3
District 3	1,005	571	434	999	2	2	1	1	--
District 4	1,194	655	539	1,181	3	1	1	5	3
District 5	976	574	402	970	1	--	1	--	4
District 6	913	535	378	867	4	36	3	2	1
District 7	678	407	271	673	3	--	1	--	1
Ada	1,031	555	476	1,019	3	--	1	5	3
Adams	31	20	11	31	--	--	--	--	--
Bannock	413	235	178	391	4	16	1	1	--
Bear Lake	62	42	20	62	--	--	--	--	--
Benewah	56	39	17	53	1	2	--	--	--
Bingham	225	127	98	205	--	17	2	1	--
Blaine	49	28	21	49	--	--	--	--	--
Boise	17	10	7	17	--	--	--	--	--
Bonner	176	111	65	174	--	1	--	1	--
Bonneville	333	202	131	330	2	--	1	--	--
Boundary	54	35	19	53	--	1	--	--	--
Butte	20	10	10	20	--	--	--	--	--
Camas	5	2	3	5	--	--	--	--	--
Canyon	567	317	250	564	1	1	--	1	--
Caribou	47	28	19	47	--	--	--	--	--
Cassia	142	83	59	141	1	--	--	--	--
Clark	7	5	2	7	--	--	--	--	--
Clearwater	70	47	23	70	--	--	--	--	--
Custer	27	22	5	27	--	--	--	--	--
Elmore	106	64	42	105	--	1	--	--	--
Franklin	74	45	29	73	--	--	--	--	1
Fremont	69	36	33	68	--	--	--	--	1
Gem	115	62	53	115	--	--	--	--	--
Gooding	85	43	42	84	--	--	--	--	1
Idaho	137	76	61	132	--	5	--	--	--
Jefferson	78	50	28	77	1	--	--	--	--
Jerome	118	64	54	117	--	--	--	--	1
Kootenai	436	259	177	435	--	1	--	--	--
Latah	169	99	70	168	--	--	--	--	1
Lemhi	58	35	23	58	--	--	--	--	--
Lewis	51	33	18	48	--	2	--	--	1
Lincoln	28	15	13	27	--	--	1	--	--
Madison	92	52	40	92	--	--	--	--	--
Minidoka	117	69	48	117	--	--	--	--	--
Nez Perce	301	168	133	286	--	12	--	2	1
Oneida	36	25	11	36	--	--	--	--	--
Owyhee	61	46	15	60	--	1	--	--	--
Payette	152	80	72	151	1	--	--	--	--
Power	36	23	13	33	--	3	--	--	--
Shoshone	170	102	68	169	--	1	--	--	--
Teton	14	5	9	14	--	--	--	--	--
Twin Falls	432	270	162	430	--	--	--	--	2
Valley	40	26	14	40	--	--	--	--	--
Washington	79	46	33	78	--	--	1	--	--

IDAHO RESIDENT DEATHS

Age at Death

1979

RESIDENCE	TOTAL DEATHS	AGE AT DEATH						
		<1	1-4	5-14	15-24	25-44	45-64	65+
IDAHO	6386*	202	52	58	247	394	1244	4188
District 1	892	28	4	6	43	42	201	568
District 2	728	18	6	3	25	32	125	519
District 3	1005	31	6	6	28	59	183	692
District 4	1194*	32	6	16	50	95	253	741
District 5	976	25	13	14	34	50	174	666
District 6	913	36	10	7	33	74	169	584
District 7	678	32	7	6	34	42	139	418
Ada	1031*	29	6	13	41	75	222	644
Adams	31	--	--	--	--	4	4	23
Bannock	413	18	5	2	12	43	69	264
Bear Lake	62	1	1	2	4	2	10	42
Benewah	56	--	--	--	6	2	13	35
Bingham	225	10	4	1	12	18	51	129
Blaine	49	1	--	--	5	6	9	28
Boise	17	--	--	2	--	1	3	11
Bonner	176	7	2	2	7	9	40	109
Bonneville	333	16	3	3	18	20	87	186
Boundary	54	2	1	--	2	3	9	37
Butte	20	1	--	--	--	--	4	15
Camas	5	--	--	--	--	1	--	4
Canyon	567	21	2	3	18	34	105	384
Caribou	47	1	--	2	2	3	8	31
Cassia	142	7	3	--	5	7	23	97
Clark	7	--	--	--	--	1	2	4
Clearwater	70	2	--	--	3	3	19	43
Custer	27	2	1	--	2	3	3	16
Elmore	106	3	--	--	8	17	17	61
Franklin	74	3	--	--	1	5	12	53
Fremont	69	2	--	--	1	4	8	54
Gem	115	3	1	--	3	3	18	87
Gooding	85	3	1	4	3	1	7	66
Idaho	137	2	2	1	4	12	25	91
Jefferson	78	3	1	1	6	8	15	44
Jerome	118	2	1	1	6	7	29	72
Kootenai	436	14	1	3	19	22	98	279
Latah	169	5	--	--	9	5	32	118
Lemhi	58	--	1	1	3	1	5	47
Lewis	51	1	--	1	1	1	6	41
Lincoln	28	1	--	--	--	1	3	23
Madison	92	8	1	1	4	5	14	59
Minidoka	117	1	1	3	5	8	18	81
Nez Perce	301	8	4	1	8	11	43	226
Oneida	36	--	--	--	1	--	6	29
Owyhee	61	3	1	2	3	5	15	32
Payette	152	4	2	1	4	10	27	104
Power	36	2	--	--	1	3	9	21
Shoshone	170	5	--	1	9	6	41	108
Teton	14	1	--	--	--	--	5	8
Twin Falls	432	10	7	6	10	19	85	295
Valley	40	--	--	1	1	2	11	25
Washington	79	--	--	--	--	3	14	62

*Includes one (1) whose age was not stated.

IDAHO AGE- AND SEX- ADJUSTED DEATH RATES

By County of Residence

Five-Year Average, 1973 — 1977

County	Rate per 100,000 Population
1. Valley	1,015.8
2. Shoshone	995.7
3. Lemhi	990.6
4. Teton	976.4
5. Boise	975.3
6. Fremont	940.7
7. Lewis	915.6
8. Benewah	906.9
9. Oneida	894.7
10. Gooding	887.3
11. Nez Perce	885.8
12. Custer	883.7
13. Butte	867.4
14. Elmore	855.1
15. Bear Lake	849.5
16. Caribou	844.1
UNITED STATES (1975)	843.4
17. Bannock	835.9
18. Power	821.6
19. Kootenai	811.2
20. Bingham	806.3
21. Bonner	805.2
22. Minidoka	801.6
23. Idaho	795.0
STATE	795.0
24. Washington	792.7
25. Gem	792.1
26. Camas	782.5
27. Owyhee	781.9
28. Madison	778.8
29. Ada	777.0
30. Bonneville	776.1
31. Payette	772.7
32. Lincoln	771.5
33. Jefferson	767.6
34. Franklin	763.0
35. Canyon	757.7
36. Twin Falls	756.1
37. Cassia	750.5
38. Blaine	745.2
39. Clearwater	744.2
40. Jerome	741.3
41. Boundary	734.9
42. Latah	707.3
43. Clark	689.0
44. Adams	681.4

Idaho: Five-year (1973-1977) average age-adjusted mortality rates centered around 1975 population estimates. United States: 1975 age-adjusted mortality rate. 1970 Idaho population was used as the standard.

Source: **Mortality in Idaho, 1973-1977**, Idaho Department of Health and Welfare, 1979, p. 16.

TEN LEADING CAUSES OF DEATH TO IDAHOANS

Cause-Specific Rates

1979

CAUSE OF DEATH	IDAHO				Provisional U.S. Rate
	TOTAL		SEX		
	Number	Rate	Male	Female	
ALL CAUSES	6386	705.6	3711	2675	866.2
1. Diseases of the heart	2198	242.9	1289	909	330.4
2. Malignant neoplasms	1220	134.8	692	528	183.5
3. Accidents	620	68.5	460	160	47.0
Motor vehicle accidents	361	39.9	270	91	23.6
All other accidents	259	28.6	190	69	23.3
4. Cerebrovascular disease	572	63.2	227	345	76.5
5. Influenza and pneumonia	159	17.6	82	77	20.0
6. Arteriosclerosis	128	14.1	55	73	13.0
7. Suicide	125	13.8	97	28	11.7
8. Certain causes in early infancy	96	10.6	64	32	10.5
9. Diabetes mellitus	74	8.2	35	39	15.0
10. Bronchitis, emphysema, and asthma	72	8.0	50	22	9.1
All other causes	1122	--	660	462	--

LEADING CAUSES OF DEATH BY AGE GROUP

Idaho 1979

Age: UNDER ONE YEAR (202 deaths)



Other Causes	Deaths
Birth trauma	6
Intrauterine hypoxia and birth asphyxia	6

AGE: 1-4 YEARS (52 deaths)



AGE: 5-14 YEARS (58 deaths)



AGE: 15-24 YEARS (247 deaths)



Other Causes	Deaths
Diabetes mellitus	2
Congenital anomalies	2

AGE: 25-44 YEARS (394 deaths)



Other Causes	Deaths
Cerebrovascular disease	*8*
Chronic liver disease and cirrhosis	*7*
Diabetes mellitus	*5*
Phlebitis, thrombophlebitis, venous embolism and thrombosis	*2*

AGE: 45-64 YEARS (1244 deaths)



Other Causes	Deaths
Suicide	*35*
Bronchitis, emphysema and asthma	*14*
Homicide	*12*
Pneumonia and influenza	*11*
Other diseases of arteries	*10*

AGE: 65 YEARS AND OVER (4189 deaths)



Other Causes	Deaths
Accidents	*113*
Motor vehicle	*49*
All other	*64*
Diabetes mellitus	*58*
Bronchitis, emphysema and asthma	*57*
Other diseases of arteries	*50*
Nephritis and nephrosis	*30*

ALL AGES (6386 deaths)



Other Causes	Deaths
Arteriosclerosis	*128*
Suicide	*125*
Certain causes in early infancy	*96*
Diabetes mellitus	*74*
Bronchitis, emphysema and asthma	*72*

IDAHO RESIDENT DEATHS FROM SELECTED CAUSES

By District and County of Residence

1979

RESIDENCE	TOTAL DEATHS	Diseases of the Heart	Malignant Neoplasms	Accidents	Cerebro-vascular Disease	Influenza and Pneumonia	Arterio-sclerosis
U. S. Rates (Provisional)	866.2	330.4	183.5	47.0	76.5	20.0	13.0
IDAHO	6,386	2,198	1,220	620	572	159	128
Rates	705.6	242.9	134.8	68.5	63.2	17.6	14.1
District 1	892	316	181	86	83	21	14
Rates 1	788.0	279.2	159.9	76.0	73.3	18.6	12.4
District 2	728	271	134	69	71	23	18
Rates 2	839.7	312.6	154.6	79.6	81.9	26.5	20.8
District 3	1,005	352	208	88	102	16	17
Rates 3	796.4	278.9	164.8	69.7	80.8	12.7	13.5
District 4	1,194	403	226	124	109	33	30
Rates 4	641.9	216.7	121.5	66.7	58.6	17.7	16.1
District 5	976	329	185	92	77	20	8
Rates 5	764.3	257.6	144.9	72.0	60.3	15.7	6.3
District 6	913	324	158	88	66	24	29
Rates 6	654.5	232.3	113.3	63.1	47.3	17.2	20.8
District 7	678	203	128	73	64	22	12
Rates 7	539.8	161.6	101.9	58.1	51.0	17.5	9.6
Ada	1,031	350	194	93	97	29	29
Adams	31	10	7	4	4	--	1
Bannock	413	148	73	43	32	10	14
Bear Lake	62	28	7	7	5	4	--
Benewah	56	26	6	8	4	--	1
Bingham	225	63	40	26	19	4	7
Blaine	49	15	9	6	2	--	1
Boise	17	3	4	4	2	--	--
Bonner	176	63	34	20	11	4	6
Bonneville	333	90	58	38	31	10	7
Boundary	54	20	8	4	5	2	--
Butte	20	12	4	--	--	--	--
Camas	5	1	--	1	--	--	--
Canyon	567	213	122	47	56	10	11
Caribou	47	20	7	3	2	1	1
Cassia	142	34	25	8	11	1	1
Clark	7	3	--	--	1	--	--
Clearwater	70	24	13	7	3	3	4
Custer	27	3	7	4	--	2	1
Elmore	106	32	23	23	6	4	1
Franklin	74	24	15	5	3	2	3
Fremont	69	27	14	5	10	1	1
Gem	115	44	25	4	9	4	2
Gooding	85	21	18	9	15	2	--
Idaho	137	38	26	23	14	1	3
Jefferson	78	28	14	10	4	2	1
Jerome	118	50	24	11	7	4	1
Kootenai	436	140	104	39	44	9	6
Latah	169	73	33	12	17	7	2
Lemhi	58	19	13	6	6	3	--
Lewis	51	17	9	7	4	1	--
Lincoln	28	7	9	2	5	--	--
Madison	92	29	19	10	11	2	2
Minidoka	117	36	27	14	4	3	1
Nez Perce	301	119	53	20	33	11	9
Oneida	36	14	7	1	3	3	4
Owyhee	61	15	11	10	7	--	--
Payette	152	48	30	20	18	--	2
Power	36	15	5	3	2	--	--
Shoshone	170	67	29	15	19	6	1
Teton	14	4	3	--	1	2	--
Twin Falls	432	165	73	41	33	10	4
Valley	40	18	5	4	4	--	--
Washington	79	22	13	3	8	2	1

IDAHO RESIDENT DEATHS FROM SELECTED CAUSES

(Continued)

RESIDENCE	Suicide	Certain Causes in Early Infancy	Diabetes Mellitus	Bronchitis, Emphysema, and Asthma	Cirrhosis of the Liver	Other Diseases of Arteries	Congenital Anomalies	Legal Intervention and Homicide
U. S. Rates (Provisional)	11.7	10.5	15.0	9.1	13.5	8.6	6.1	10.0
IDAHO	125	96	74	72	68	60	58	56
Rates	13.8	10.6	8.2	8.0	7.5	6.6	6.4	6.2
District 1	16	13	14	9	15	10	6	7
Rates 1	14.1	11.5	12.4	8.0	13.3	8.8	5.3	6.2
District 2	13	9	8	9	5	3	5	3
Rates 2	15.0	10.4	9.2	10.4	5.8	3.5	5.8	3.5
District 3	11	21	8	8	5	10	3	9
Rates 3	8.7	16.6	6.3	6.3	4.0	7.9	2.4	7.1
District 4	20	14	12	13	18	11	8	10
Rates 4	10.8	7.5	6.5	7.0	9.7	5.9	4.3	5.4
District 5	21	9	14	12	11	12	12	9
Rates 5	16.4	7.0	11.0	9.4	8.6	9.4	9.4	7.0
District 6	24	15	13	16	8	7	12	10
Rates 6	17.2	10.8	9.3	11.5	5.7	5.0	8.6	7.2
District 7	20	15	5	5	6	7	12	8
Rates 7	15.9	11.9	4.0	4.0	4.8	5.6	9.6	6.4
Ada	19	12	10	12	15	10	7	8
Adams	--	--	--	--	--	--	--	--
Bannock	11	9	3	3	3	5	6	3
Bear Lake	4	--	--	1	--	--	--	2
Benewah	1	--	--	1	1	--	1	1
Bingham	6	3	4	2	3	--	4	4
Blaine	2	--	1	1	--	2	1	--
Boise	--	--	--	--	--	--	--	1
Bonner	4	2	3	1	1	5	2	2
Bonneville	14	8	2	3	4	4	7	--
Boundary	2	1	1	--	3	2	1	1
Butte	--	1	1	1	--	--	--	--
Camas	--	--	--	--	1	--	--	1
Canyon	6	13	5	5	1	4	3	5
Caribou	2	--	1	4	--	--	--	--
Cassia	3	3	2	3	1	--	2	3
Clark	--	--	--	--	1	--	--	1
Clearwater	3	--	--	2	--	1	1	--
Custer	2	--	--	--	--	--	1	2
Elmore	--	2	2	1	2	1	1	--
Franklin	1	1	2	3	1	2	2	--
Fremont	1	1	1	--	--	1	--	1
Gem	2	3	1	--	1	1	--	1
Gooding	1	2	2	1	1	1	--	1
Idaho	2	1	1	2	2	1	--	1
Jefferson	2	2	1	--	1	1	--	1
Jerome	1	--	--	--	1	2	2	1
Kootenai	6	7	7	7	8	3	1	3
Latah	5	2	1	2	--	--	2	1
Lemhi	1	--	1	2	--	1	--	1
Lewis	--	--	1	2	--	--	1	1
Lincoln	1	1	--	--	--	1	--	--
Madison	1	4	--	--	--	--	4	2
Minidoka	4	--	2	1	1	2	1	2
Nez Perce	3	6	5	1	3	1	1	--
Oneida	--	--	1	--	1	--	--	--
Owyhee	1	3	--	--	--	3	--	--
Payette	--	2	1	2	3	1	--	1
Power	--	1	1	2	--	--	--	1
Shoshone	3	3	3	--	2	--	1	--
Teton	--	--	--	--	--	--	--	--
Twin Falls	8	3	7	6	6	4	6	1
Valley	1	--	--	--	1	--	--	1
Washington	2	--	1	1	--	1	--	2

IDAHO MALIGNANT NEOPLASM DEATHS

By Primary Site

1979

ICD9 CODE	SITE OF MALIGNANT NEOPLASM	TOTAL	SEX	
			Male	Female
	TOTAL MALIGNANT NEOPLASM DEATHS	1220	692	528
140-149	LIP, ORAL CAVITY AND PHARYNX	19	14	5
140	Lip	1	1	--
141	Tongue	4	3	1
142	Salivary gland	--	--	--
143	Gum	1	--	1
144	Floor of mouth	2	2	--
145	Other & unspecified parts of mouth	2	--	2
146	Oropharynx	2	2	--
147	Nasopharynx	3	2	1
148	Hypopharynx	1	1	--
149	Other and ill-defined sites within lip, oral cavity and pharynx	3	3	--
150-159	DIGESTIVE ORGANS AND PERITONEUM	309	167	142
150	Esophagus	15	11	4
151	Stomach	53	33	20
152	Small intestine, including duodenum	2	--	2
153	Colon	108	50	58
154	Rectum, rectosigmoid junction and anus	24	15	9
155	Liver and intrahepatic bile ducts	17	8	9
156	Gallbladder and extrahepatic bile ducts	9	3	6
157	Pancreas	75	46	29
158	Retroperitoneum and peritoneum	1	--	1
159	Other and ill-defined sites within the digestive organs and peritoneum	5	1	4
160-165	RESPIRATORY AND INTRATHORACIC ORGANS	262	202	60
160	Nasal cavities, middle ear and accessory sinuses	2	--	2
161	Larynx	8	4	4
162	Trachea, bronchus and lung	248	195	53
163	Pleura	--	--	--
164	Thymus, heart and mediastinum	4	3	1
165	Other and ill-defined sites within the respiratory system and intrathoracic organs	--	--	--
170-175	BONE, CONNECTIVE TISSUE, SKIN AND BREAST	133	25	108
170	Bone and articular cartilage	5	4	1
171	Connective and other soft tissue	7	5	2
172	Skin, melanoma	22	14	8
173	Other of skin	5	2	3
174	Female breast	94	--	94
175	Male breast	--	--	--
179-189	GENITOURINARY ORGANS	211	127	84
179	Uterus, part unspecified	3	--	3
180	Cervix uteri	11	--	11
181	Placenta	--	--	--
182	Body of uterus	6	--	6
183	Ovary and other uterine adnexa	43	--	43
184	Other and unspecified female genital organs	4	--	4
185	Prostate	81	81	--
186	Testis	4	4	--
187	Penis and other male genital organs	--	--	--
188	Bladder	38	31	7
189	Kidney and other and unspecified urinary organs	21	11	10
190-199	OTHER AND UNSPECIFIED SITES	149	74	75
190	Eye	1	1	--
191	Brain	29	14	15
192	Other and unspecified parts of nervous system	--	--	--
193	Thyroid gland	2	1	1
194	Other endocrine glands	5	1	4
195	Other and ill-defined sites	13	5	8
196	Secondary and unspecified malignant neoplasm of lymph nodes	--	--	--
197	Secondary malignant neoplasm of respiratory and digestive systems	2	1	1
198	Secondary malignant neoplasm of other specified sites	--	--	--
199	Malignant neoplasm without specification of site	97	51	46
200-208	LYMPHATIC AND HAEMATOPOIETIC TISSUE	137	83	54
200	Lymphosarcoma and reticulosarcoma	22	13	9
201	Hodgkin's disease	10	9	1
202	Other malignant neoplasm of lymphoid and histiocytic tissue	21	11	10
203	Multiple myeloma and immunoproliferative neoplasm	27	17	10
204	Lymphoid leukaemia	24	15	9
205	Myeloid leukaemia	26	12	14
206	Monocytic leukaemia	--	--	--
207	Other specified leukaemia	--	--	--
208	Leukaemia of unspecified cell type	7	6	1

ACCIDENTAL DEATHS OCCURRING IN IDAHO

By Category and Age Group

1978 — 1979

TYPE OF ACCIDENT	1978 TOTAL	1979 TOTAL	1979 AGE GROUP <5	5-14	15-24	25-44	45-64	65+
TOTAL ACCIDENTAL DEATHS	559	608	35	43	175	169	91	95
OCCUPATIONAL DEATHS	51	44	--	--	11	16	13	4
Agriculture	15	11	--	--	2	2	5	2
Mining, quarrying, oil and gas wells	2	1	--	--	--	--	1	--
Logging, lumber industry	12	3	--	--	1	1	1	--
Construction	2	6	--	--	3	1	1	1
Transportation	3	15	--	--	5	7	3	--
Other and unspecified industry	17	8	--	--	--	5	2	1
HOME DEATHS	87	70	13	14	9	5	10	19
Poisonings (except gas)	7	3	--	--	2	1	--	--
Poisonings by gases and vapors	3	2	1	--	1	--	--	--
Falls	22	19	--	--	--	1	3	15
Fires	16	16	2	5	3	1	2	3
Drowning	10	6	5	--	--	--	1	--
Suffocation, ingested food or object	4	2	1	--	--	--	1	--
Suffocation, mechanical	5	7	2	4	1	--	--	--
Firearms	9	5	1	2	2	--	--	--
Other and unspecified home accidents	11	10	1	3	--	2	3	1
MOTOR VEHICLE DEATHS	339	356	21	20	119	111	48	37
Injury to pedestrian	35	47	9	7	10	8	5	8
Injury to pedal cyclist	5	2	--	1	1	--	--	--
Injury to rider of animal or occupant of animal drawn vehicle	--	--	--	--	--	--	--	--
Collision with railroad train	9	8	--	--	2	3	3	--
Collision with other motor vehicle	84	89	7	6	24	29	10	13
Collision with fixed object	11	7	--	--	3	3	1	--
Non-collision	114	100	3	3	34	38	13	9
Other and unspecified accidents	81	103	2	3	45	30	16	7
PUBLIC DEATHS (except motor vehicle)	78	129	1	9	36	36	20	27
Railroad (not with motor vehicle)	2	--	--	--	--	--	--	--
Water transportation	11	7	1	--	2	4	--	--
Air transportation	6	26	--	--	9	11	6	--
Falls	12	15	--	--	1	--	2	12
Fires	2	4	--	--	--	2	2	--
Drowning	22	29	--	4	14	7	4	--
Firearms	5	8	--	2	3	2	1	--
Other and unspecified public accidents	18	40	--	3	7	10	5	15
TYPE OF ACCIDENT UNSPECIFIED	4	9	--	--	--	1	--	8

1979 ACCIDENTAL DEATHS OCCURRING IN IDAHO

By Age and Category



FATALITIES, MOTOR VEHICLE OPERATORS

Blood Alcohol Testing Program

Idaho, 1979

The Bureau of Laboratories, in cooperation with the Department of Law Enforcement, has conducted a program of testing the levels of alcohol present in the blood of motor vehicle operators who were killed in motor vehicle accidents: of the 196 such victims in 1979, the Bureau of Laboratories received acceptable samples on 149. The analysis showed that 52% of the deceased drivers contained elevated blood alcohol levels:

Total tested: 149
Had not been drinking.....48%
Had been drinking:
Level under .08 (point of intoxication).....9%
Level between .08 and .20 .....20%
Level above .20 .....23%

A blood alcohol level of .15 or greater generally indicates a problem drinker or alcoholic.

The sex and age distribution was determined on 127 samples:

Age	TOTAL		MALE		FEMALE	
	Had Been Drinking	Had Not Been Drinking	Had Been Drinking	Had Not Been Drinking	Had Been Drinking	Had Not Been Drinking
TOTAL	72	55	63	45	9	10
<15	--	1	--	--	--	1
15-25	27	19	23	14	4	5
26-35	17	10	15	8	2	2
36-45	11	7	10	5	1	2
46-55	9	1	7	1	2	--
56-65	4	8	4	8	--	--
>65	4	9	4	9	--	--

REPORTED MORBIDITY IN IDAHO FROM SELECTED DISEASES

By District and County of Residence

1979

RESIDENCE	Giardia Lamblia	Gonorrhea	Hepatitis A	Hepatitis B	Hepatitis, Unspecified	Influenza
IDAHO	88	1813	141	14	15	24
District 1	11	188	9	--	--	4
District 2	11	144	5	1	3	13
District 3	3	290	11	4	3	--
District 4	13	514	8	2	--	1
District 5	24	215	28	3	7	--
District 6	11	261	75	3	1	1
District 7	15	201	5	1	1	5
Ada	5	463	7	1	--	--
Adams	--	1	--	--	--	--
Bannock	6	154	54	2	--	1
Bear Lake	--	1	--	--	1	--
Benewah	--	16	2	--	--	--
Bingham	4	92	16	--	--	--
Blaine	5	9	1	--	1	--
Boise	1	1	1	--	--	--
Bonner	5	21	1	--	--	4
Bonneville	2	161	3	--	--	5
Boundary	--	8	--	--	--	--
Butte	1	4	--	--	--	--
Camas	--	--	--	--	--	--
Canyon	3	245	8	4	--	--
Caribou	--	3	2	--	--	--
Cassia	--	42	7	--	1	--
Clark	--	1	--	--	--	--
Clearwater	--	10	--	--	--	--
Custer	10	2	--	--	--	--
Elmore	5	45	--	--	--	--
Franklin	--	1	1	--	--	--
Fremont	--	9	--	1	--	--
Gem	--	5	1	--	--	--
Gooding	--	14	--	--	1	--
Idaho	1	15	1	--	2	--
Jefferson	--	13	2	--	--	--
Jerome	--	21	2	2	2	--
Kootenai	6	102	5	--	--	--
Latah	9	20	2	--	--	12
Lemhi	2	6	--	--	--	--
Lewis	--	3	1	--	--	--
Lincoln	--	10	1	--	--	--
Madison	--	8	--	--	1	--
Minidoka	--	20	3	--	--	--
Nez Perce	1	96	1	1	1	1
Oneida	--	--	1	--	--	--
Owyhee	--	16	1	--	--	--
Payette	--	15	1	--	3	--
Power	--	6	1	1	--	--
Shoshone	--	41	1	--	--	--
Teton	1	1	--	--	--	--
Twin Falls	19	99	14	1	2	--
Valley	2	5	--	1	--	1
Washington	--	8	--	--	--	--

REPORTED MORBIDITY IN IDAHO FROM SELECTED DISEASES

(Continued)

RESIDENCE	Rubella	Rubeola/ Measles	Salmonellosis	Shigellosis	Syphilis, Infectious	Tuberculosis New Active
IDAHO	209	18	115	70	26	21
District 1	4	3	24	1	1	6
District 2	131	8	9	2	1	2
District 3	17	6	11	25	6	5
District 4	25	--	35	7	12	3
District 5	5	--	19	10	4	2
District 6	12	1	14	17	2	1
District 7	15	--	3	8	--	2
Ada	22	--	30	6	12	2
Adams	--	--	--	--	--	--
Bannock	11	1	9	11	2	--
Bear Lake	--	--	--	--	--	--
Benewah	--	--	1	--	--	--
Bingham	1	--	3	6	--	1
Blaine	2	--	1	1	--	1
Boise	--	--	--	--	--	--
Bonner	--	--	4	1	--	1
Bonneville	9	--	1	7	--	1
Boundary	--	--	1	--	--	--
Butte	--	--	--	--	--	--
Camas	--	--	--	--	--	--
Canyon	7	--	9	22	5	3
Caribou	--	--	--	--	--	--
Cassia	--	--	5	1	2	--
Clark	--	--	--	--	--	--
Clearwater	2	8	--	--	1	--
Custer	--	--	--	--	--	--
Elmore	3	--	5	1	--	1
Franklin	--	--	1	--	--	--
Fremont	--	--	--	--	--	--
Gem	1	--	--	3	1	--
Gooding	--	--	--	--	1	--
Idaho	--	--	1	--	--	--
Jefferson	--	--	1	1	--	1
Jerome	--	--	--	1	--	--
Kootenai	2	3	16	--	1	3
Latah	20	--	--	1	--	1
Lemhi	--	--	--	--	--	--
Lewis	--	--	--	--	--	--
Lincoln	--	--	--	--	--	--
Madison	5	--	1	--	--	--
Minidoka	--	--	1	--	1	--
Nez Perce	109	--	8	1	--	1
Oneida	--	--	1	--	--	--
Owyhee	8	6	--	--	--	1
Payette	1	--	--	--	--	1
Power	--	--	--	--	--	--
Shoshone	2	--	2	--	--	2
Teton	1	--	--	--	--	--
Twin Falls	3	--	12	7	--	1
Valley	--	--	--	--	--	--
Washington	--	--	2	--	--	--

REPORTED MORBIDITY IN IDAHO FROM SELECTED CAUSES

Reported Cases, 1975 — 1979

DISEASE	1979	1978	1977	1976	1975
Amebiasis	8	2	5	4	2
Anthrax	--	1	--	--	--
Botulism	--	--	1	--	--
Brucellosis	1	9	3	3	3
Cholera	--	--	--	--	--
Colorado tick fever	4	7	16	15	17
Congenital Rubella Syndrome	2	--	--	--	1
Diptheria	--	--	--	1	1
Food poisoning	54	76	188	122	41
Hepatitis A	141	229	142	112	195
Hepatitis B	14	12	17	18	11
Hepatitis unspecified	15	16	16	82	68
Legionnaire's Disease	3	3	NA	NA	NA
Leprosy	--	--	1	--	--
Leptospirosis	--	--	--	1	1
Measles	18	1	171	2024	73
Meningitis, H. influenza	15	11	24	28	17
Meningitis, meningococcal	10	4	8	7	5
Meningitis, other	7	7	28	1	5
Meningococcemia	--	1	--	1	1
Mumps	12	28	134	475	72
Plague	--	--	--	--	--
Poliomyelitis	--	--	1	--	--
Psittacosis	--	--	1	--	--
Q fever	1	--	1	--	--
Relapsing fever	--	--	1	--	--
Reye's Syndrome	2	1	--	--	1
Rocky Mountain spotted fever	3	3	5	1	3
Rubella	209	3	25	17	75
Salmonellosis	115	79	69	75	46
Shigellosis	70	54	97	42	55
Tetanus	--	1	--	--	--
Trachoma	--	--	--	--	--
Trichinosis	--	--	--	--	--
Tuberculosis	23	38	32	33	32
Tularemia	3	3	--	3	--
Venereal Diseases					
Gonorrhea	1813	1658	1913	2334	2113
Syphilis, infectious	26	14	12	37	19
Other	3	16	2	--	1
Whooping cough	3	4	8	10	9

INFANT, FETAL AND MATERNAL MORTALITY

In 1979, the number of Idaho infant deaths decreased from 225 to 202. At the same time, live births increased to 19,919, thus producing a substantial decline in the infant death rate from 11.6 to 10.1 per 1,000 live births. This is the lowest ever recorded in Idaho. Both the neonatal death rate and the postneonatal death rate declined (from 7.2 to 6.6 and from 4.4 to 3.6, respectively).

Infant deaths in the U.S. also decreased in 1979, although by a lesser amount: the national rate dropped from 13.6 to 13.0, while neonatal deaths occurred at 8.7 per 1,000 live birhts. However, to obtain an accurate comparison the rates must be compared by race: Idaho's population is predominantly white, and whites normally experience lower infant death rates (see graph on the following page).

	Total Infant Death Rate		Neonatal		Postneonatal	
	White	Nonwhite	White	Nonwhite	White	Nonwhite
U.S. (1978)*	12.0	21.1	8.4	14.0	3.6	7.1
Idaho (1979)	10.1	12.0	6.5	9.6	3.6	2.4

*Later national **race** data are not yet available.

In 1979, District 1 again had the highest infant death rate (13.9). Although small areas do tend to fluctuate, the highest infant death rate has been in District 1 for three of the past four years. (See page 57 for trends.) District 4 was the lowest district in 1979.

Fetal deaths decreased in 1979 from 146 to 133, producing a ratio of 6.7 per 1,000 live births. This is the lowest fetal death ratio ever recorded in Idaho. However, a study currently being done indicates significant under-reporting of fetal deaths. A copy of the final report based on the study will be published at a later date. District ratios vary from 3.0 in District 1 to 9.7 in District 6.

There was one maternal death in Idaho in 1979, occurring in Canyon County.

U.S., IDAHO INFANT DEATH RATES
IDAHO FETAL DEATH RATIOS
1968 — 1979



IDAHO INFANT DEATH RATES
White and Nonwhite
1973 — 1979



IDAHO RESIDENT INFANT DEATHS AND RATES

By District and County of Residence

1975 — 1979

RESIDENCE	1979		1978		1977		1976		1975	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rate	--	13.0	--	13.6	--	14.1	--	15.2	--	16.1
IDAHO	202	10.1	225	11.6	219	11.6	227	13.1	214	13.2
District 1	28	13.9	34	17.1	18	9.4	33	19.5	23	14.2
District 2	18	12.6	11	7.3	22	15.0	16	12.3	20	15.6
District 3	31	11.9	41	16.3	31	12.6	28	12.2	24	11.2
District 4	32	8.2	40	11.0	36	9.9	40	12.7	36	11.9
District 5	25	8.6	30	10.8	28	10.5	29	11.0	39	15.3
District 6	36	10.0	34	9.4	44	12.7	43	12.9	38	13.2
District 7	32	9.3	35	10.7	40	12.5	38	13.2	34	12.4
Ada	29	9.0	36	12.3	30	10.2	34	13.8	27	11.5
Adams	--	--	--	--	--	--	--	--	--	--
Bannock	18	11.2	13	8.0	16	10.7	20	13.3	14	10.6
Bear Lake	1	5.1	3	17.9	2	11.3	1	5.5	4	24.2
Benewah	--	--	--	--	--	--	1	6.8	2	15.0
Bingham	10	9.9	10	9.5	12	12.1	15	16.4	11	14.3
Blaine	1	5.6	3	19.0	4	29.6	1	8.3	1	6.8
Boise	--	--	1	20.4	--	--	1	21.3	--	--
Bonner	7	17.5	8	19.3	2	5.2	11	33.3	4	14.0
Bonneville	16	9.1	17	10.3	21	12.6	16	10.6	18	12.5
Boundary	2	13.7	--	--	5	40.3	1	8.5	3	23.8
Butte	1	10.3	--	--	2	29.0	--	--	2	37.0
Camas	--	--	--	--	--	--	--	--	--	--
Canyon	21	12.4	29	17.3	21	13.3	17	11.4	18	13.4
Caribou	1	4.0	3	12.6	4	15.5	2	8.0	4	19.0
Cassia	7	12.5	10	19.1	7	14.1	6	11.5	6	12.4
Clark	--	--	--	--	--	--	--	--	1	62.5
Clearwater	2	11.1	2	10.6	4	20.5	2	11.3	2	12.0
Custer	2	34.5	--	--	--	--	2	33.9	--	--
Elmore	3	5.4	3	5.3	5	8.8	4	6.9	8	17.2
Franklin	3	11.8	4	16.0	4	17.5	--	--	1	5.6
Fremont	2	6.5	4	13.1	3	10.5	5	19.4	5	19.8
Gem	3	12.6	1	4.7	3	16.0	3	15.9	3	16.6
Gooding	3	13.2	--	--	1	4.7	2	11.8	3	16.0
Idaho	2	7.9	3	11.0	4	16.1	3	14.2	2	11.0
Jefferson	3	6.6	6	14.3	4	9.3	4	10.8	2	5.4
Jerome	2	5.9	1	3.2	4	12.9	2	6.9	4	15.7
Kootenai	14	14.3	16	16.7	9	9.8	14	18.6	11	15.0
Latah	5	11.2	2	4.4	2	4.8	5	12.8	7	17.2
Lemhi	--	--	3	20.7	1	7.9	1	8.5	1	8.8
Lewis	1	13.9	2	18.5	1	9.9	1	13.9	1	12.2
Lincoln	1	15.6	--	--	--	--	--	--	2	30.3
Madison	8	13.3	5	8.5	8	14.6	9	19.0	6	16.1
Minidoka	1	2.0	7	13.2	5	10.0	8	14.7	8	18.3
Nez Perce	8	16.8	2	4.1	11	21.9	5	11.0	8	18.1
Oneida	--	--	--	--	3	37.0	--	--	--	--
Owyhee	3	16.9	1	6.1	1	6.2	2	13.4	2	12.8
Payette	4	14.2	6	23.3	3	11.2	3	12.0	--	--
Power	2	15.4	1	6.8	1	6.0	5	36.0	2	18.2
Shoshone	5	15.2	10	32.6	2	5.8	6	17.4	3	8.6
Teton	1	12.3	--	--	3	52.6	1	13.3	1	14.1
Twin Falls	10	9.6	9	9.2	7	7.3	10	11.0	15	15.6
Valley	--	--	--	--	1	10.3	1	14.3	1	11.8
Washington	--	--	4	26.7	3	14.9	3	17.5	1	6.3

IDAHO RESIDENT INFANT DEATHS

By Sex and Race of Child

1979

RESIDENCE	TOTAL INFANT DEATHS	SEX		RACE				
		Male	Female	White	Black	American Indian	Japanese	Other Nonwhite
IDAHO	202	129	73	197	1	3	--	1
District 1	28	14	14	28	--	--	--	--
District 2	18	13	5	15	--	3	--	--
District 3	31	23	8	30	--	--	--	1
District 4	32	21	11	32	--	--	--	--
District 5	25	16	9	25	--	--	--	--
District 6	36	22	14	36	--	--	--	--
District 7	32	20	12	31	1	--	--	--
Ada	29	19	10	29	--	--	--	--
Adams	--	--	--	--	--	--	--	--
Bannock	18	10	8	18	--	--	--	--
Bear Lake	1	1	--	1	--	--	--	--
Benewah	--	--	--	--	--	--	--	--
Bingham	10	6	4	10	--	--	--	--
Blaine	1	--	1	1	--	--	--	--
Boise	--	--	--	--	--	--	--	--
Bonner	7	3	4	7	--	--	--	--
Bonneville	16	9	7	15	1	--	--	--
Boundary	2	2	--	2	--	--	--	--
Butte	1	1	--	1	--	--	--	--
Camas	--	--	--	--	--	--	--	--
Canyon	21	16	5	20	--	--	--	1
Caribou	1	--	1	1	--	--	--	--
Cassia	7	4	3	7	--	--	--	--
Clark	--	--	--	--	--	--	--	--
Clearwater	2	2	--	2	--	--	--	--
Custer	2	2	--	2	--	--	--	--
Elmore	3	2	1	3	--	--	--	--
Franklin	3	3	--	3	--	--	--	--
Fremont	2	1	1	2	--	--	--	--
Gem	3	1	2	3	--	--	--	--
Gooding	3	2	1	3	--	--	--	--
Idaho	2	1	1	2	--	--	--	--
Jefferson	3	3	--	3	--	--	--	--
Jerome	2	1	1	2	--	--	--	--
Kootenai	14	8	6	14	--	--	--	--
Latah	5	4	1	5	--	--	--	--
Lemhi	--	--	--	--	--	--	--	--
Lewis	1	1	--	1	--	--	--	--
Lincoln	1	--	1	1	--	--	--	--
Madison	8	4	4	8	--	--	--	--
Minidoka	1	1	--	1	--	--	--	--
Nez Perce	8	5	3	5	--	3	--	--
Oneida	--	--	--	--	--	--	--	--
Owyhee	3	2	1	3	--	--	--	--
Payette	4	4	--	4	--	--	--	--
Power	2	1	1	2	--	--	--	--
Shoshone	5	1	4	5	--	--	--	--
Teton	1	1	--	1	--	--	--	--
Twin Falls	10	8	2	10	--	--	--	--
Valley	--	--	--	--	--	--	--	--
Washington	--	--	--	--	--	--	--	--

IDAHO RESIDENT INFANT DEATHS

Neonatal and Postneonatal

1979

RESIDENCE	INFANT DEATHS					
	TOTAL		NEONATAL		POSTNEONATAL	
	Number	Rate	Number	Rate	Number	Rate
IDAHO	202	10.1	131	6.6	71	3.6
District 1	28	13.9	19	9.4	9	4.5
District 2	18	12.6	12	8.4	6	4.2
District 3	31	11.9	21	8.1	10	3.8
District 4	32	8.2	21	5.4	11	2.8
District 5	25	8.6	18	6.2	7	2.4
District 6	36	10.0	18	5.0	18	5.0
District 7	32	9.3	22	6.4	10	2.9
Ada	29	9.0	18	5.6	11	3.4
Adams	--	--	--	--	--	--
Bannock	18	11.2	12	7.5	6	3.7
Bear Lake	1	5.1	--	--	1	5.1
Benewah	--	--	--	--	--	--
Bingham	10	9.9	2	2.0	8	7.9
Blaine	1	5.6	1	5.6	--	--
Boise	--	--	--	--	--	--
Bonner	7	17.5	3	7.5	4	10.0
Bonneville	16	9.1	12	6.8	4	2.3
Boundary	2	13.7	2	13.7	--	--
Butte	1	10.3	1	10.3	--	--
Camas	--	--	--	--	--	--
Canyon	21	12.4	15	8.9	6	3.5
Caribou	1	4.0	--	--	1	4.0
Cassia	7	12.5	5	8.9	2	3.6
Clark	--	--	--	--	--	--
Clearwater	2	11.1	2	11.1	--	--
Custer	2	34.5	1	17.2	1	17.2
Elmore	3	5.4	3	5.4	--	--
Franklin	3	11.8	2	7.9	1	3.9
Fremont	2	6.5	1	3.3	1	3.3
Gem	3	12.6	3	12.6	--	--
Gooding	3	13.2	2	8.8	1	4.4
Idaho	2	7.9	1	3.9	1	3.9
Jefferson	3	6.6	1	2.2	2	4.4
Jerome	2	5.9	2	5.9	--	--
Kootenai	14	14.3	11	11.2	3	3.1
Latah	5	11.2	3	6.7	2	4.5
Lemhi	--	--	--	--	--	--
Lewis	1	13.9	--	--	1	13.9
Lincoln	1	15.6	1	15.6	--	--
Madison	8	13.3	7	11.6	1	1.7
Minidoka	1	2.0	1	2.0	--	--
Nez Perce	8	16.8	6	12.6	2	4.2
Oneida	--	--	--	--	--	--
Owyhee	3	16.9	3	16.9	--	--
Payette	4	14.2	--	--	4	14.2
Power	2	15.4	1	7.7	1	7.7
Shoshone	5	15.2	3	9.1	2	6.1
Teton	1	12.3	--	--	1	12.3
Twin Falls	10	9.6	6	5.8	4	3.8
Valley	--	--	--	--	--	--
Washington	--	--	--	--	--	--

CAUSES OF IDAHO INFANT DEATHS

By Neonatal and Postneonatal Periods

1979

ICD-9 CODE	CAUSE OF DEATH	TOTAL		NEONATAL		POSTNEONATAL	
		Number	Rate	Number	Rate	Number	Rate
--	ALL CAUSES	202	10.1	131	6.6	71	3.6
008-009,535, 555-558	Certain gastrointestinal diseases	--	--	--	--	--	--
480-487	Pneumonia and influenza	1	0.1	--	--	1	0.1
740-759	Congenital anomalies	47	2.4	35	1.8	12	0.6
765	Disorders relating to short gestation and unspecified low birthweight	32	1.6	32	1.6	--	--
767	Birth trauma	6	0.3	4	0.2	2	0.1
768	Intrauterine hypoxia and birth asphyxia	6	0.3	6	0.3	--	--
769	Respiratory distress syndrome	22	1.1	21	1.1	1	0.1
760-764,766, 770-779	Other conditions originating in the perinatal period	33	1.7	30	1.5	3	0.2
798.0	Sudden infant death syndrome	42	2.1	3	0.2	39	2.0
Residual	All other causes	13	0.7	--	--	13	0.7

Congenital anomalies remains as the leading single cause of infant deaths in both the U.S. and Idaho. The rate of death from congenital anomalies decreased slightly in Idaho in 1979, from 3.0 to 2.8 per 1,000 live births, and declined also at the national level from 2.6 to 2.5. Deaths from Sudden Infant Death Syndrome (SIDS) decreased in Idaho almost imperceptibly from 2.2 to 2.1, while the national SIDS rate in 1979 (the first year that a national figure has been available) was 1.5.

The leading cause of neonatal deaths is congenital anomalies, followed closely by prematurity (low birthweight). In the postneonatal period, SIDS, in addition to being the leading cause of death, accounted for 55% of the deaths.

CAUSES OF IDAHO INFANT DEATHS

By District of Residence

1979

CAUSE OF DEATH		TOTAL	DISTRICT 1	2	3	4	5	6	7
ALL CAUSES	Number	202	28	18	31	32	25	36	32
	Rate	10.1	13.9	12.6	11.9	8.2	8.6	10.0	9.3
Certain gastrointestinal diseases	Number	--	--	--	--	--	--	--	--
	Rate	--	--	--	--	--	--	--	--
Pneumonia and influenza	Number	1	--	--	--	1	--	--	--
	Rate	0.1	--	--	--	0.3	--	--	--
Congenital anomalies	Number	47	5	4	3	7	10	7	11
	Rate	2.4	2.5	2.8	1.2	1.8	3.4	1.9	3.2
Disorders relating to short gestation and unspecified low birthweight	Number	32	2	4	7	7	1	5	6
	Rate	1.6	1.0	2.8	2.7	1.8	0.3	1.4	1.7
Birth trauma	Number	6	--	2	2	--	2	--	--
	Rate	0.3	--	1.4	0.8	--	0.7	--	--
Intrauterine hypoxia and birth asphyxia	Number	6	1	--	1	1	2	1	--
	Rate	0.3	0.5	--	0.4	0.3	0.7	0.3	--
Respiratory distress syndrome	Number	22	4	1	6	1	--	5	5
	Rate	1.1	2.0	0.7	2.3	0.3	--	1.4	1.5
Other conditions originating in the perinatal period	Number	33	8	2	5	5	4	5	4
	Rate	1.7	4.0	1.4	1.9	1.3	1.4	1.4	1.2
Sudden infant death syndrome	Number	42	8	4	5	9	3	9	4
	Rate	2.1	4.0	2.8	1.9	2.3	1.0	2.5	1.2
All other causes	Number	13	--	1	2	1	3	4	2
	Rate	0.7	--	0.7	0.8	0.3	1.0	1.1	0.6

IDAHO RESIDENT FETAL DEATHS AND RATIOS

By District and County of Residence

1975 — 1979

RESIDENCE	1979		1978		1977		1976		1975	
	Number	Ratio	Number	Ratio	Number	Ratio	Number	Ratio	Number	Ratio
IDAHO	133	6.7	146	7.5	152	8.1	119	6.9	142	8.7
District 1	6	3.0	10	5.0	25	13.1	11	6.5	27	16.6
District 2	10	7.0	9	6.0	15	10.2	8	6.1	17	13.3
District 3	13	5.0	16	6.3	16	6.5	13	5.7	10	4.7
District 4	25	6.4	29	8.0	19	5.2	15	4.7	25	8.3
District 5	22	7.5	27	9.7	20	7.5	21	8.0	28	11.0
District 6	35	9.7	31	8.5	32	9.2	25	7.5	20	7.0
District 7	22	6.4	24	7.3	25	7.8	26	9.0	15	5.4
Ada	17	5.3	24	8.2	15	5.1	13	5.3	20	8.5
Adams	1	16.1	--	--	--	--	2	60.6	1	20.8
Bannock	15	9.3	11	6.8	10	6.7	13	8.7	12	9.1
Bear Lake	2	10.1	4	23.8	2	11.3	1	5.5	--	--
Benewah	1	6.3	3	19.7	2	14.0	1	6.8	2	15.0
Bingham	9	8.9	13	12.3	9	9.1	9	9.9	4	5.2
Blaine	1	5.6	2	12.7	1	7.4	--	--	--	--
Boise	--	--	1	20.4	--	--	--	--	--	--
Bonner	3	7.5	2	4.8	6	15.5	2	6.1	8	28.1
Bonneville	12	6.8	9	5.4	18	10.8	15	9.9	7	4.9
Boundary	--	--	--	--	3	24.2	--	--	1	7.9
Butte	2	20.6	--	--	2	29.0	--	--	--	--
Camas	--	--	--	--	--	--	1	100.0	--	--
Canyon	10	5.9	9	5.4	11	7.0	9	6.0	6	4.5
Caribou	3	12.0	--	--	4	15.5	1	4.0	4	19.0
Cassia	1	1.8	7	13.4	4	8.1	4	7.7	3	6.2
Clark	--	--	1	50.0	--	--	--	--	--	--
Clearwater	4	22.2	2	10.6	2	10.3	1	5.6	3	18.1
Custer	--	--	--	--	1	19.2	--	--	--	--
Elmore	7	12.6	3	5.3	4	7.0	2	3.4	5	10.8
Franklin	2	7.9	2	8.0	3	13.1	--	--	--	--
Fremont	3	9.8	2	6.5	1	3.5	4	15.5	--	--
Gem	2	8.4	3	14.1	--	--	--	--	2	11.0
Gooding	2	8.8	3	15.3	--	--	1	5.9	3	16.0
Idaho	2	7.9	2	7.4	1	4.0	2	9.4	3	16.6
Jefferson	5	10.9	6	14.3	--	--	1	2.7	2	5.4
Jerome	2	5.9	2	6.5	1	3.2	4	13.9	4	15.7
Kootenai	--	--	3	3.1	10	10.9	5	6.5	13	17.7
Latah	1	2.2	3	6.7	5	11.9	2	5.1	2	4.9
Lemhi	--	--	--	--	2	15.9	2	16.9	1	8.8
Lewis	1	13.9	--	--	--	--	--	--	1	12.2
Lincoln	1	15.6	--	--	1	18.9	--	--	2	30.3
Madison	1	1.7	6	10.2	2	3.6	4	8.4	5	13.4
Minidoka	3	6.1	7	13.2	3	6.0	9	16.5	6	13.7
Nez Perce	2	4.2	2	4.1	7	13.9	3	6.6	8	18.1
Oneida	--	--	1	15.4	1	12.3	--	--	--	--
Owyhee	--	--	1	6.1	1	6.2	2	13.4	--	--
Payette	--	--	2	7.8	1	3.7	--	--	--	--
Power	2	15.4	--	--	1	6.0	1	7.2	--	--
Shoshone	2	6.1	2	6.5	4	11.7	3	8.7	3	8.6
Teton	1	12.3	--	--	1	17.5	--	--	--	--
Twin Falls	12	11.5	6	6.1	10	10.4	2	2.2	10	10.4
Valley	1	11.1	1	10.0	--	--	--	--	--	--
Washington	--	--	1	6.7	3	14.9	--	--	1	6.3

IDAHO RESIDENT PERINATAL DEATHS AND RATIOS

By District and County of Residence

1975 — 1979

RESIDENCE	1979		1978		1977		1976		1975	
	Number	Ratio	Number	Ratio	Number	Ratio	Number	Ratio	Number	Ratio
IDAHO	246	12.4	267	13.8	264	14.0	238	13.7	272	16.7
District 1	22	10.9	32	16.1	31	16.2	28	16.5	44	27.1
District 2	21	14.7	16	10.6	25	17.1	20	15.3	23	18.0
District 3	32	12.3	36	14.3	34	13.8	26	11.4	25	11.7
District 4	42	10.7	53	14.5	34	9.3	35	11.1	42	13.9
District 5	37	12.7	41	14.7	38	14.2	38	14.4	52	20.4
District 6	51	14.1	45	12.4	53	15.3	47	14.0	45	15.7
District 7	41	12.0	44	13.5	49	15.4	44	15.2	41	14.9
Ada	32	10.0	47	16.0	28	9.6	32	13.0	33	14.1
Adams	1	16.1	--	--	--	--	2	60.6	1	20.8
Bannock	26	16.2	16	9.8	19	12.7	24	16.0	21	15.9
Bear Lake	2	10.1	5	29.8	3	16.9	2	11.0	2	12.1
Benewah	1	6.3	3	19.7	2	14.0	1	6.8	4	30.1
Bingham	10	9.9	18	17.1	12	12.1	15	16.4	12	15.6
Blaine	2	11.1	3	19.0	5	37.0	--	--	--	--
Boise	--	--	1	20.4	--	--	--	--	--	--
Bonner	5	12.5	7	16.9	6	15.5	10	30.3	11	38.6
Bonneville	23	13.1	20	12.1	33	19.8	24	15.9	19	13.2
Boundary	1	6.8	--	--	5	40.3	1	8.5	3	23.8
Butte	3	30.9	--	--	3	43.5	--	--	2	37.0
Camas	--	--	--	--	--	--	1	100.0	--	--
Canyon	24	14.2	23	13.7	25	15.9	18	12.0	16	11.9
Caribou	3	12.0	1	4.2	6	23.3	2	8.0	6	28.4
Cassia	5	8.9	14	26.8	6	12.1	8	15.4	7	14.5
Clark	--	--	1	50.0	--	--	--	--	1	62.5
Clearwater	6	33.3	3	16.0	4	20.5	2	11.3	4	24.1
Custer	1	17.2	--	--	1	19.2	--	--	--	--
Elmore	9	16.2	4	7.1	6	10.5	2	3.4	8	17.2
Franklin	4	15.7	3	12.0	5	21.8	--	--	1	5.6
Fremont	4	13.1	4	13.1	2	7.0	7	27.1	4	15.9
Gem	4	16.8	4	18.8	2	10.6	2	10.6	5	27.6
Gooding	4	17.6	3	15.3	1	4.7	2	11.8	5	26.6
Idaho	3	11.8	4	14.7	3	12.1	5	23.6	3	16.6
Jefferson	6	13.1	8	19.0	3	6.9	2	5.4	3	8.0
Jerome	3	8.8	2	6.5	4	12.9	5	17.4	8	31.4
Kootenai	10	10.2	11	11.5	13	14.2	11	14.6	22	30.0
Latah	4	9.0	5	11.1	6	14.3	6	15.4	5	12.3
Lemhi	--	--	3	20.7	3	23.8	2	16.9	2	17.7
Lewis	1	13.9	2	18.5	1	9.9	1	13.9	1	12.2
Lincoln	2	31.3	--	--	1	18.9	--	--	3	45.5
Madison	6	10.0	8	13.6	4	7.3	9	19.0	11	29.6
Minidoka	4	8.2	9	17.0	7	14.0	15	27.5	10	22.9
Nez Perce	7	14.7	2	4.1	11	21.9	6	13.2	10	22.6
Oneida	--	--	1	15.4	3	37.0	--	--	--	--
Owyhee	3	16.9	2	12.2	1	6.2	3	20.1	1	6.4
Payette	--	--	2	7.8	2	7.5	--	--	--	--
Power	3	23.1	1	6.8	2	12.0	4	28.8	1	9.1
Shoshone	5	15.2	11	35.8	5	14.6	5	14.5	4	11.5
Teton	1	12.3	--	--	3	52.6	--	--	1	14.1
Twin Falls	17	16.4	10	10.2	14	14.6	7	7.7	19	19.8
Valley	1	11.1	1	10.0	--	--	1	14.3	1	11.8
Washington	--	--	5	33.3	4	19.9	1	5.8	2	12.6

INDUCED ABORTIONS

It is estimated that about one in four pregnancies worldwide is terminated by induced abortion, which, translated to numbers, means that about 40 million abortions occur each year. Approximately half are obtained illegally, and the resulting maternal deaths are now a worldwide leading cause of death to women in the childbearing ages. In areas lacking good family planning services, the medical complications from illegal abortions are nearing epidemic proportions.*

Abortion Worldwide

Source: People, *Vol. 5, No. 2, 1978, p. 18. Based on IPPF's 1977* Unmet Needs in Family Planning Survey.

In Idaho, the number of induced abortions increased 16% in 1979. For every eight live births, there was one pregnancy which was ended by an induced termination in 1979, assuming all abortions were reported. Of these abortions, 98% were done in five counties: Ada, Bannock, Kootenai, Blaine and Latah, in that order. No deaths were reported from Idaho induced abortions.

*POPULATION, No. 9, April 1979.

INDUCED ABORTIONS IN IDAHO

1978 — 1979

County	Number of Abortions Performed in this County		Number of Abortions in Idaho for Residents of this County	
	1979	1978	1979	1978
IDAHO	2446	2107	2303	1991
District 1	401	346	383	322
District 2	141	107	89	79
District 3	5	3	234	199
District 4	1175	883	850	592
District 5	257	137	335	288
District 6	467	631	261	337
District 7	--	--	151	174
Ada	1174	851	749	513
Adams	5	3	7	8
Bannock	467	631	203	252
Bear Lake	--	--	3	2
Benewah	18	10	22	20
Bingham	--	--	42	50
Blaine	238	137	120	86
Boise	--	--	5	5
Bonner	--	--	78	44
Bonneville	--	--	119	130
Boundary	--	--	16	24
Butte	--	--	--	2
Camas	--	--	4	3
Canyon	--	--	164	149
Caribou	--	--	6	6
Cassia	--	--	20	26
Clark	--	--	3	1
Clearwater	1	1	2	1
Custer	--	--	5	7
Elmore	1	15	68	56
Franklin	--	--	2	3
Fremont	--	--	10	11
Gem	--	--	22	23
Gooding	--	--	17	10
Idaho	--	--	2	2
Jefferson	--	--	6	7
Jerome	1	--	36	28
Kootenai	380	326	226	199
Latah	140	106	80	76
Lemhi	--	--	2	3
Lewis	--	--	1	--
Lincoln	--	--	5	7
Madison	--	--	6	10
Minidoka	--	--	15	28
Nez Perce	--	--	4	--
Oneida	--	--	--	5
Owyhee	--	--	12	8
Payette	--	--	17	8
Power	--	--	5	17
Shoshone	3	10	41	35
Teton	--	--	--	5
Twin Falls	18	--	118	100
Valley	--	17	28	18
Washington	--	--	12	3
Out-of-State Residents	NA	NA	143	116

INDUCED ABORTIONS IN IDAHO

Age of Patient by Marital Status

1979

AGE OF PATIENT	TOTAL	MARITAL STATUS		
		Married	Not Married	Not Stated
TOTAL	2446	613	1766	67
10-14	25	--	25	--
15-19	793	67	707	19
20-24	855	192	642	21
25-29	427	172	249	6
30-34	210	102	99	9
35-39	86	57	24	5
40-44	31	19	12	--
45+	--	--	--	--
Not Stated	19	4	8	7

INDUCED ABORTIONS IN IDAHO

Previous Induced Abortions and Number of Living Children

1979

	PREVIOUS INDUCED ABORTIONS	NUMBER LIVING CHILDREN
TOTAL	2446	2446
None	1760	1524
1	454	388
2	84	304
3+	22	159
Not Stated	126	71

INDUCED ABORTIONS IN IDAHO

Termination Procedure by Length of Gestation

1979

TERMINATION PROCEDURE	TOTAL	WEEKS OF GESTATION					
		≤8	9-12	13-15	16-19	20+	Not Stated
TOTAL	2446	1134	1134	103	3	2	70
Suction curettage	2324	1080	1082	103	2	2	55
Sharp curettage	26	20	4	--	--	--	2
Intra-uterine saline instillation	1	--	--	--	1	--	--
Intra-uterine prostaglandin instillation	--	--	--	--	--	--	--
Hysterotomy	2	1	1	--	--	--	--
Hysterectomy	1	--	1	--	--	--	--
Other	2	1	--	--	--	--	1
Not stated	90	32	46	--	--	--	12

INDUCED ABORTIONS IN IDAHO

Reported Complications by Termination Procedure

1979

TERMINATION PROCEDURE	TOTAL	REPORTED COMPLICATIONS							
		No Complications	Hemorrhage	Infection	Uterine Perforation	Cervical Laceration	Retained Products	Other	Not Stated
TOTAL	2446	2350	25	2	1	--	1	9	58
Suction curettage	2324	2253	25	2	1	--	1	8	34
Sharp curettage	26	19	--	--	--	--	--	--	7
Intra-uterine saline instillation	1	1	--	--	--	--	--	--	--
Intra-uterine prostaglandin instillation	--	--	--	--	--	--	--	--	--
Hysterotomy	2	2	--	--	--	--	--	--	--
Hysterectomy	1	1	--	--	--	--	--	--	--
Other	2	1	--	--	--	--	--	1	--
Not stated	90	73	--	--	--	--	--	--	17

INDUCED ABORTIONS IN IDAHO

Age of Patient by District and County of Residence

1979

RESIDENCE	TOTAL	AGE OF PATIENT								
		10-14	15-19	20-24	25-29	30-34	35-39	40-44	45+	Not Stated
IDAHO	2303	25	751	803	398	200	81	30	--	15
District 1	383	10	120	123	74	28	19	7	--	2
District 2	89	--	30	36	14	5	1	1	--	2
District 3	234	4	99	66	31	19	9	2	--	4
District 4	850	9	250	309	153	80	32	11	--	6
District 5	335	2	102	119	60	42	7	2	--	1
District 6	261	--	94	100	44	12	7	4	--	--
District 7	151	--	56	50	22	14	6	3	--	--
Ada	749	9	225	274	128	70	29	9	--	5
Adams	7	--	2	1	1	1	2	--	--	--
Bannock	203	--	66	83	37	8	5	4	--	--
Bear Lake	3	--	--	1	1	1	--	--	--	--
Benewah	22	--	8	5	3	1	4	--	--	1
Bingham	42	--	23	10	4	3	2	--	--	--
Blaine	120	--	28	42	26	20	2	1	--	1
Boise	5	--	2	1	1	--	1	--	--	--
Bonner	78	4	18	25	21	5	3	1	--	1
Bonneville	119	--	45	39	15	12	6	2	--	--
Boundary	16	--	4	4	6	1	--	1	--	--
Butte	--	--	--	--	--	--	--	--	--	--
Camas	4	--	4	--	--	--	--	--	--	--
Canyon	164	2	72	53	19	13	1	--	--	4
Caribou	6	--	2	4	--	--	--	--	--	--
Cassia	20	1	6	7	3	2	--	1	--	--
Clark	3	--	1	--	2	--	--	--	--	--
Clearwater	2	--	--	--	--	1	--	--	--	1
Custer	5	--	2	1	1	1	--	--	--	--
Elmore	68	--	20	23	13	7	2	2	--	1
Franklin	2	--	--	1	1	--	--	--	--	--
Fremont	10	--	3	3	3	1	--	--	--	--
Gem	22	--	11	3	2	2	3	1	--	--
Gooding	17	1	10	6	--	--	--	--	--	--
Idaho	2	--	--	--	1	1	--	--	--	--
Jefferson	6	--	3	3	--	--	--	--	--	--
Jerome	36	--	15	11	6	4	--	--	--	--
Kootenai	226	4	79	76	40	14	9	4	--	--
Latah	80	--	28	35	12	2	1	1	--	1
Lemhi	2	--	--	1	1	--	--	--	--	--
Lewis	1	--	1	--	--	--	--	--	--	--
Lincoln	5	--	3	1	--	1	--	--	--	--
Madison	6	--	2	3	--	--	--	1	--	--
Minidoka	15	--	3	7	1	3	1	--	--	--
Nez Perce	4	--	1	1	1	1	--	--	--	--
Oneida	--	--	--	--	--	--	--	--	--	--
Owyhee	12	1	3	1	4	1	1	1	--	--
Payette	17	1	4	8	1	2	1	--	--	--
Power	5	--	3	1	1	--	--	--	--	--
Shoshone	41	2	11	13	4	7	3	1	--	--
Teton	--	--	--	--	--	--	--	--	--	--
Twin Falls	118	--	33	45	24	12	4	--	--	--
Valley	28	--	3	11	11	3	--	--	--	--
Washington	12	--	7	--	4	--	1	--	--	--
Out-of-State Residents	143	--	42	52	29	10	5	1	--	4

INDUCED ABORTIONS IN IDAHO

Race of Patient by District and County of Residence

1979

RESIDENCE	TOTAL	RACE OF PATIENT					
		White	Black	American Indian	Japanese	Other Nonwhite	Not Stated
IDAHO	2303	2206	11	19	1	26	40
District 1	383	380	--	2	--	1	--
District 2	89	85	--	1	--	--	3
District 3	234	215	1	--	1	5	12
District 4	850	814	5	4	--	12	15
District 5	335	327	--	--	--	2	6
District 6	261	235	4	12	--	6	4
District 7	151	150	1	--	--	--	--
Ada	749	724	--	3	--	8	14
Adams	7	7	--	--	--	--	--
Bannock	203	187	4	4	--	6	2
Bear Lake	3	3	--	--	--	--	--
Benewah	22	20	--	2	--	--	--
Bingham	42	32	--	8	--	--	2
Blaine	120	117	--	--	--	1	2
Boise	5	4	--	1	--	--	--
Bonner	78	78	--	--	--	--	--
Bonneville	119	118	1	--	--	--	--
Boundary	16	15	--	--	--	1	--
Butte	--	--	--	--	--	--	--
Camas	4	4	--	--	--	--	--
Canyon	164	151	1	--	1	3	8
Caribou	6	6	--	--	--	--	--
Cassia	20	20	--	--	--	--	--
Clark	3	3	--	--	--	--	--
Clearwater	2	2	--	--	--	--	--
Custer	5	5	--	--	--	--	--
Elmore	68	58	5	--	--	4	1
Franklin	2	2	--	--	--	--	--
Fremont	10	10	--	--	--	--	--
Gem	22	21	--	--	--	--	1
Gooding	17	17	--	--	--	--	--
Idaho	2	2	--	--	--	--	--
Jefferson	6	6	--	--	--	--	--
Jerome	36	34	--	--	--	--	2
Kootenai	226	226	--	--	--	--	--
Latah	80	76	--	1	--	--	3
Lemhi	2	2	--	--	--	--	--
Lewis	1	1	--	--	--	--	--
Lincoln	5	5	--	--	--	--	--
Madison	6	6	--	--	--	--	--
Minidoka	15	15	--	--	--	--	--
Nez Perce	4	4	--	--	--	--	--
Oneida	--	--	--	--	--	--	--
Owyhee	12	9	--	--	--	1	2
Payette	17	16	--	--	--	1	--
Power	5	5	--	--	--	--	--
Shoshone	41	41	--	--	--	--	--
Teton	--	--	--	--	--	--	--
Twin Falls	118	115	--	--	--	1	2
Valley	28	28	--	--	--	--	--
Washington	12	11	--	--	--	--	1
Out-of-State Residents	143	125	4	2	--	8	4

MARRIAGES AND DIVORCES OCCURRING IN IDAHO

1968 — 1979



In 1979, Idaho once again showed a decrease in both the number of marriages and the marriage rate: the number decreased from 13,570 to 13,429 (-1%); the rate decreased from 15.4 to 14.8 (-4%) per 1,000 population. This is the second straight numerical decline after eight years of an upward trend; the rate is the lowest in recent years. By comparison, the national rate increased again, from 10.3 to 10.5.

Divorces in Idaho continued a long-term trend of increases, but 1979 recorded only a 1% increase from 6,356 to 6,449. Since the population increased 3%, a lower rate of divorce resulted (from 7.2 to 7.1), the first such decrease since 1971. The 1979 U.S. divorce rate increased slightly from 5.2 to 5.3.

MARRIAGES OCCURRING IN IDAHO

By District and County of Occurrence

1969 — 1979

OCCURRENCE	1979	1978	1977	1976	1975	1974	1973	1972	1971	1970	1969
IDAHO	13429	13570	13691	13104	12688	12489	12236	12086	11356	10915	10993
District 1	4237	4718	4739	4481	4284	4277	4350	3955	3617	3777	3903
District 2	1040	1069	1087	1062	1065	1028	1116	1129	1072	1011	1038
District 3	1390	1377	1379	1325	1229	1267	1384	1300	1241	1103	1136
District 4	2176	2026	1977	1888	1828	1642	1791	1668	1472	1374	1397
District 5	1323	1215	1222	1200	1219	1191	1212	1163	1093	981	979
District 6	1207	1135	1190	1142	1114	1163	1097	1123	1023	948	923
District 7	2052	2029	2094	2003	1944	1919	1279	1742	1838	1718	1619
Ada	1788	1677	1607	1586	1493	1338	1477	1348	1219	1138	1186
Adams	43	42	35	28	27	27	38	27	22	20	23
Bannock	642	624	614	599	572	593	551	596	576	505	497
Bear Lake	57	36	57	61	56	59	48	51	35	62	38
Benewah	92	86	61	79	89	87	80	87	77	83	78
Bingham	274	257	281	248	253	253	249	251	228	209	223
Blaine	190	129	130	159	138	141	156	105	115	93	100
Boise	52	34	37	34	31	27	28	30	28	24	22
Bonner	307	273	290	295	233	253	257	251	253	225	199
Bonneville	1508	1550	1578	1498	1445	1434	745	1254	1390	1240	1171
Boundary	110	139	121	139	134	123	137	135	166	184	147
Butte	29	28	20	32	29	31	37	24	21	29	28
Camas	10	5	7	3	7	5	6	4	--	5	5
Canyon	806	839	820	778	675	722	762	727	744	621	627
Caribou	81	63	75	60	63	70	57	50	41	39	47
Cassia	193	209	183	160	176	185	176	161	170	145	153
Clark	4	2	11	8	11	8	8	5	6	5	8
Clearwater	109	92	114	104	111	101	117	119	115	113	108
Custer	51	30	42	38	36	48	32	25	32	27	28
Elmore	240	210	226	194	215	199	203	208	169	155	130
Franklin	45	38	52	51	63	59	63	63	43	37	26
Fremont	108	114	100	125	122	107	132	113	117	125	129
Gem	135	129	125	99	107	114	122	111	125	90	82
Gooding	105	89	88	103	108	98	90	117	83	64	75
Idaho	145	162	149	160	141	151	144	140	140	117	125
Jefferson	130	115	114	102	100	91	123	102	92	107	78
Jerome	109	104	105	113	124	105	98	81	84	90	79
Kootenai	3529	4046	4104	3771	3647	3584	3663	3248	2895	3084	3243
Latah	261	270	269	233	261	210	267	304	289	250	251
Lemhi	138	115	118	109	130	115	118	115	95	122	115
Lewis	40	50	43	53	33	57	51	39	47	49	39
Lincoln	22	23	21	22	23	24	32	26	17	36	30
Madison	92	91	102	92	83	96	100	101	85	75	78
Minidoka	169	166	161	152	186	161	156	162	145	136	138
Nez Perce	485	495	512	512	519	509	537	527	481	482	509
Oneida	20	23	23	20	24	39	45	28	23	18	22
Owyhee	50	67	48	74	43	63	56	49	56	59	59
Payette	188	174	207	193	204	168	223	201	147	181	195
Power	59	66	68	71	54	59	47	60	56	49	42
Shoshone	199	174	163	197	181	230	213	234	226	201	236
Teton	21	12	29	31	17	20	21	27	21	17	12
Twin Falls	525	490	527	488	457	472	498	507	479	412	399
Valley	96	105	107	74	89	78	83	82	56	57	59
Washington	168	126	144	153	173	173	183	185	147	132	150
Out-of-State*	4	1	3	3	5	2	7	6	--	3	4

*Marriage license issued in Idaho, ceremony performed out-of-state.

MARRIAGES OCCURRING IN IDAHO

Age of Bride by Age of Groom

1979

AGE OF GROOM	AGE OF BRIDE														
	Total	<15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70+	Not Stated
Total	13429	19	3830	4071	1982	1218	755	493	285	217	142	144	115	74	84
<15	1	--	1	--	--	--	--	--	--	--	--	--	--	--	--
15-19	1653	12	1423	195	12	9	2	--	--	--	--	--	--	--	--
20-24	4611	6	2011	2182	308	71	24	2	1	--	--	1	--	--	5
25-29	2546	1	288	1136	803	229	71	11	3	2	--	--	--	--	2
30-34	1497	--	72	372	498	378	127	35	7	5	1	--	--	--	2
35-39	945	--	19	122	227	286	189	83	14	4	--	--	--	--	1
40-44	656	--	7	40	88	148	171	138	51	13	--	--	--	--	--
45-49	415	--	3	13	31	53	99	106	74	27	7	2	--	--	--
50-54	306	--	4	2	11	24	34	74	53	66	20	13	2	--	3
55-59	228	--	--	2	1	11	25	27	42	43	50	19	5	1	2
60-64	196	--	--	1	2	3	9	14	29	34	35	42	21	4	2
65-69	138	--	1	--	1	2	3	3	9	16	22	33	36	11	1
70+	162	--	--	3	--	1	--	--	1	7	7	33	50	58	2
Not Stated	75	--	1	3	--	3	1	--	1	--	--	1	1	--	64

RACE OF BRIDE BY RACE OF GROOM

1979

RACE OF GROOM	RACE OF BRIDE						
	Total	White	Black	American Indian	Chinese, Japanese	Nonwhite	Not Stated
Total	13,429	12,969	41	99	8	45	267
White	12,974	12,853	8	43	6	34	30
Black	92	51	33	5	--	1	2
American Indian	86	35	--	50	--	1	--
Chinese and Japanese	5	2	--	--	2	1	--
Other Nonwhite	29	20	--	1	--	8	--
Not Stated	243	8	--	--	--	--	235

MARRIAGES OCCURRING IN IDAHO

Bride: Age by Previous Marital Status

1979

Age	MARITAL STATUS - BRIDE					
	TOTAL	Single	Widowed	Divorced	Marriage Annulled	Not Stated
TOTAL	13429	7739	659	5001	3	27
<15	19	19	--	--	--	--
15-19	3830	3712	2	106	--	10
20-24	4071	3042	16	1006	1	6
25-29	1982	734	24	1222	--	2
30-34	1218	153	42	1020	1	2
35-39	755	36	45	672	1	1
40-44	493	11	40	441	--	1
45-49	285	7	67	211	--	--
50-54	217	5	72	139	--	1
55-59	142	5	57	79	--	1
60-64	144	7	100	37	--	--
65-69	115	1	93	21	--	--
70-74	52	1	46	5	--	--
75+	22	--	17	5	--	--
Not Stated	84	6	38	37	--	3

MARRIAGES OCCURRING IN IDAHO

Groom: Age by Previous Marital Status

1979

Age	MARITAL STATUS - GROOM					
	TOTAL	Single	Widowed	Divorced	Marriage Annulled	Not Stated
TOTAL	13429	7777	514	5111	6	21
<15	1	1	--	--	--	--
15-19	1653	1633	1	16	2	1
20-24	4611	4129	2	473	1	6
25-29	2546	1418	10	1113	1	4
30-34	1497	396	20	1079	1	1
35-39	945	97	23	823	--	2
40-44	656	37	27	591	--	1
45-49	415	16	30	369	--	--
50-54	306	11	44	250	--	1
55-59	228	15	49	163	1	--
60-64	196	7	83	103	--	3
65-69	138	6	71	60	--	1
70-74	95	--	71	24	--	--
75+	67	--	54	13	--	--
Not Stated	75	11	29	34	--	1

DIVORCES GRANTED IN IDAHO

By District and County of Occurrence

1969 — 1979

OCCURRENCE	1979	1978	1977	1976	1975	1974	1973	1972	1971	1970	1969
IDAHO	6449	6356	6013	5699	5203	4808	4341	3847	3664	3612	3506
District 1	985	881	873	827	794	688	638	562	556	520	492
District 2	605	570	564	548	589	597	504	478	418	500	476
District 3	863	839	784	809	772	736	606	632	589	557	469
District 4	1801	1852	1656	1534	1444	1266	1117	757	647	503	468
District 5	845	782	859	779	568	572	555	552	613	713	763
District 6	563	605	611	560	400	377	390	379	369	373	444
District 7	787	827	666	642	636	572	531	487	472	446	394
Ada	1527	1503	1375	1285	1227	1042	910	584	542	461	436
Adams	24	8	10	18	8	13	10	6	4	8	7
Bannock	277	312	346	298	225	217	264	267	259	251	306
Bear Lake	12	9	11	6	16	3	10	4	9	7	12
Benewah	72	75	73	86	74	58	62	55	38	36	34
Bingham	177	186	150	141	125	109	87	78	82	78	82
Blaine	73	78	72	77	76	55	36	7	15	2	2
Boise	47	68	71	49	36	33	30	27	14	3	3
Bonner	188	163	153	125	145	118	112	94	82	87	90
Bonneville	521	597	449	438	405	387	313	286	271	230	241
Boundary	48	39	50	40	47	24	32	43	40	36	27
Butte	2	2	--	1	3	1	1	1	6	2	10
Camas	7	6	3	2	2	11	17	20	21	37	27
Canyon	532	555	509	530	499	493	423	448	433	374	325
Caribou	42	35	48	34	9	15	14	11	5	15	13
Cassia	112	124	151	124	98	117	99	103	97	103	99
Clark	--	--	1	--	--	--	--	--	1	--	1
Clearwater	79	74	59	66	61	69	57	44	45	57	67
Custer	13	11	8	16	--	--	4	8	--	3	--
Elmore	181	227	161	150	137	150	140	108	85	36	26
Franklin	11	11	12	20	11	15	11	16	7	12	15
Fremont	18	24	24	15	16	8	4	4	7	8	3
Gem	77	76	73	78	91	60	50	52	30	53	35
Gooding	71	89	101	91	54	66	89	132	217	327	381
Idaho	52	56	40	59	24	29	30	15	16	26	33
Jefferson	36	51	54	50	49	45	48	62	55	67	48
Jerome	67	65	61	52	29	10	25	13	9	8	21
Kootenai	527	485	449	428	400	365	329	286	284	247	268
Latah	188	149	165	115	137	150	97	113	97	106	98
Lemhi	50	66	48	51	51	40	50	34	36	38	30
Lewis	24	22	10	15	15	16	10	19	9	8	5
Lincoln	18	18	16	11	9	5	22	8	9	32	17
Madison	145	78	79	68	111	89	112	93	102	100	71
Minidoka	114	123	128	95	100	82	84	53	66	54	62
Nez Perce	262	269	290	293	352	333	310	287	251	303	273
Oneida	7	10	3	10	7	15	2	--	--	1	1
Owyhee	24	25	28	17	9	13	8	11	10	5	9
Payette	129	114	99	124	119	105	65	66	76	73	67
Power	35	40	41	50	4	2	1	2	1	7	5
Shoshone	150	119	148	148	128	123	103	84	112	114	73
Teton	4	--	3	4	4	3	--	--	--	--	--
Twin Falls	383	279	327	327	200	226	183	218	179	150	154
Valley	46	54	49	50	44	41	37	38	6	3	3
Washington	77	61	65	42	46	52	50	53	36	44	26

DIVORCES GRANTED IN IDAHO
Number of Children Affected
1979

Number of Children Affected	Divorces	Total Children
TOTAL	6449	6296
No Children Affected	2881	--
1 Child	1560	1560
2 Children	1268	2536
3 Children	416	1248
4 Children	156	624
5 Children	41	205
6 Children	17	102
7 Children	3	21
8 Children	--	--
9 Children	--	--
10+ Children	--	--
Not Stated	107	--

CHILDREN AFFECTED BY IDAHO DIVORCES
1974 — 1979



DIVORCES AND ANNULMENTS GRANTED IN IDAHO

Legal Grounds

1979

LEGAL GROUNDS	1979 Divorces and Annulments		
	Total	Divorces	Annulments
TOTAL	6449	6407	42
Adultery	9	9	--
Extreme cruelty	76	76	--
Conviction of a felony	--	--	--
Bigamy	1	1	--
Fraud	17	7	10
Drunkeness or habitual intemperance	10	10	--
Willful neglect or nonsupport	2	2	--
Willful desertion	19	19	--
5 year continuous separation without cohabitation	4	4	--
Incapacity	1	--	1
Irreconcilable difference	6175	6175	--
Other	25	18	7
Not Stated	110	86	24

DIVORCES GRANTED IN IDAHO

Duration of Marriage

1977 — 1979

Duration of Marriage	1979		Percent	
	Number	Percent	1978	1977
TOTAL	6449	--	(6356)	(6013)
<1 year	641	9.9%	10.7%	9.7%
1 - 4 years	2660	41.2	41.2	41.8
5 - 9 years	1605	24.9	25.0	24.6
10 - 14 years	723	11.2	10.9	10.8
15 - 19 years	370	5.7	5.6	6.2
20 - 24 years	209	3.2	3.4	3.2
25 - 29 years	107	1.7	1.8	2.0
30 - 34 years	53	0.8	0.7	1.1
35 - 39 years	22	0.3	0.4	0.4
40+ years	20	0.3	0.2	0.3
Not Stated	39	--	(38)	(29)

Percentage based on total divorces and annulments for which duration of marriage was stated.

Appendix A
METHODOLOGY FOR COUNTY ESTIMATES

This report presents total population estimates for revised July 1, 1978 and provisional estimates for July 1, 1979, for counties and metropolitan areas prepared under the auspices of the Federal-State Cooperative Program for Local Population Estimates. The objective of this program is the development and publication of estimates of the population of counties using uniform procedures standardized for data input and methodology. The estimates shown here were prepared jointly by the Bureau of the Census and the Bureau of Vital Statistics, Idaho Department of Health and Welfare. This agency was designated by the Governor to work with the Bureau of the Census in implementing and carrying out the Federal-State Cooperative Program.

Annual county estimates for July 1, 1971-77 and provisional estimates for July 1, 1978, were published earlier in **Current Population Reports**, Series P-25 or P-26. The provisional estimates in the last report are superseded by the numbers published here.

The methods used in the preparation of this report have been tested against the 1970 census and recent special censuses. The decision on methodology was made jointly by the individual States and the Bureau of the Census on the basis of these tests. The Administrative Records method has been tested with special censuses since 1970 and has been incorporated for use at all levels of geography. For a more detailed description of the overall estimates program and an analysis of 1970 test results for methods other than the Administrative Records method, see **Current Population Reports**, Series P-26, No. 21 "Federal-State Cooperative Program for Local Population Estimates: Test Results — April 1, 1970," April 1973. Summary results of tests of the Administrative Records method are presented in **Current Population Reports**, Series P-25, Nos. 649-698, and in detail in Series P-25, No. 699.

The county estimates shown for July 1, 1978, are computed as an average of the following methods, adjusted to agree with the July 1, 1978 State estimate.

1. **The Regression (ratio-correlation) method.**[1] In the Regression method, a multiple regression equation is used to relate changes in the distribution of a number of different data series to change in the population distribution among counties. The series of data used in the Regression method for Idaho are: three-year average of resident births (X_1), three-year average of resident deaths (X_2), covered employment (X_3), and school enrollment in grades 1 through 8 plus elementary special and ungraded enrollment (X_4). The regression equation used for Idaho is given by

$$\hat{Y} = 0.0399 + 0.4045X_1 + 0.1738X_2 + 0.0868X_3 + 0.2837X_4$$

2. **Component Method II.**[1] This method employs vital statistics to measure natural change and school enrollment to measure net migration. The estimates produced by Component Method II are specific to the population under 65 not residing in group quarters. To this population is added an estimate of the population 65 and over based on the change in Medicare enrollees from 1970 to the estimate date, the institutional and college population, and reported military population living in barracks.

3. **The Administrative Records Method.**[1] This is a component method which uses individual Federal income tax returns to measure the intercounty migration of the nongroup quarters population and reported birth and death statistics to estimate natural change. The tax returns are matched by Social Security

number in the base year and the estimate year to determine the number of persons whose county of residence changed during the period. A net migration rate based on exemptions claimed by the matched cases is then applied to the total population. This estimate is made specific to the non-group quarters population under 65 by excluding from the migration computations any data relating to persons 65 and over as well as persons residing in group quarters. These estimates are then combined with the independent estimates of the population 65 and over used in the Component Method II estimate and the other components of population change — births, deaths, immigration, and the net movement between the military and civilian population.

The provisional July 1, 1979 estimates for large metropolitan counties were developed by adding to the 1978 estimates the average change between the 1978 and 1979 Component Method II estimates and the corresponding Housing Unit Method estimates. In the **Housing Unit Method**, the estimates of the population are based on changes in the housing inventory which are derived from data on building permits issued and demolition records, or on electric meter connections. The provisional July 1, 1979 estimates for the remaining counties were developed by adding the change between 1978 and 1979 Component Method II estimates to the 1978 estimates. All counties were subsequently adjusted to agree with the provisional July 1, 1979 State estimate.

The 1970 census population for the State and counties shown in the tables reflects all corrections to the census count made subsequent to the release of the official State figure. Counties with corrections of more than 500 are Bonneville and Boundary Counties.

The estimates presented in the table have been rounded to the nearest hundred without being adjusted to the State total, which was independently rounded to the nearest thousand. Percentages are based on unrounded numbers. Births and deaths are taken from reported vital statistics from April 1, 1970, to December 31, 1978. Net migration is the residual difference between net change and natural change.

[1]More detailed descriptions of the methods are given in *CURRENT POPULATION REPORTS*, Series P-25, Nos. 427 and 520. Modifications made to the methodologies for the current series will be given in forthcoming reports in Series P-25.

Appendix B
AGE- AND SEX-ADJUSTED MORTALITY RATES

The crude mortality rate is probably the most basic and widely known measure for assessing the health status of a population. When the populations of two or more areas are being compared, however, this measure does not take into account their different compositions. For example, an area containing a high proportion of elderly would expect a higher number of deaths attributed to heart disease than another area having the same number of people but with a relatively low proportion of elderly. There are many ways to adjust these differences; this report uses age- and sex-adjusted mortality rates.

The method involves several steps. First, the age-sex specific death rate (per 1,000 population) is calculated by the following formula:

$$\frac{Da^{m}}{Pa^{m}} \times 1{,}000 \qquad \text{or} \qquad \frac{Da^{f}}{Pa^{f}} \times 1{,}000$$

where Da^{m} is the number of male deaths in a particular age group,

Da^{f} is the number of female deaths in a particular age group,

Pa^{m} is the male population in a particular age group,

and Pa^{f} is the female population in a particular age group.

For this report, one-fifth of the total number of deaths during the period 1973 to 1977 was used. The population base was the Idaho 1975 population. Age-sex specific death rates for the leading causes of death for Idaho may be found in Tables 1 to 3.

Next, the age-sex-adjusted death rate by the direct method is found by using the following formula:

$$\Sigma m_a \frac{P_a}{P}$$

where m_a is the age-sex specific death rate,

P_a is the standard population in age-sex group a,

and $P = \Sigma P_a$.

The 1970 Idaho census population was used as the standard population. Note that, in this report, deaths where age or sex was not stated on the death certificate are excluded.

The age-sex-adjusted mortality rates for the United States were calculated in the same manner as were those for Idaho except that mortality data for 1975 alone were used. As a result, since different age categories and a standard population are used, the mortality rates will differ from those published in national reports.

Crude rates and ratios in the infant mortality sections were calculated by dividing the number of deaths in each category (infant deaths, deaths due to certain causes in early infancy, perinatal deaths, fetal deaths, and deaths due to congenital anomalies)

for the period 1973 to 1977 by the number of births in the same area over the same five-year period. (Crude rates for Certain Causes in Early Infancy were calculated using the total population to conform with national statistics.) National figures on fetal deaths and perinatal deaths are not available.

All mortality data for each county are based on the number of deaths to residents of that particular county.

Mortality in Idaho, 1973-1977, Idaho Department of Health and Welfare, 1979, pp. 159-160.

Appendix C
TABLE 1
COMPARABLE CATEGORY NUMBERS AND ESTIMATED COMPARABILITY RATIOS FOR 72 SELECTED CAUSES OF DEATH ACCORDING TO THE NINTH AND EIGHTH REVISIONS

Cause of death according to the Ninth Revision of the International Classification of Diseases, 1975	Category Numbers According to:		Estimated comparability ratio[1]	Standard Error of the Estimate in Column (3)	95 percent confidence limits[2]	
	ICD-9 Revision	ICDA-8 Revision			Upper	Lower
	(1)	(2)	(3)	(4)	(5)	(6)
Shigellosis and amebiasis	004,006	004,006	0.9818	0.0378	1.0559	0.9077
Certain other intestinal infections	007-009	008,009	0.1821	0.0207	0.2227	0.1415
Tuberculosis	010-018	010-019	0.7668	0.0119	0.7901	0.7435
Tuberculosis of respiratory system	010-012	010-012	0.8429	0.0146	0.8715	0.8143
Other tuberculosis	013-018	013-019	0.5077	0.0167	0.5404	0.4750
Whooping cough	033	033	0.8571	0.0000	0.8571	0.8571
Streptococcal sore throat, scarlatina, and erysipelas	034-035	034	1.4286	0.0000	1.4286	1.4286
Meningococcal infection	036	036	0.9788	0.0124	1.0030	0.9546
Septicemia	038	038	0.8500	0.0180	0.8853	0.8147
Acute poliomyelitis	045	040-043	0.5000	0.0000	0.5000	0.5000
Measles	055	055	0.9167	0.0000	0.9167	0.9167
Viral hepatitis	070	070	1.3986	0.0820	1.5593	1.2379
Syphilis	090-097	090-097	1.0089	0.0259	1.0596	0.9582
All other infectious and parasitic diseases	001-003,005,020-032, 037,039-041,046-054, 056-066,071-088,098-139	Remainder of 000-136	1.0321	0.0634	1.1563	0.9079
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-208	140-209	1.0026	0.0017	1.0059	0.9993
Malignant neoplasms of lip, oral cavity, and pharynx	140-149	140-149	1.0117	0.0087	1.0286	0.9948
Malignant neoplasms of digestive organs and peritoneum	150-159	150-159	1.0330	0.0035	1.0398	1.0262
Malignant neoplasms of respiratory and intrathoracic organs	160-165	160-163	1.0007	0.0033	1.0071	0.9943
Malignant neoplasm of breast	174-175	174	1.0089	0.0022	1.0131	1.0047
Malignant neoplasms of genital organs	179-187	180-187	1.0111	0.0031	1.0171	1.0051
Malignant neoplasms of urinary organs	188-189	188,189	0.9924	0.0045	1.0011	0.9837
Malignant neoplasms of all other and unspecified sites	170-173,190-199	170-173,190-199	0.9557	0.0082	0.9718	0.9396
Leukemia	204-208	204-207	1.0070	0.0056	1.0180	0.9960
Other malignant neoplasms of lymphatic and hematopoietic tissues	200-203	200-203,208,209	0.9385	0.0069	0.9519	0.9251
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature	210-239	210-239	1.2085	0.0261	1.2595	1.1575
Diabetes mellitus	250	250	0.9991	0.0087	1.0162	0.9820
Nutritional deficiencies	260-269	260-269	0.7167	0.0262	0.7680	0.6654
Anemias	280-285	280-285	0.9296	0.0124	0.9538	0.9054
Meningitis	320-322	320	0.9459	0.0163	0.9777	0.9141
Major cardiovascular diseases	390-448	390-448	1.0069	0.0004	1.0076	1.0062
Diseases of heart	390-398,402,404-429	390-398,402,404 410-429	1.0126	0.0039	1.0202	1.0050
Rheumatic fever and rheumatic heart disease	390-398	390-398	0.6648	0.0080	0.6804	0.6492
Hypertensive heart disease	402	402	3.3022	0.0557	3.4114	3.1930
Hypertensive heart and renal disease	404	404	1.2119	0.0438	1.2978	1.1260
Ischemic heart disease	410-414	410-413	0.8784	0.0038	0.8859	0.8709
Acute myocardial infarction	410	410	1.0003	0.0054	1.0108	0.9898
Other acute and subacute forms of ischemic heart disease	411	411	1.2224	0.0661	1.3519	1.0929
Angina pectoris	413	413	1.0484	0.0666	1.1789	0.9179
Old myocardial infarction and other forms of chronic ischemic heart disease	412,414	412	0.7533	0.0055	0.7640	0.7426
Other diseases of endocardium	424	424,428	1.2286	0.0227	1.2731	1.1841
All other forms of heart disease	415-423,425-429	420-423,425-427,429	2.5035	0.0257	2.5539	2.4531
Hypertension with or without renal disease	401,403	400,401,403	1.2703	0.0294	1.3280	1.2126
Cerebrovascular diseases	430-438	430-438	1.0049	0.0066	1.0178	0.9920
Intracerebral and other intracranial hemorrhage	431-432	431	0.9969	0.0068	1.0102	0.9836
Cerebral thrombosis and unspecified occlusion of cerebral arteries	434.0,434.9	433	1.0340	0.0222	1.0774	0.9906
Cerebral embolism	434.1	434	1.1211	0.0924	1.3022	0.9400
All other and late effects of cerebrovascular diseases	430,433,435-438	430,432,435-438	0.9948	0.0061	1.0067	0.9829
Atherosclerosis	440	440	1.0649	0.0246	1.1130	1.0168
Other diseases of arteries, arterioles, and capillaries	441-448	441-448	0.7409	0.0098	0.7600	0.7218

Cause of death according to the Ninth Revision of the International Classification of Diseases, 1975	Category Numbers According to:		Estimated comparability ratio[1]	Standard Error of the Estimate in Column (3)	95 percent confidence limits[2]	
	ICD-9 Revision	ICDA-8 Revision			Upper	Lower
	(1)	(2)	(3)	(4)	(5)	(6)
Acute bronchitis and bronchiolitis	466	466	0.8888	0.0274	0.9425	0.8351
Pneumonia and influenza	480-487	470-474,480-486	0.9264	0.0067	0.9394	0.9134
Pneumonia	480-486	480-486	0.9199	0.0076	0.9347	0.9051
Influenza	487	470-474	0.9714	0.0078	0.9866	0.9562
Chronic obstructive pulmonary diseases and allied conditions	490-496	490-493	1.8846	0.0150	1.9141	1.8551
Bronchitis, chronic and unspecified	490-491	490-491	0.9383	0.0134	0.9646	0.9120
Emphysema	492	492	0.9770	0.0127	1.0018	0.9522
Asthma	493	493	1.3544	0.0636	1.4790	1.2298
Other chronic obstructive pulmonary diseases and allied conditions	494-496	...[2]	3...	3...	3...	3...
Ulcer of stomach and duodenum	531-533	531-533	1.1192	0.0247	1.1675	1.0709
Appendicitis	540-543	540-543	1.0080	0.0264	1.0597	0.9563
Hernia of abdominal cavity and intestinal obstruction without mention of hernia	550-553,560	550-553,560	0.9432	0.0169	0.9762	0.9102
Chronic liver disease and cirrhosis	571	571	1.0110	0.0069	1.0245	0.9975
Cholelithiasis and other disorders of gallbladder	574-575	574,575	1.0494	0.0445	1.1366	0.9622
Nephritis, nephrotic syndrome, and nephrosis	580-589	580-584	1.7397	0.0777	1.8920	1.5874
Acute glomerulonephritis and nephrotic syndrome	580-581	580,581	0.2422	0.0185	0.2783	0.2061
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified	582-583,587	582-584	0.4954	0.0195	0.5335	0.4573
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	584-586,588-589	582-584	1.6327	0.0958	1.8205	1.4449
Infections of kidney	590	590	0.9878	0.0091	1.0056	0.9700
Hyperplasia of prostate	600	600	1.0232	0.0226	1.0674	0.9790
Complications of pregnancy, childbirth, and the puerperium	630-676	630-678	1.1000	0.0435	1.1853	1.0147
Pregnancy with abortive outcome	630-638	640-645	3.8125	0.0000	3.8125	3.8125
Other complications of pregnancy, childbirth and the puerperium	640-676	630-639,650-678	0.9840	0.0454	1.0729	0.8951
Congenital anomalies	740-759	740-759	0.9984	0.0100	1.0179	0.9789
Certain conditions originating in the perinatal period	760-779	760-769.2,769.4-772, 774-778	1.0765	0.0238	1.1230	1.0300
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome	767-769	764-768,772,776	0.7483	0.0306	0.8083	0.6883
Other conditions originating in the perinatal period	760-766,770-779	Remainder of 760-778	1.4639	0.0371	1.5367	1.3911
Symptoms, signs, and ill-defined conditions	780-799	780-796	0.9102	0.0121	0.9338	0.8866
All other diseases	Residual	Residual	0.7786	0.0082	0.7947	0.7625
Accidents and adverse effects	E800-E949	E800-E949	0.9970	0.0030	1.0029	0.9911
Motor vehicle accidents	E810-E825	E810-E823	1.0117	0.0027	1.0169	1.0065
All other accidents and adverse effects	E800-E807,E826-E949	E800-E807,E825-E949	0.9841	0.0051	0.9941	0.9741
Suicide	E950-E959	E950-E959	1.0032	0.0042	1.0114	0.9950
Homicide and legal intervention	E960-E978	E960-E978	1.0057	0.0030	1.0115	0.9999
All other external causes	E980-E999	E980-E999	0.9675	0.0144	0.9957	0.9393

TABLE 2
COMPARABLE CATEGORY NUMBERS AND ESTIMATED COMPARABILITY RATIOS FOR 10 SELECTED CAUSES OF INFANT DEATHS ACCORDING TO THE NINTH AND EIGHTH REVISIONS

Cause of death according to the Ninth Revision of the International Classification of Diseases, 1975	Category Numbers According to:		Estimated comparability ratio[1]	Standard Error of The Estimate in Column (3)	95 percent confidence limits[2]	
	ICD-9 Revision	ICD-8 Revision			Upper	Lower
	(1)	(2)	(3)	(4)	(5)	(6)
All causes	...	...	1.0000	...	...	...
Certain gastrointestinal diseases	008-009,535,555-558	004,006-009,535, 561,563	0.4678	0.0228	0.5125	0.4231
Pneumonia and influenza	480-487	470-474,480-486	0.7471	0.0200	0.7862	0.7078
Congenital anomalies	740-759	740-759	1.0071	0.0062	1.0191	0.9949
Disorders relating to short gestation and unspecified low birthweight	765	777	0.9630	0.0107	0.9839	0.9421
Birth trauma	767	764-768(.0-.3),772	0.7154	0.0337	0.7813	0.6493
Intrauterine hypoxia and birth asphyxia	768	776.9	0.3270	0.0212	0.3684	0.2855
Respiratory distress syndrome	769	...	...	...	...	...
Other conditions originating in the perinatal period	760-764,766,770-779	Remainder of 760-778	0.8492	0.0098	0.8683	0.8301
Sudden infant death syndrome	798.0	...	...	...	...	...
All other causes	Residual	Residual	0.5455	0.0061	0.5573	0.5335

[1]Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[2]The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

[3]Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema (No. *519.3), introduced by NCHS to be used with the Eighth Revision, is comparable to Other chronic obstructive pulmonary diseases and allied conditions (ICD Nos. 494-496) of the Ninth Revision. The comparability ratio for this set of titles is 1.0054, with a standard error of 0.0118, a relative error of 1.2 percent, and 95 percent confidence limits of 1.0285 and 0.9823. These data are not shown in this table because there are no sample data for *519.3.

Source: *MONTHLY VITAL STATISTICS REPORT*, National Center for Health Statistics, DHEW Publication No. (PHS) 80-1120, Vol. 28, No. 11 Supplement, February 29, 1980, pp. 3-4, 12-13.

Appendix D

1979 VITAL STATISTICS PROFILE OF IDAHO

By District and County

	IDAHO		District 1		District 2		District 3		District 4		District 5		District 6		District 7	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/79	905,000	--	113,200	--	86,700	--	126,200	--	186,000	--	127,700	--	139,500	--	125,600	--
NATURAL INCREASE	13,533	15.0	1,120	9.9	700	8.1	1,594	12.6	2,730	14.7	1,941	15.2	2,696	19.3	2,752	21.9
LIVE BIRTHS	19,919	22.0	2,012	17.8	1,428	16.5	2,599	20.6	3,924	21.1	2,917	22.8	3,609	25.9	3,430	27.3
Sex: Male	10,155	--	998	--	734	--	1,355	--	1,959	--	1,490	--	1,872	--	1,747	--
Female	9,764	--	1,014	--	694	--	1,244	--	1,965	--	1,427	--	1,737	--	1,683	--
Out-of-wedlock	1,397	70.1	180	89.5	122	85.4	238	91.6	302	77.0	221	75.8	187	51.8	147	42.9
Premature	1,027	51.6	90	44.7	64	44.8	134	51.6	201	51.2	182	62.4	160	44.3	196	57.1
INFANT DEATHS	202	10.1	28	13.9	18	12.6	31	11.9	32	8.2	25	8.6	36	10.0	32	9.3
Neonatal	131	6.6	19	9.4	12	8.4	21	8.1	21	5.4	18	6.2	18	5.0	22	6.4
Postneonatal	71	3.6	9	4.5	6	4.2	10	3.8	11	2.8	7	2.4	18	5.0	10	2.9
PERINATAL DEATHS	246	12.4	22	10.9	21	14.7	32	12.3	42	10.7	37	12.7	51	14.1	41	12.0
Fetal Deaths	133	6.7	6	3.0	10	7.0	13	5.0	25	6.4	22	7.5	35	9.7	22	6.4
DEATHS	6,386	7.1	892	7.9	728	8.4	1,005	8.0	1,194	6.4	976	7.6	913	6.5	678	5.4
Sex: Male	3,711	--	546	--	423	--	571	--	655	--	574	--	535	--	407	--
Female	2,675	--	346	--	305	--	434	--	539	--	402	--	378	--	271	--
Heart disease	2,198	242.9	316	279.2	271	312.6	352	278.9	403	216.7	329	257.6	324	232.3	203	161.6
Cancer	1,220	134.8	181	159.9	134	154.6	208	164.8	226	121.5	185	144.9	158	113.3	128	101.9
Accidents	620	68.5	86	76.0	69	79.6	88	69.7	124	66.7	92	72.0	88	63.1	73	58.1
Cerebrovascular disease	572	63.2	83	73.3	71	81.9	102	80.8	109	58.6	77	60.3	66	47.3	64	51.0
Influenza and pneumonia	159	17.6	21	18.6	23	26.5	16	12.7	33	17.7	20	15.7	24	17.2	22	17.5
Arteriosclerosis	128	14.1	14	12.4	18	20.8	17	13.5	30	16.1	8	6.3	29	20.8	12	9.6
Suicide	125	13.8	16	14.1	13	15.0	11	8.7	20	10.8	21	16.4	24	17.2	20	15.9
Certain causes in early infancy	96	10.6	13	11.5	9	10.4	21	16.6	14	7.5	9	7.0	15	10.8	15	11.9
Diabetes mellitus	74	8.2	14	12.4	8	9.2	8	6.3	12	6.5	14	11.0	13	9.3	5	4.0
Bronchitis, emphysema, and asthma	72	8.0	9	8.0	9	10.4	8	6.3	13	7.0	12	9.4	16	11.5	5	4.0
MARRIAGES	13,429	14.8	4,237	37.4	1,040	12.0	1,390	11.0	2,176	11.7	1,323	10.4	1,207	8.7	2,052	16.3
DIVORCES	6,449	7.1	985	8.7	605	7.0	863	6.8	1,801	9.7	845	6.6	563	4.0	787	6.3

	Ada		Adams		Bannock		Bear Lake		Benewah		Bingham		Blaine		Boise	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/79	156,300	--	3,500	--	64,100	--	7,200	--	7,800	--	37,200	--	9,600	--	2,900	--
NATURAL INCREASE	2,183	14.0	31	8.9	1,192	18.6	136	18.9	102	13.1	786	21.1	131	13.6	46	15.9
LIVE BIRTHS	3,214	20.6	62	17.7	1,605	25.0	198	27.5	158	20.3	1,011	27.2	180	18.8	63	21.7
Sex: Male	1,593	--	27	--	830	--	108	--	84	--	537	--	88	--	34	--
Female	1,621	--	35	--	775	--	90	--	74	--	474	--	92	--	29	--
Out-of-wedlock	270	84.0	6	96.8	94	58.6	3	15.2	15	94.9	60	59.3	16	88.9	6	95.2
Premature	173	53.8	4	64.5	80	49.8	5	25.3	6	38.0	47	46.5	11	61.1	2	31.7
INFANT DEATHS	29	9.0	--	--	18	11.2	1	5.1	--	--	10	9.9	1	5.6	--	--
Neonatal	18	5.6	--	--	12	7.5	--	--	--	--	2	2.0	1	5.6	--	--
Postneonatal	11	3.4	--	--	6	3.7	1	5.1	--	--	8	7.9	--	--	--	--
PERINATAL DEATHS	32	10.0	1	16.1	26	16.2	2	10.1	1	6.3	10	9.9	2	11.1	--	--
Fetal deaths	17	5.3	1	16.1	15	9.3	2	10.1	1	6.3	9	8.9	1	5.6	--	--
DEATHS	1,031	6.6	31	8.9	413	6.4	62	8.6	56	7.2	225	6.0	49	5.1	17	5.9
Sex: Male	555	--	20	--	235	--	42	--	39	--	127	--	28	--	10	--
Female	476	--	11	--	178	--	20	--	17	--	98	--	21	--	7	--
Heart disease	350	223.9	10	285.7	148	230.9	28	388.9	26	333.3	63	169.4	15	156.3	3	103.4
Cancer	194	124.1	7	200.0	73	113.9	7	97.2	6	76.9	40	107.5	9	93.8	4	137.9
Accidents	93	59.5	4	114.3	43	67.1	7	97.2	8	102.6	26	69.9	6	62.5	4	137.9
Cerebrovascular disease	97	62.1	4	114.3	32	49.9	5	69.4	4	51.3	19	51.1	2	20.8	2	69.0
Influenza and pneumonia	29	18.6	--	--	10	15.6	4	55.6	--	--	4	10.8	--	--	--	--
Arteriosclerosis	29	18.6	1	28.6	14	21.8	--	--	1	12.8	7	18.8	1	10.4	--	--
Suicide	19	12.2	--	--	11	17.2	4	55.6	1	12.8	6	16.1	2	20.8	--	--
Certain causes in early infancy	12	7.7	--	--	9	14.0	--	--	--	--	3	8.1	--	--	--	--
Diabetes mellitus	10	6.4	--	--	3	4.7	--	--	--	--	4	10.8	1	10.4	--	--
Bronchitis, emphysema, and asthma	12	7.7	--	--	3	4.7	1	13.9	1	12.8	2	5.4	1	10.4	--	--
MARRIAGES	1,788	11.4	43	12.3	642	10.0	57	7.9	92	11.8	274	7.4	190	19.8	52	17.9
DIVORCES	1,527	9.8	24	6.9	277	4.3	12	1.7	72	9.2	177	4.8	73	7.6	47	16.2

	Bonner		Bonneville		Boundary		Butte		Camas		Canyon		Caribou		Cassia	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/79	23,500	--	64,400	--	7,000	--	3,500	--	900	--	78,500	--	8,700	--	19,800	--
NATURAL INCREASE	223	9.5	1,420	22.0	92	13.1	77	22.0	11	12.2	1,125	14.3	202	23.2	418	21.1
LIVE BIRTHS	399	17.0	1,753	27.2	146	20.9	97	27.7	16	17.8	1,692	21.6	249	28.6	560	28.3
Sex: Male	206	--	902	--	74	--	56	--	8	--	899	--	121	--	298	--
Female	193	--	851	--	72	--	41	--	8	--	793	--	128	--	262	--
Out-of-wedlock	34	85.2	97	55.3	7	47.9	7	72.2	2	125.0	147	86.9	10	40.2	39	69.6
Premature	19	47.6	89	50.8	6	41.1	5	51.5	1	62.5	85	50.2	6	24.1	39	69.6
INFANT DEATHS	7	17.5	16	9.1	2	13.7	1	10.3	--	--	21	12.4	1	4.0	7	12.5
Neonatal	3	7.5	12	6.8	2	13.7	1	10.3	--	--	15	8.9	--	--	5	8.9
Postneonatal	4	10.0	4	2.3	--	--	--	--	--	--	6	3.5	1	4.0	2	3.6
PERINATAL DEATHS	5	12.5	23	13.1	1	6.8	3	30.9	--	--	24	14.2	3	12.0	5	8.9
Fetal deaths	3	7.5	12	6.8	--	--	2	20.6	--	--	10	5.9	3	12.0	1	1.8
DEATHS	176	7.5	333	5.2	54	7.7	20	5.7	5	5.6	567	7.2	47	5.4	142	7.2
Sex: Male	111	--	202	--	35	--	10	--	2	--	317	--	28	--	83	--
Female	65	--	131	--	19	--	10	--	3	--	250	--	19	--	59	--
Heart disease	63	268.1	90	139.8	20	285.7	12	342.9	1	111.1	213	271.3	20	229.9	34	171.7
Cancer	34	144.7	58	90.1	8	114.3	4	114.3	--	--	122	155.4	7	80.5	25	126.3
Accidents	20	85.1	38	59.0	4	57.1	--	--	1	111.1	47	59.9	3	34.5	8	40.4
Cerebrovascular disease	11	46.8	31	48.1	5	71.4	--	--	--	--	56	71.3	2	23.0	11	55.6
Influenza and pneumonia	4	17.0	10	15.5	2	28.6	--	--	--	--	10	12.7	1	11.5	1	5.1
Aterioscl erosis	6	25.5	7	10.9	--	--	--	--	--	--	11	14.0	1	11.5	1	5.1
Suicide	4	17.0	14	21.7	2	28.6	--	--	--	--	6	7.6	2	23.0	3	15.2
Certain causes in early infancy	2	8.5	8	12.4	1	14.3	1	28.6	--	--	13	16.6	--	--	3	15.2
Diabetes mellitus	3	12.8	2	3.1	1	14.3	1	28.6	--	--	5	6.4	1	11.5	2	10.1
Bronchitis, emphysema, and asthma	1	4.3	3	4.7	--	--	1	28.6	--	--	5	6.4	4	46.0	3	15.2
MARRIAGES	307	13.1	1,508	23.4	110	15.7	29	8.3	10	11.1	806	10.3	81	9.3	193	9.7
DIVORCES	188	8.0	521	8.1	48	6.9	2	0.6	7	7.8	532	6.8	42	4.8	112	5.7

	Clark		Clearwater		Custer		Elmore		Franklin		Fremont		Gem		Gooding	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/79	900	--	9,500	--	3,300	--	21,700	--	9,400	--	11,400	--	11,800	--	11,100	--
NATURAL INCREASE	12	13.3	110	11.6	31	9.4	451	20.8	180	19.1	237	20.8	123	10.4	142	12.8
LIVE BIRTHS	19	21.1	180	18.9	58	17.6	557	25.7	254	27.0	306	26.8	238	20.2	227	20.5
Sex: Male	10	--	96	--	30	--	284	--	123	--	157	--	126	--	123	--
Female	9	--	84	--	28	--	273	--	131	--	149	--	112	--	104	--
Out-of-wedlock	--	--	12	66.7	2	34.5	23	41.3	4	15.7	12	39.2	22	92.4	15	66.1
Premature	--	--	10	55.6	4	69.0	24	43.1	9	35.4	21	68.6	18	75.6	10	44.1
INFANT DEATHS	--	--	2	11.1	2	34.5	3	5.4	3	11.8	2	6.5	3	12.6	3	13.2
Neonatal	--	--	2	11.1	1	17.2	3	5.4	2	7.9	1	3.3	3	12.6	2	8.8
Postneonatal	--	--	--	--	1	17.2	--	--	1	3.9	1	3.3	--	--	1	4.4
PERINATAL DEATHS	--	--	6	33.3	1	17.2	9	16.2	4	15.7	4	13.1	4	16.8	4	17.6
Fetal deaths	--	--	4	22.2	--	--	7	12.6	2	7.9	3	9.8	2	8.4	2	8.8
DEATHS	7	7.8	70	7.4	27	8.2	106	4.9	74	7.9	69	6.1	115	9.7	85	7.7
Sex: Male	5	--	47	--	22	--	64	--	45	--	36	--	62	--	43	--
Female	2	--	23	--	5	--	42	--	29	--	33	--	53	--	42	--
Heart disease	3	333.3	24	252.6	3	90.9	32	147.5	24	255.3	27	236.8	44	372.9	21	189.2
Cancer	--	--	13	136.8	7	212.1	23	106.0	15	159.6	14	122.8	25	211.9	18	162.2
Accidents	--	--	7	73.7	4	121.2	23	106.0	5	53.2	5	43.9	4	33.9	9	81.1
Cerebrovascular disease	1	111.1	3	31.6	--	--	6	27.6	3	31.9	10	87.7	9	76.3	15	135.1
Influenza and pneumonia	--	--	3	31.6	2	60.6	4	18.4	2	21.3	1	8.8	4	33.9	2	18.0
Arteriosclerosis	--	--	4	42.1	1	30.3	1	4.6	3	31.9	1	8.8	2	16.9	--	--
Suicide	--	--	3	31.6	2	60.6	--	--	1	10.6	1	8.8	2	16.9	1	9.0
Certain causes in early infancy	--	--	--	--	--	--	2	9.2	1	10.6	1	8.8	3	25.4	2	18.0
Diabetes mellitus	--	--	--	--	--	--	2	9.2	2	21.3	1	8.8	1	8.5	2	18.0
Bronchitis, emphysema, and asthma	--	--	2	21.1	--	--	1	4.6	3	31.9	--	--	--	--	1	9.0
MARRIAGES	4	4.4	109	11.5	51	15.5	240	11.1	45	4.8	108	9.5	135	11.4	105	9.5
DIVORCES	--	--	79	8.3	13	3.9	181	8.3	11	1.2	18	1.6	77	6.5	71	6.4

	Idaho		Jefferson		Jerome		Kootenai		Latah		Lemhi		Lewis		Lincoln	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/79	14,000	--	15,700	--	15,400	--	56,400	--	27,800	--	7,300	--	4,700	--	3,300	--
NATURAL INCREASE	117	8.4	380	24.2	223	14.5	543	9.6	277	10.0	95	13.0	21	4.5	36	10.9
LIVE BIRTHS	254	18.1	458	29.2	341	22.1	979	17.4	446	16.0	153	21.0	72	15.3	64	19.4
Sex: Male	123	--	216	--	160	--	479	--	234	--	83	--	36	--	39	--
Female	131	--	242	--	181	--	500	--	212	--	70	--	36	--	25	--
Out-of-wedlock	15	59.1	17	37.1	24	70.4	90	91.9	20	44.8	11	71.9	6	83.3	1	15.6
Premature	9	35.4	30	65.5	20	58.7	44	44.9	24	53.8	16	104.6	--	--	4	62.5
INFANT DEATHS	2	7.9	3	6.6	2	5.9	14	14.3	5	11.2	--	--	1	13.9	1	15.6
Neonatal	1	3.9	1	2.2	2	5.9	11	11.2	3	6.7	--	--	--	--	1	15.6
Postneonatal	1	3.9	2	4.4	--	--	3	3.1	2	4.5	--	--	1	13.9	--	--
PERINATAL DEATHS	3	11.8	6	12.1	3	8.8	10	10.2	4	9.0	--	--	1	13.9	2	31.3
Fetal deaths	2	7.9	5	10.9	2	5.9	--	--	1	2.2	--	--	1	13.9	1	15.6
DEATHS	137	9.8	78	5.0	118	7.7	436	7.7	169	6.1	58	7.9	51	10.9	28	8.5
Sex: Male	76	--	50	--	64	--	259	--	99	--	35	--	33	--	15	--
Female	61	--	28	--	54	--	177	--	70	--	23	--	18	--	13	--
Heart disease	38	271.4	28	178.3	50	324.7	140	248.2	73	262.6	19	260.3	17	361.7	7	212.1
Cancer	26	185.7	14	89.2	24	155.8	104	184.4	33	118.7	13	178.1	9	191.5	9	272.7
Accidents	23	164.3	10	63.7	11	71.4	39	69.1	12	43.2	6	82.2	7	148.9	2	60.6
Cerebrovascular disease	14	100.0	4	25.5	7	45.5	44	78.0	17	61.2	6	82.2	4	85.1	5	151.5
Influenza and pneumonia	1	7.1	2	12.7	4	26.0	9	16.0	7	25.2	3	41.1	1	21.3	--	--
Arteriosclerosis	3	21.4	1	6.4	1	6.5	6	10.6	2	7.2	--	--	--	--	--	--
Suicide	2	14.3	2	12.7	1	6.5	6	10.6	5	18.0	1	13.7	--	--	1	30.3
Certain causes in early infancy	1	7.1	2	12.7	--	--	7	12.4	2	7.2	--	--	--	--	1	30.3
Diabetes mellitus	1	7.1	1	6.4	--	--	7	12.4	1	3.6	1	13.7	1	21.3	--	--
Bronchitis, emphysema, and asthma	2	14.3	--	--	--	--	7	12.4	2	7.2	2	27.4	2	42.6	--	--
MARRIAGES	145	10.4	130	8.3	109	7.1	3,529	62.6	261	9.4	138	18.9	40	8.5	22	6.7
DIVORCES	52	3.7	36	2.3	67	4.4	527	9.3	188	6.8	50	6.8	24	5.1	18	5.5

	Madison		Minidoka		Nez Perce		Oneida		Owyhee		Payette		Power		Shoshone	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/79	19,700	--	19,400	--	30,700	--	3,200	--	8,100	--	15,400	--	6,200	--	18,500	--
NATURAL INCREASE	510	25.9	373	19.2	175	5.7	29	9.1	117	14.4	130	8.4	94	15.2	160	8.6
LIVE BIRTHS	602	30.6	490	25.3	476	15.5	65	20.3	178	22.0	282	18.3	130	21.0	330	17.8
Sex: Male	317	--	234	--	245	--	32	--	87	--	144	--	65	--	155	--
Female	285	--	256	--	231	--	33	--	91	--	138	--	65	--	175	--
Out-of-wedlock	6	10.0	36	73.5	69	145.0	2	30.8	16	89.9	33	117.0	7	53.8	34	103.0
Premature	35	58.1	32	65.3	21	44.1	3	46.2	7	39.3	16	56.7	5	38.5	15	45.5
INFANT DEATHS	8	13.3	1	2.0	8	16.8	--	--	3	16.9	4	14.2	2	15.4	5	15.2
Neonatal	7	11.6	1	2.0	6	12.6	--	--	3	16.9	--	--	1	7.7	3	9.1
Postneonatal	1	1.7	--	--	2	4.2	--	--	--	--	4	14.2	1	7.7	2	6.1
PERINATAL DEATHS	6	10.0	4	8.2	7	14.7	--	--	3	16.9	--	--	3	23.1	5	15.2
Fetal deaths	1	1.7	3	6.1	2	4.2	--	--	--	--	--	--	2	15.4	2	6.1
DEATHS	92	4.7	117	6.0	301	9.8	36	11.3	61	7.5	152	9.9	36	5.8	170	9.2
Sex: Male	52	--	69	--	168	--	25	--	46	--	80	--	23	--	102	--
Female	40	--	48	--	133	--	11	--	15	--	72	--	13	--	68	--
Heart disease	29	147.2	36	185.6	119	387.6	14	437.5	15	185.2	48	311.7	15	241.9	67	362.2
Cancer	19	96.4	27	139.2	53	172.6	7	218.8	11	135.8	30	194.8	5	80.6	29	156.8
Accidents	10	50.8	14	72.2	20	65.1	1	31.3	10	123.5	20	129.9	3	48.4	15	81.1
Cerebrovascular disease	11	55.8	4	20.6	33	107.5	3	93.8	7	86.4	18	116.9	2	32.3	19	102.7
Influenza and pneumonia	2	10.2	3	15.5	11	35.8	3	93.8	--	--	--	--	--	--	6	32.4
Arteriosclerosis	2	10.2	1	5.2	9	29.3	4	125.0	--	--	2	13.0	--	--	1	5.4
Suicide	1	5.1	4	20.6	3	9.8	--	--	1	12.3	--	--	--	--	3	16.2
Certain causes in early infancy	4	20.3	--	--	6	19.5	--	--	3	37.0	2	13.0	1	16.1	3	16.2
Diabetes mellitus	--	--	2	10.3	5	16.3	1	31.3	--	--	1	6.5	1	16.1	3	16.2
Bronchitis, emphysema, and asthma	--	--	1	5.2	1	3.3	--	--	--	--	2	13.0	2	32.3	--	--
MARRIAGES	92	4.7	169	8.7	485	15.8	20	6.3	50	6.2	188	12.2	59	9.5	199	10.8
DIVORCES	145	7.4	114	5.9	262	8.5	7	2.2	24	3.0	129	8.4	35	5.6	150	8.1

	Teton		Twin Falls		Valley		Wasnington	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/79	2,900	--	48,200	--	5,100	--	8,900	--
NATURAL INCREASE	67	23.1	607	12.6	50	9.8	68	7.6
LIVE BIRTHS	81	27.9	1,039	21.6	90	17.6	147	16.5
Sex: Male	32	--	540	--	48	--	72	--
Female	49	--	499	--	42	--	75	--
Out-of-wedlock	2	24.7	88	84.7	3	33.3	14	95.2
Premature	1	12.3	65	62.6	2	22.2	4	27.2
INFANT DEATHS	1	12.3	10	9.6	--	--	--	--
Neonatal	--	--	6	5.8	--	--	--	--
Postneonatal	1	12.3	4	3.8	--	--	--	--
PERINATAL DEATHS	1	12.3	17	16.4	1	11.1	--	--
Fetal deaths	1	12.3	12	11.5	1	11.1	--	--
DEATHS	14	4.8	432	9.0	40	7.8	79	8.9
Sex: Male	5	--	270	--	26	--	46	--
Female	9	--	162	--	14	--	33	--
Heart disease	4	137.9	165	342.3	18	352.9	22	247.2
Cancer	3	103.4	73	151.5	5	98.0	13	146.1
Accidents	--	--	41	85.1	4	78.4	3	33.7
Cerebrovascular disease	1	34.5	33	68.5	4	78.4	8	89.9
Influenza and pneumonia	2	69.0	10	20.7	--	--	2	?2.5
Arteriosclerosis	--	--	4	8.3	--	--	1	11.2
Suicide	--	--	8	16.6	1	19.6	2	22.5
Certain causes in early infancy	--	--	3	6.2	--	--	--	--
Diabetes mellitus	--	--	7	14.5	--	--	1	11.2
Bronchitis, emphysema and asthma	--	--	6	12.4	--	--	1	11.2
MARRIAGES	21	7.2	525	10.9	96	18.8	168	18.9
DIVORCES	4	1.4	383	7.9	46	9.0	77	8.7

Appendix E
IDAHO DETAILED CAUSES OF DEATH BY AGE
1979

ICD-9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
--	TOTAL, ALL CAUSES	6386*	202	52	34	149	238	184	230	616	1164	1575	1941
001-139	TOTAL, INFECTIOUS AND PARASITIC DISEASES	24	--	2	--	--	--	--	2	4	--	7	9
001-009	INTESTINAL INFECTIOUS DISEASES	1	--	--	--	--	--	--	--	--	--	--	1
009	Ill-defined intestinal infection	1	--	--	--	--	--	--	--	--	--	--	1
010-018	TUBERCULOSIS	2	--	--	--	--	--	--	--	--	--	--	
011	Pulmonary tuberculosis	1	--	--	--	--	--	--	--	--	--	--	1
018	Miliary tuberculosis	1	--	--	--	--	--	--	--	--	--	--	1
030-041	OTHER BACTERIAL DISEASES	9	--	--	--	--	--	--	1	2	--	4	2
036	Meningococcal infection	1	--	--	--	--	--	--	--	1	--	--	--
038	Septicaemia	7	--	--	--	--	--	--	1	--	--	4	2
039	Actinomycotic infections	1	--	--	--	--	--	--	--	1	--	--	--
050-057	VIRAL DISEASES ACCOMPANIED BY EXANTHEM	4	--	1	--	--	--	--	--	--	--	1	2
053	Herpes zoster	2	--	--	--	--	--	--	--	--	--	--	2
054	Herpes simplex	2	--	1	--	--	--	--	--	--	--	1	--
070-079	OTHER DISEASES DUE TO VIRUSES AND CHLAMYDIAE	3	--	1	--	--	--	--	--	--	--	2	--
070	Viral hepatitis	1	--	--	--	--	--	--	--	--	--	1	--
079	Viral infection in conditions classified elsewhere and of unspecified site	2	--	1	--	--	--	--	--	--	--	1	--
090-099	SYPHILIS AND OTHER VENEREAL DISEASES	1	--	--	--	--	--	--	1	--	--	--	--
094	Neurosyphilis	1	--	--	--	--	--	--	1	--	--	--	--
110-118	MYCOSES	1	--	--	--	--	--	--	--	1	--	--	--
114	Coccidioidomycosis	1	--	--	--	--	--	--	--	1	--	--	--
130-136	OTHER INFECTIOUS AND PARASITIC DISEASES	2	--	--	--	--	--	--	--	1	--	--	1
135	Sarcoidosis	1	--	--	--	--	--	--	--	1	--	--	--
136	Other and unspecified infectious and parasitic diseases	1	--	--	--	--	--	--	--	--	--	--	1

ICD-9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
137-139	LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES	1	--	--	--	--	--	--	--	--	--	--	1
137	Late effects of tuberculosis	1	--	--	--	--	--	--	--	--	--	--	1
140-239	TOTAL, NEOPLASMS	1241	--	2	4	10	14	29	60	176	341	349	255
140-149	MALIGNANT NEOPLASM OF LIP, ORAL CAVITY, AND PHARYNX	19	--	--	--	--	--	--	1	1	9	5	3
140	Lip	1	--	--	--	--	--	--	--	--	1	--	--
141	Tongue	4	--	--	--	--	--	--	--	--	3	--	1
143	Gum	1	--	--	--	--	--	--	--	--	--	--	1
144	Floor of mouth	2	--	--	--	--	--	--	--	--	1	1	--
145	Other and unspecified parts of mouth	2	--	--	--	--	--	--	--	--	1	--	1
146	Oropharynx	2	--	--	--	--	--	--	--	--	1	1	--
147	Nasopharynx	3	--	--	--	--	--	--	1	--	1	1	--
148	Hypopharynx	1	--	--	--	--	--	--	--	1	--	--	--
149	Other and ill-defined sites within the lip, oral cavity and pharynx	3	--	--	--	--	--	--	--	--	1	2	--
150-159	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM	309	--	--	--	--	1	5	13	33	94	90	73
150	Oesophagus	15	--	--	--	--	--	1	1	5	--	7	1
151	Stomach	53	--	--	--	--	--	--	1	8	23	11	10
152	Small intestine, including duodenum	2	--	--	--	--	--	--	--	--	1	--	1
153	Colon	108	--	--	--	--	--	1	4	10	33	25	35
154	Rectum, rectosigmoid junction, and anus	24	--	--	--	--	--	--	--	2	7	9	6
155	Liver and intrahepatic bile ducts	17	--	--	--	--	1	1	1	--	3	7	4
156	Gallbladder and extrahepatic bile ducts	9	--	--	--	--	--	--	--	--	3	3	3
157	Pancreas	75	--	--	--	--	--	2	5	8	24	24	12
158	Retroperitoneum and peritoneum	1	--	--	--	--	--	--	1	--	--	--	--
159	Other and ill-defined sites within the digestive organs and peritoneum	5	--	--	--	--	--	--	--	--	--	4	1
160-165	MALIGNANT NEOPLASM OF RESPIRATORY AND INTRATHORACIC ORGANS	262	--	--	--	--	1	4	14	51	82	75	35
160	Nasal cavities, middle ear and accessory sinuses	2	--	--	--	--	--	--	--	2	--	--	--
161	Larynx	8	--	--	--	--	--	--	--	3	2	3	--
162	Trachea, bronchus and lung	248	--	--	--	--	4	14	46	80	70	34
164	Thymus, heart and mediastinum	4	--	--	--	--	1	--	--	--	--	2	1

ICD-9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
170-175	MALIGNANT NEOPLASM OF BONE, CONNECTIVE TISSUE, SKIN AND BREAST	133	--	--	--	3	2	7	10	24	37	30	20
170	Bone and articular cartilage	5	--	--	--	2	1	--	--	--	2	--	--
171	Connective and other soft tissue	7	--	--	--	1	--	--	1	--	1	4	--
172	Malignant melanoma of skin	22	--	--	--	--	--	--	2	5	7	4	4
173	Other malignant neoplasm of skin	5	--	--	--	--	--	--	--	1	1	--	3
174	Female breast	94	--	--	--	--	1	7	7	18	26	22	13
179-189	MALIGNANT NEOPLASM OF GENITOURINARY ORGANS	211	--	--	--	2	3	4	7	26	46	67	56
179	Uterus, part unspecified	3	--	--	--	--	--	--	--	2	--	--	1
180	Cervix uteri	11	--	--	--	--	1	--	2	4	1	2	1
182	Body of uterus	6	--	--	--	--	--	--	--	--	3	3	--
183	Ovary and uterine adnexa	43	--	--	--	2	--	--	2	13	14	7	5
184	Other and unspecified female genital organs	4	--	--	--	--	--	--	1	--	--	--	3
185	Prostate	81	--	--	--	--	--	--	--	4	13	34	30
186	Testis	4	--	--	--	--	2	2	--	--	--	--	--
188	Bladder	38	--	--	--	--	--	1	1	2	10	13	11
189	Kidney and other and unspecified urinary organs	21	--	--	--	--	--	1	1	1	5	8	5
190-199	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES	149	--	1	--	--	1	2	11	26	36	40	31
190	Eye	1	--	--	--	--	--	--	--	--	--	1	--
191	Brain	29	--	--	--	--	--	2	1	11	9	6	--
193	Thyroid gland	2	--	--	--	--	--	--	--	1	--	--	1
194	Other endocrine glands and related structures	5	--	1	--	--	--	--	2	--	--	1	1
195	Other and ill-defined sites	13	--	--	--	--	--	--	1	--	5	3	4
197	Respiratory and digestive systems	2	--	--	--	--	--	--	--	--	--	1	1
199	Without specification of site	97	--	--	--	--	1	--	7	14	22	28	24
200-208	MALIGNANT NEOPLASM OF LYMPHATIC AND HAEMATOPOIETIC TISSUE	137	--	1	4	4	6	7	3	11	33	35	33
200	Lymphosarcoma and reticulosarcoma	22	--	--	--	1	1	1	--	4	6	4	5
201	Hodgkin's disease	10	--	--	--	1	3	1	1	1	--	3	--
202	Other malignant neoplasm of lymphoid and histiocytic tissue	21	--	--	--	1	--	1	--	4	4	6	5
203	Multiple myeloma and immunoproliferative neoplasms	27	--	--	--	--	--	1	2	1	8	7	8
204	Lymphoid leukemia	24	--	--	4	1	1	--	--	--	8	5	5
205	Myeloid leukemia	26	--	1	--	--	1	2	--	1	6	7	8
208	Leukemia of unspecified cell site	7	--	--	--	--	--	1	--	--	1	3	2
210-229	BENIGN NEOPLASMS	3	--	--	--	--	--	--	1	--	1	--	1
211	Other parts of digestive system	1	--	--	--	--	--	--	1	--	--	--	--
225	Brain and other parts of nervous system	1	--	--	--	--	--	--	--	--	--	--	1
229	Other and unspecified sites	1	--	--	--	--	--	--	--	--	1	--	--

ICD-9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
230-238	NEOPLASM OF UNCERTAIN BEHAVIOR	7	--	--	--	1	--	--	--	1	1	3	1
237	Of endocrine glands and nervous system	1	--	--	--	1	--	--	--	--	--	--	--
238	Other and unspecified sites and tissues	6	--	--	--	--	--	--	--	1	1	3	1
239	NEOPLASMS OF UNSPECIFIED NATURE	11	--	--	--	--	--	--	--	3	2	4	2
240-279	TOTAL, ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	99	1	1	1	1	1	4	3	3	22	29	33
240-246	DISEASES OF THYROID GLAND	6	--	--	--	--	--	--	--	--	1	3	2
242	Thyrotoxicosis with or without goitre	2	--	--	--	--	--	--	--	--	1	1	--
244	Acquired hypothyroidism	4	--	--	--	--	--	--	--	--	--	2	2
250-259	DISEASES OF OTHER ENDOCRINE GLANDS	78	--	1	--	1	1	4	3	2	16	23	27
250	Diabetes mellitus	74	--	--	--	1	1	4	3	2	16	21	26
251	Other disorders of pancreatic internal secretions	2	--	1	--	--	--	--	--	--	--	1	--
253	Diseases of the pituitary gland and its hypothalmic control	1	--	--	--	--	--	--	--	--	--	--	1
255	Diseases of adrenal glands	1	--	--	--	--	--	--	--	--	--	1	--
260-269	NUTRITIONAL DEFICIENCIES	2	--	--	--	--	--	--	--	--	--	--	2
263	Other and unspecified protein-calorie malnutrition	2	--	--	--	--	--	--	--	--	--	--	2
270-279	OTHER METABOLIC DISORDERS AND IMMUNITY DISORDERS	13	1	--	1	--	--	--	--	1	5	3	2
276	Disorders of fluid, electrolyte and acid-base balance	8	--	--	--	--	--	--	--	--	4	2	2
277	Other and unspecified disorders of metabolism	4	1	--	1	--	--	--	--	--	1	1	--
278	Obesity and other hyperalimentation	1	--	--	--	--	--	--	--	1	--	--	--
280-289	TOTAL, DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	23	--	2	--	--	2	1	1	2	1	7	7
280	Iron deficiency anemias	1	--	--	--	--	--	--	--	1	--	--	--
281	Other deficiency anemias	1	--	--	--	--	1	--	--	--	--	--	--
282	Hereditary hemolytic anemias	1	--	--	--	--	--	--	--	--	--	1	--
284	Aplastic anemia	5	--	--	--	--	--	--	--	--	--	2	3
285	Other and unspecified anemias	4	--	--	--	--	--	--	--	--	--	1	3
286	Coagulation defects	3	--	2	--	--	--	--	1	--	--	--	--

ICD-9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
287	Purpura and other hemorrhagic conditions	3	--	--	--	--	--	--	--	1	1	1	--
288	Diseases of white blood cells	2	--	--	--	--	1	1	--	--	--	--	--
289	Other diseases of blood and blood-forming organs	3	--	--	--	--	--	--	--	--	--	2	1
290-319	TOTAL, MENTAL DISORDERS	33	--	--	--	1	4	1	2	7	6	7	5
290-294	ORGANIC PSYCHOTIC CONDITIONS	6	--	--	--	--	--	--	--	--	1	4	1
290	Senile and presenile organic psychotic conditions	4	--	--	--	--	--	--	--	--	1	2	1
291	Alcoholic psychoses	1	--	--	--	--	--	--	--	--	--	1	--
294	Other organic psychotic conditions (chronic)	1	--	--	--	--	--	--	--	--	--	1	--
300-316	NEUROTIC DISORDERS, PERSONALITY DISORDERS AND OTHER NONPSYCHOTIC MENTAL DISORDERS	26	--	--	--	1	3	1	2	7	5	3	4
303	Alcoholic dependence syndrome	10	--	--	--	--	--	1	2	3	4	--	--
305	Nondependent use of drugs	10	--	--	--	1	3	--	--	4	--	2	--
310	Specific nonpsychotic mental disorders following organic brain damage	6	--	--	--	--	--	--	--	--	1	1	4
317-319	MENTAL RETARDATION	1	--	--	--	--	1	--	--	--	--	--	--
318	Other specified mental retardation	1	--	--	--	--	1	--	--	--	--	--	--
320-389	TOTAL, DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	73	4	1	--	2	5	2	5	4	15	18	17
320-326	INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM	6	1	1	--	1	--	--	1	--	--	1	1
320	Bacterial meningitis	3	1	1	--	--	--	--	--	--	--	1	--
322	Meningitis of unspecified cause	1	--	--	--	--	--	--	--	--	--	--	1
324	Intracranial and intraspinal abscess	1	--	--	--	1	--	--	--	--	--	--	--
325	Phlebitis and thrombophlebitis of intracranial venous sinuses	1	--	--	--	--	--	--	1	--	--	--	--
330-337	HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM	42	3	--	--	1	--	1	1	2	11	12	11
331	Other cerebral degenerations	8	--	--	--	1	--	1	--	--	1	2	3
332	Parkinson's disease	11	--	--	--	--	--	--	--	--	1	5	5
333	Other extrapyramidal disease and abnormal movement disorders	1	--	--	--	--	--	--	--	--	1	--	--
335	Anterior horn cell disease	21	3	--	--	--	--	--	1	2	8	5	2
336	Other diseases of spinal cord	1	--	--	--	--	--	--	--	--	--	--	1

ICD-9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
340-349	OTHER DISORDERS OF THE CENTRAL NERVOUS SYSTEM	23	--	--	--	--	5	1	3	2	4	4	4
340	Multiple sclerosis	5	--	--	--	--	--	--	--	1	2	2	--
341	Other demyelinating disease of central nervous system	2	--	--	--	--	--	--	--	--	--	--	2
343	Infantile cerebral palsy	1	--	--	--	--	--	--	1	--	--	--	--
344	Other paralytic syndromes	1	--	--	--	--	1	--	--	--	--	--	--
345	Epilepsy	5	--	--	--	--	3	1	1	--	--	--	--
348	Other conditions of brain	6	--	--	--	--	1	--	1	1	--	1	2
349	Other and unspecified disorders of the nervous system	3	--	--	--	--	--	--	--	--	2	1	--
350-359	DISORDERS OF THE PERIPHERAL NERVOUS SYSTEM	1	--	--	--	--	--	--	--	--	--	--	1
358	Myoneural disorders	1	--	--	--	--	--	--	--	--	--	--	1
380-389	DISEASES OF THE EAR AND MASTOID PROCESS	1	--	--	--	--	--	--	--	--	--	1	--
382	Suppurative and unspecified otitis media	1	--	--	--	--	--	--	--	--	--	1	--
390-459	TOTAL, DISEASES OF THE CIRCULATORY SYSTEM	2999	1	3	--	5	8	20	73	256	536	844	1253
393-398	CHRONIC RHEUMATIC HEART DISEASE	43	--	--	--	1	1	--	--	7	8	11	15
394	Diseases of mitral valve	19	--	--	--	--	--	--	--	2	6	3	8
395	Diseases of aortic valve	4	--	--	--	--	--	--	--	2	--	2	--
396	Diseases of mitral and aortic valve	2	--	--	--	--	--	--	--	--	--	--	2
397	Diseases of endocardial structures	6	--	--	--	--	--	--	--	--	1	3	2
398	Other rheumatic heart disease	12	--	--	--	1	1	--	--	3	1	3	3
401-405	HYPERTENSIVE DISEASE	64	--	--	--	--	--	--	1	2	11	13	37
401	Essential hypertension	8	--	--	--	--	--	--	--	1	1	4	2
402	Hypertensive heart disease	36	--	--	--	--	--	--	--	1	8	6	21
403	Hypertensive renal disease	14	--	--	--	--	--	--	1	--	1	2	10
404	Hypertensive heart and renal disease	6	--	--	--	--	--	--	--	--	1	1	4
410-414	ISCHEMIC HEART DISEASE	1643	--	--	--	--	1	9	40	181	353	473	586
410	Acute myocardial infarction	1010	--	--	--	--	1	5	31	143	275	300	255
411	Other acute and subacute form of ischemic heart disease	9	--	--	--	--	--	--	--	2	3	2	2
412	Old myocardial infarction	2	--	--	--	--	--	--	--	--	--	1	1
413	Angina pectoris	1	--	--	--	--	--	--	--	--	--	1	--
414	Other forms of chronic ischemic heart disease	621	--	--	--	--	--	4	9	36	75	169	328

ICD-9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
415-417	DISEASES OF PULMONARY CIRCULATION	44	--	1	--	--	1	2	5	4	5	8	18
415	Acute pulmonary heart disease	37	--	--	--	--	1	1	5	4	4	7	15
416	Chronic pulmonary heart disease	6	--	1	--	--	--	1	--	--	1	1	2
417	Other diseases of pulmonary circulation	1	--	--	--	--	--	--	--	--	--	--	1
420-429	OTHER FORMS OF HEART DISEASE	427	1	2	--	4	5	3	13	30	67	110	192
421	Acute and subacute endocarditis	6	--	--	--	1	--	1	2	1	--	1	--
422	Acute myocarditis	1	--	1	--	--	--	--	--	--	--	--	--
423	Other diseases of pericardium	2	--	--	--	--	--	--	--	1	1	--	--
424	Other diseases of endocardium	28	--	--	--	--	--	--	2	1	3	7	15
425	Cardiomyopathy	25	--	--	--	1	1	1	2	4	9	5	2
426	Conduction disorders	1	--	--	--	--	--	--	--	--	--	--	1
427	Cardiac dysrhythmias	112	--	1	--	1	2	--	5	13	18	29	43
428	Heart failure	141	1	--	--	1	--	--	1	7	26	34	71
429	Ill-defined descriptions and complications of heart disease	111	--	--	--	--	2	1	1	3	10	34	60
430-438	CEREBROVASCULAR DISEASE	572	--	--	--	--	--	4	13	20	67	174	294
430	Subarachnoid hemorrhage	23	--	--	--	--	--	3	4	7	4	5	--
431	Intracerebral hemorrhage	63	--	--	--	--	--	1	8	2	13	20	19
432	Other and unspecified intracranial hemorrhage	5	--	--	--	--	--	--	--	1	1	3	--
433	Occlusion and stenosis of precerebral arteries	11	--	--	--	--	--	--	--	--	4	7	--
434	Occlusion of cerebral arteries	95	--	--	--	--	--	--	1	--	7	29	58
436	Acute but ill-defined cerebrovascular disease	303	--	--	--	--	--	--	--	8	36	94	165
437	Other and ill-defined cerebrovascular disease	69	--	--	--	--	--	--	--	2	2	14	51
438	Late effects of cerebrovascular disease	3	--	--	--	--	--	--	--	--	--	2	1
440-448	DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	188	--	--	--	--	--	--	--	7	22	52	107
440	Arteriosclerosis	128	--	--	--	--	--	--	--	3	7	30	88
441	Aortic aneurysm	49	--	--	--	--	--	--	--	1	13	19	16
442	Other aneurysm	1	--	--	--	--	--	--	--	--	--	1	--
443	Other peripheral vascular disease	1	--	--	--	--	--	--	--	1	--	--	--
444	Arterial embolism and thrombosis	5	--	--	--	--	--	--	--	1	1	1	2
446	Polyarteritis nodosa and allied conditions	2	--	--	--	--	--	--	--	--	--	1	1
447	Other disorders of arteries and arterioles	2	--	--	--	--	--	--	--	1	1	--	--
451-459	DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM	18	--	--	--	--	--	2	1	5	3	3	4
451	Phlebitis and thrombophlebitis	11	--	--	--	--	--	2	--	2	1	3	3
452	Portal vein thrombosis	2	--	--	--	--	--	--	--	2	--	--	--
453	Other venous embolism and thrombosis	1	--	--	--	--	--	--	--	--	1	--	--
456	Varicose veins of other sites	1	--	--	--	--	--	--	--	1	--	--	--
459	Other disorders of circulatory system	3	--	--	--	--	--	--	1	--	1	--	1

ICD-9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
460-519	TOTAL, DISEASES OF THE RESPIRATORY SYSTEM	425	2	3	1	2	3	2	2	18	90	137	165
460-466	ACUTE RESPIRATORY INFECTIONS	5	--	1	1	1	--	--	--	--	--	1	1
464	Acute laryngitis and tracheitis	2	--	1	1	--	--	--	--	--	--	--	--
465	Acute upper respiratory infections of multiple or unspecified sites	2	--	--	--	--	--	--	--	--	--	1	1
466	Acute bronchitis and bronchiolitis	1	--	--	--	1	--	--	--	--	--	--	--
480-487	PNEUMONIA AND INFLUENZA	159	1	2	--	--	2	--	2	3	15	31	103
480	Viral pneumonia	2	--	--	--	--	--	--	--	--	--	2	--
481	Pneumococcal pneumonia	8	--	--	--	--	--	--	--	--	1	2	5
482	Other bacterial pneumonia	11	--	--	--	--	--	--	--	--	2	3	6
485	Bronchopneumonia, organism unspecified	23	--	--	--	--	--	--	1	--	5	3	14
486	Pneumonia, organism unspecified	103	1	1	--	--	2	--	--	3	7	19	70
487	Influenza	12	--	1	--	--	--	--	1	--	--	2	8
490-496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	215	--	--	--	--	1	--	--	15	65	89	45
491	Chronic bronchitis	15	--	--	--	--	--	--	--	2	2	6	5
492	Emphysema	49	--	--	--	--	1	--	--	3	18	19	8
493	Asthma	8	--	--	--	--	--	--	--	--	3	3	2
496	Chronic airways obstruction, not elsewhere classified	143	--	--	--	--	--	--	--	10	42	61	30
500-508	PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS	9	--	--	--	--	--	--	--	--	2	5	2
502	Pneumoconiosis due to other silica or silicates	2	--	--	--	--	--	--	--	--	--	2	--
507	Pneumonitis due to solids and liquids	7	--	--	--	--	--	--	--	--	2	3	2
510-519	OTHER DISEASES OF RESPIRATORY SYSTEM	37	1	--	--	1	--	2	--	--	8	11	14
511	Pleurisy	1	--	--	--	--	--	--	--	--	--	1	--
513	Abscess of lung and mediastinum	1	--	--	--	--	--	--	--	--	--	1	--
514	Pulmonary congestion and hypostasis	5	--	--	--	--	--	1	--	--	--	1	3
515	Postinflammatory pulmonary fibrosis	9	--	--	--	--	--	--	--	--	3	3	3
516	Other alveolar and parietoalveolar pneumopathy	6	1	--	--	--	--	1	--	--	3	--	1
518	Other diseases of lung	13	--	--	--	1	--	--	--	--	2	5	5
519	Other diseases of respiratory system	2	--	--	--	--	--	--	--	--	--	--	2

ICD-9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
520-579	TOTAL, DISEASES OF THE DIGESTIVE SYSTEM	235	1	1	--	--	2	5	10	42	51	51	72
530-537	DISEASES OF ESOPHAGUS, STOMACH AND DUODENUM	34	--	--	--	--	--	--	1	4	9	10	10
530	Diseases of esophagus	6	--	--	--	--	--	--	--	1	1	2	2
531	Gastric ulcer	7	--	--	--	--	--	--	1	1	3	2	--
532	Duodenal ulcer	9	--	--	--	--	--	--	--	1	3	1	4
533	Peptic ulcer, site unspecified	9	--	--	--	--	--	--	--	--	2	4	3
535	Gastritis and duodenitis	1	--	--	--	--	--	--	--	--	--	--	1
536	Disorders of function of stomach	1	--	--	--	--	--	--	--	--	--	1	--
537	Other disorders of stomach and duodenum	1	--	--	--	--	--	--	--	1	--	--	--
550-553	HERNIA OF ABDOMINAL CAVITY	4	1	--	--	--	--	--	--	--	1	--	2
552	Other hernia of abdominal cavity with obstruction, without mention of gangrene	2	1	--	--	--	--	--	--	--	--	--	1
553	Other hernia of abdominal cavity without mention of obstruction or gangrene	2	--	--	--	--	--	--	--	--	1	--	1
555-558	NONINFECTIVE ENTERITIS AND COLITIS	34	--	1	--	--	--	--	1	2	7	11	12
556	Idiopathic proctocolitis	1	--	--	--	--	--	--	--	--	1	--	--
557	Vascular insufficiency of intestine	28	--	--	--	--	--	--	1	2	6	10	9
558	Other noninfective gastroenteritis and colitis	5	--	1	--	--	--	--	--	--	--	1	3
560-569	OTHER DISEASES OF INTESTINES AND PERITONEUM	35	--	--	--	--	1	--	--	5	3	9	17
560	Intestinal obstruction without mention of hernia	10	--	--	--	--	--	--	--	2	2	2	4
562	Diverticula of intestine	17	--	--	--	--	--	--	--	1	1	5	10
564	Functional digestive disorders, not elsewhere classified	1	--	--	--	--	--	--	--	--	--	--	1
567	Peritonitis	3	--	--	--	--	1	--	--	1	--	--	1
568	Other disorders of peritoneum	2	--	--	--	--	--	--	--	1	--	1	--
569	Other disorders of intestines	2	--	--	--	--	--	--	--	--	--	1	1
570-579	OTHER DISEASES OF DIGESTIVE SYSTEM	128	--	--	--	--	1	5	8	31	31	21	31
571	Chronic liver disease and cirrhosis	68	--	--	--	--	--	5	6	29	18	8	2
572	Liver abscess and sequelae of chronic liver disease	9	--	--	--	--	--	--	--	--	6	2	1
573	Other disorders of liver	4	--	--	--	--	1	--	--	--	1	--	2
574	Cholelithiasis	5	--	--	--	--	--	--	--	1	--	1	3
575	Other disorders of gallbladder	7	--	--	--	--	--	--	--	--	1	2	4
576	Other disorders of biliary tract	4	--	--	--	--	--	--	1	--	--	--	3
577	Diseases of pancreas	9	--	--	--	--	--	--	1	--	4	2	2
578	Gastointestinal hemorrhage	22	--	--	--	--	--	--	--	1	1	6	14

ICD-9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
580-629	TOTAL, DISEASES OF THE GENITOURINARY SYSTEM	59	1	--	--	1	1	1	1	7	6	22	19
580-589	NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS	38	--	--	--	1	1	1	1	4	5	12	13
582	Chronic glomerulonephritis	4	--	--	--	--	--	--	--	1	--	2	1
583	Nephritis and nephropathy, not specified as acute or chronic	2	--	--	--	--	--	--	1	--	--	1	--
584	Acute renal failure	3	--	--	--	--	--	--	--	1	1	1	--
585	Chronic renal failure	8	--	--	--	1	--	--	--	--	1	4	2
586	Renal failure, unspecified	21	--	--	--	--	1	1	--	2	3	4	10
590-599	OTHER DISEASES OF URINARY SYSTEM	19	1	--	--	--	--	--	--	3	1	10	4
590	Infections of kidney	8	--	--	--	--	--	--	--	2	--	5	1
591	Hydronephrosis	1	--	--	--	--	--	--	--	--	1	--	--
593	Other disorders of kidney and ureter	4	--	--	--	--	--	--	--	--	--	3	1
599	Other disorders of urethra and urinary tract	6	1	--	--	--	--	--	--	1	--	2	2
600-608	DISEASES OF MALE GENITAL ORGANS	2	--	--	--	--	--	--	--	--	--	--	2
600	Hyperplasia of prostate	2	--	--	--	--	--	--	--	--	--	--	2
630-676	TOTAL, COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	1	--	--	--	--	1	--	--	--	--	--	--
640-648	COMPLICATIONS MAINLY RELATED TO PREGNANCY	1	--	--	--	--	1	--	--	--	--	--	--
641	Antepartum hemorrhage, abruptio placentae, and placenta praevia	1	--	--	--	--	1	--	--	--	--	--	--
680-709	TOTAL, DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	6	--	--	--	--	--	1	--	--	2	--	3
680-686	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	2	--	--	--	--	--	1	--	--	1	--	--
685	Pilonidal cyst	1	--	--	--	--	--	1	--	--	--	--	--
686	Other local infections of skin and subcutaneous tissue	1	--	--	--	--	--	--	--	--	1	--	--
700-709	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE	4	--	--	--	--	--	--	--	--	1	--	3
707	Chronic ulcer of skin	4	--	--	--	--	--	--	--	--	1	--	3

ICD-9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
710-739	TOTAL, DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	21	--	--	--	--	--	1	1	3	3	5	8
710-719	ARTHROPATHIES AND RELATED DISORDERS	18	--	--	--	--	--	1	1	3	3	4	6
710	Diffuse diseases of connective tissue	6	--	--	--	--	--	1	1	2	--	1	1
711	Arthropathy associated with infections	2	--	--	--	--	--	--	--	--	--	1	1
714	Rheumatoid arthritis and other inflammatory polyarthropathies	5	--	--	--	--	--	--	--	1	2	1	1
715	Osteoarthrosis and allied disorders	2	--	--	--	--	--	--	--	--	--	--	2
716	Other and unspecified arthropathies	2	--	--	--	--	--	--	--	--	--	1	1
719	Other and unspecified disorder of joint	1	--	--	--	--	--	--	--	--	1	--	--
725-729	RHEUMATISM, EXCLUDING THE BACK	1	--	--	--	--	--	--	--	--	--	1	--
728	Disorders of muscle, ligament and fascia	1	--	--	--	--	--	--	--	--	--	1	--
730-739	OSTEOPATHIES, CHONDROPATHIES AND ACQUIRED MUSCULOSKELETAL DEFORMITIES	2	--	--	--	--	--	--	--	--	--	--	2
733	Other disorders of bone and cartilage	2	--	--	--	--	--	--	--	--	--	--	2
740-759	TOTAL, CONGENITAL ANOMALIES	58	47	3	1	2	--	1	1	--	1	2	--
740	Anencephalus and similar anomalies	3	3	--	--	--	--	--	--	--	--	--	--
741	Spina bifida	1	1	--	--	--	--	--	--	--	--	--	--
742	Other congenital anomalies of nervous system	4	4	--	--	--	--	--	--	--	--	--	--
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	9	5	2	--	1	--	--	--	--	--	1	--
746	Other congenital anomalies of heart	11	9	--	--	1	--	1	--	--	--	--	--
747	Other congenital anomalies of circulatory system	2	1	--	1	--	--	--	--	--	--	--	--
748	Congenital anomalies of respiratory system	4	4	--	--	--	--	--	--	--	--	--	--
750	Other congenital anomalies of upper alimentary tract	1	1	--	--	--	--	--	--	--	--	--	--
751	Other congenital anomalies of digestive system	1	1	--	--	--	--	--	--	--	--	--	--
753	Congenital anomalies of urinary system	3	1	--	--	--	--	--	1	--	--	1	--
756	Other congenital musculoskeletal anomalies	4	4	--	--	--	--	--	--	--	--	--	--
758	Chromosomal anomalies	10	9	--	--	--	--	--	--	--	1	--	--
759	Other and unspecified congenital anomalies	5	4	1	--	--	--	--	--	--	--	--	--

ICD-9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
760-779	TOTAL, CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	99	99	--	--	--	--	--	--	--	--	--	--
762	Newborn affected by complications of placenta, cord and membranes	5	5	--	--	--	--	--	--	--	--	--	--
765	Disorders relating to short gestation and unspecified low birthweight	32	32	--	--	--	--	--	--	--	--	--	--
767	Birth trauma	6	6	--	--	--	--	--	--	--	--	--	--
768	Intrauterine hypoxia and birth asphyxia	6	6	--	--	--	--	--	--	--	--	--	--
769	Respiratory distress syndrome	22	22	--	--	--	--	--	--	--	--	--	--
770	Other respiratory conditions of newborn	16	16	--	--	--	--	--	--	--	--	--	--
771	Infections specific to the perinatal period	5	5	--	--	--	--	--	--	--	--	--	--
772	Neonatal hemorrhage	1	1	--	--	--	--	--	--	--	--	--	--
773	Hemolytic disease of newborn, due to isoimmunization	1	1	--	--	--	--	--	--	--	--	--	--
775	Endocrine and metabolic disturbances specific to the newborn	1	1	--	--	--	--	--	--	--	--	--	--
777	Perinatal disorders of digestive system	1	1	--	--	--	--	--	--	--	--	--	--
779	Other and ill-defined conditions originating in the perinatal period	3	3	--	--	--	--	--	--	--	--	--	--
780-799	TOTAL, SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	173	43	4	1	--	--	4	3	13	26	33	46
780-789	SYMPTOMS	7	--	1	--	--	--	1	--	2	--	2	1
780	General symptoms	2	--	--	--	--	--	1	--	1	--	--	--
781	Symptoms involving nervous and musculoskeletal systems	1	--	--	--	--	--	--	--	1	--	--	--
785	Symptoms involving cardiovascular system	3	--	--	--	--	--	--	--	--	--	2	1
786	Symptons involving respiratory system and other chest symptoms	1	--	1	--	--	--	--	--	--	--	--	--
797-799	ILL-DEFINED AND UNKNOWN CAUSES OF MORTALITY	166	43	3	1	--	--	3	3	11	26	31	45
797	Senility without mention of psychosis	18	--	--	--	--	--	--	--	--	--	1	17
798	Sudden death, cause unknown	44	42	2	--	--	--	--	--	--	--	--	--
799	Other ill-defined and unknown causes of morbidity and mortality	104	1	1	1	--	--	3	3	11	26	30	28
800-999	TOTAL, ACCIDENTS, POISONINGS AND VIOLENCE	817	3	30	26	125	197	112	66	81	64	64	49
800-807	RAILWAY ACCIDENTS	2	--	--	--	--	1	1	--	--	--	--	--
802	Involving explosion, fire or burning	1	--	--	--	--	1	--	--	--	--	--	--
805	Hit by rolling stock	1	--	--	--	--	--	1	--	--	--	--	--

ICD-9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS	343	--	12	11	70	94	46	25	24	23	26	12
810	Involving collision with train	7	--	--	--	2	2	--	2	--	--	--	1
812	Involving collision with another motor vehicle	99	--	5	4	10	26	19	6	5	11	9	4
813	Involving collision with other vehicle	3	--	--	1	2	--	--	--	--	--	--	--
814	Involving collision with pedestrian	40	--	3	4	5	7	4	3	3	2	5	4
815	Other involving collision on the highway	7	--	--	--	2	1	1	1	1	--	1	--
816	Due to loss of control, without collision on the highway	91	--	2	1	21	29	11	7	7	6	6	1
818	Other noncollision motor vehicle traffic accident	9	--	1	1	1	5	--	--	--	--	--	1
819	Motor vehicle traffic accident of unspecified nature	87	--	1	--	27	24	11	6	8	4	5	1
820-825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	18	--	5	4	3	2	1	--	2	--	1	--
820	Involving motor-driven snow vehicle	2	--	--	--	1	1	--	--	--	--	--	--
821	Involving other off-road motor vehicle	1	--	--	--	--	--	1	--	--	--	--	--
822	Other involving collision with moving object	11	--	5	4	--	--	--	--	1	--	1	--
823	Other involving collision with stationary object	1	--	--	--	--	--	--	--	1	--	--	--
825	Other motor vehicle nontraffic accident of other and unspecified nature	3	--	--	--	2	1	--	--	--	--	--	--
826-829	OTHER ROAD VEHICLE ACCIDENTS	3	--	--	--	1	--	--	--	--	2	--	--
827	Animal-drawn vehicle accident	1	--	--	--	--	--	--	--	--	1	--	--
828	Accident involving animal being ridden	2	--	--	--	1	--	--	--	--	1	--	--
830-838	WATER TRANSPORT ACCIDENTS	4	--	--	--	1	1	1	--	--	1	--	--
830	Accident to watercraft causing submersion	4	--	--	--	1	1	1	--	--	1	--	--
840-845	AIR AND SPACE TRANSPORT ACCIDENTS	35	--	--	--	5	10	9	7	3	1	--	--
841	Accident to powered aircraft, other and unspecified	34	--	--	--	5	10	9	7	3	--	--	--
844	Other specified air transport accidents	1	--	--	--	--	--	--	--	--	1	--	--
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	8	--	1	--	1	3	2	--	--	1	--	--
850	By analgesics, antipyretics, antirheumatics	1	--	--	--	--	1	--	--	--	--	--	--
851	By barbiturates	1	--	--	--	--	--	--	--	--	1	--	--
853	By tranquilizers	1	--	--	--	--	--	1	--	--	--	--	--
858	By other drugs	5	--	1	--	1	2	1	--	--	--	--	--

ICD-9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPORS	6	--	--	--	--	1	2	2	1	--	--	--
860	By alcohol, not elsewhere classified	1	--	--	--	--	--	1	--	--	--	--	--
868	By other utility gas and other carbon monoxide	5	--	--	--	--	1	1	2	1	--	--	--
878-879	SURGICAL AND MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF PATIENT OR LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF PROCEDURE	12	--	--	--	--	1	2	1	2	2	2	2
878	Surgical operation and other surgical procedures as the cause of abnormal reaction in patient, or of later complication, without mention of misadventure at the time of operation	12	--	--	--	--	1	2	1	2	2	2	2
880-888	ACCIDENTAL FALLS	50	--	--	--	2	--	2	1	4	5	13	23
880	Fall on or from stairs or steps	3	--	--	--	--	--	--	1	--	1	--	1
881	Fall on or from ladders or scaffolding	3	--	--	--	1	--	1	--	1	--	--	--
882	Fall from or out of building or other structure	2	--	--	--	--	--	--	--	1	--	1	--
883	Fall into hole or other opening in surface	2	--	--	--	1	--	--	--	1	--	--	--
884	Other fall from one level to another	5	--	--	--	--	--	--	--	--	1	2	2
885	Fall on same level from slipping, tripping or stumbling	2	--	--	--	--	--	--	--	--	--	1	1
887	Fracture, cause unspecified	10	--	--	--	--	--	--	--	--	--	2	8
888	Other and unspecified fall	23	--	--	--	--	--	1	--	1	3	7	11
890-899	ACCIDENTS CAUSED BY FIRE AND FLAMES	21	--	1	2	5	4	1	--	3	2	1	2
890	Conflagration in private dwelling	15	--	1	2	5	2	--	--	1	2	1	1
891	Conflagration in other and unspecified building or structure	4	--	--	--	--	1	1	--	2	--	--	--
892	Conflagration not in building or structure	1	--	--	--	--	1	--	--	--	--	--	--
893	Accident caused by ignition of clothing	1	--	--	--	--	--	--	--	--	--	--	1
900-909	ACCIDENTS DUE TO NATURAL AND ENVIRONMENTAL FACTORS	9	--	--	--	1	3	1	1	1	2	--	--
901	Excessive cold	6	--	--	--	1	2	--	1	1	1	--	--
904	Hunger, thirst, exposure, neglect	2	--	--	--	--	1	1	--	--	--	--	--
906	Other injury caused by animals	1	--	--	--	--	--	--	--	--	1	--	--

ICD-9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
910-915	ACCIDENTS CAUSED BY SUBMERSION, SUFFOCATION AND FOREIGN BODIES	56	2	8	4	13	11	5	--	5	1	4	3
910	Accidental drowning and submersion	36	--	7	3	8	9	4	--	4	1	--	--
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	9	--	1	--	--	1	1	--	1	--	3	2
913	Accidental mechanical suffocation	11	2	--	1	5	1	--	--	--	--	1	1
916-928	OTHER ACCIDENTS	47	--	2	2	12	9	7	1	10	2	2	--
916	Struck accidentally by falling object	4	--	--	--	1	1	1	--	1	--	--	--
917	Striking against or struck accidentally by objects or persons	4	--	--	--	1	1	1	--	--	1	--	--
919	Accidents caused by machinery	13	--	1	1	1	--	1	1	6	1	1	--
920	Accidents caused by cutting and piercing instruments or objects	1	--	--	--	--	--	1	--	--	--	--	--
922	Accident caused by firearm missile	11	--	1	1	6	1	1	--	1	--	--	--
923	Accident caused by explosive material	2	--	--	--	--	--	1	--	--	--	1	--
924	Accident caused by hot substance or object, caustic or corrosive material and steam	3	--	--	--	--	2	--	--	1	--	--	--
925	Accident caused by electric current	7	--	--	--	3	3	--	--	1	--	--	--
928	Other and unspecified environmental and accidental causes	2	--	--	--	--	1	1	--	--	--	--	--
929	LATE EFFECTS OF ACCIDENTAL INJURY	3	--	--	1	--	--	1	1	--	--	--	--
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	3	--	--	--	--	--	--	--	1	--	--	2
938	Other central nervous system depressants	1	--	--	--	--	--	--	--	--	--	--	1
947	Other and unspecified drugs and medicaments	2	--	--	--	--	--	--	--	1	--	--	1
950-959	SUICIDE	125	--	--	--	6	38	18	14	18	16	12	3
950	By poisoning by solid or liquid substances	9	--	--	--	--	2	2	--	2	2	1	--
952	By poisoning by other gases and vapors	9	--	--	--	1	4	1	1	1	--	1	--
953	By hanging, strangulation and suffocation	10	--	--	--	1	3	2	2	1	--	1	--
955	By firearms and explosives	89	--	--	--	4	27	9	11	13	14	8	3
956	By cutting and piercing instruments	1	--	--	--	--	1	--	--	--	--	--	--
957	By jumping from high place	4	--	--	--	--	--	2	--	1	--	1	--
958	By other and unspecified means	3	--	--	--	--	1	2	--	--	--	--	--

ICD-9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
960-969	HOMICIDE	54	1	1	2	4	15	12	9	5	4	1	--
960	Fight, brawl, rape	2	--	--	--	--	--	1	--	1	--	--	--
963	Assault by hanging and strangulation	3	--	1	--	--	2	--	--	--	--	--	--
964	Assault by submersion (drowning)	1	--	--	--	1	--	--	--	--	--	--	--
965	Assault by firearms and explosives	36	--	--	2	2	8	9	8	3	3	1	--
966	Assault by cutting and piercing instruments	8	--	--	--	1	4	1	--	1	1	--	--
967	Child battering and other maltreatment	1	1	--	--	--	--	--	--	--	--	--	--
968	Assault by other and unspecified means	3	--	--	--	--	1	1	1	--	--	--	--
970-978	LEGAL INTERVENTION	2	--	--	--	--	1	--	--	1	--	--	--
970	By firearms	2	--	--	--	--	1	--	--	1	--	--	--
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	16	--	--	--	1	3	1	4	1	2	2	2
980	Poisoning by solid or liquid substances	3	--	--	--	--	1	1	1	--	--	--	--
983	Hanging, strangulation, or suffocation	3	--	--	--	1	1	--	1	--	--	--	--
984	Submersion (drowning)	2	--	--	--	--	--	--	--	--	1	--	1
985	Firearms and explosives	1	--	--	--	--	--	--	--	--	--	1	--
986	Cutting and piercing instruments	1	--	--	--	--	1	--	--	--	--	--	--
987	Falling from high place	1	--	--	--	--	--	--	--	1	--	--	--
988	Other and unspecified means	5	--	--	--	--	--	--	2	--	1	1	1